

Screenshots:

1 . Create 'spj' database'. (Database for suppliers, parts and jobs)

```
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Users\nandi>mysql -u KD3-98843-Nandini -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 31
Server version: 8.4.2 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

KD3-98843-Nandini> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| school |
| sys |
+-----+
5 rows in set (0.00 sec)
```

2. use spj database; 3. Create following tables in spj database.

```
KD3-98843-Nandini> USE spj;
Database changed
KD3-98843-Nandini> CREATE TABLE S(S# CHAR(10), Sname VARCHAR(20), Status INT, City CHAR(20));
Query OK, 0 rows affected (0.05 sec)

KD3-98843-Nandini> DESCRIBE S;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| S# | char(10) | YES | | NULL | |
| Sname | varchar(20) | YES | | NULL | |
| Status | int | YES | | NULL | |
| City | char(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.02 sec)

KD3-98843-Nandini> DESCRIBE S;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| S# | char(10) | YES | | NULL | |
| Sname | varchar(20) | YES | | NULL | |
| Status | int | YES | | NULL | |
| City | char(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.02 sec)

KD3-98843-Nandini> INSERT INTO S VALUES('S1', 'Smith', 20, 'London');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO S VALUES('S2', 'Jones', 10, 'Paris');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO S VALUES('S3', 'Blake', 30, 'Paris');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO S VALUES('S4', 'Clark', 20, 'london');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO S VALUES('S5', 'Adams', 30, 'Athens');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> SELECT * FROM S;
+-----+-----+-----+-----+
| S# | Sname | Status | City |
+-----+-----+-----+-----+
| S1 | Smith | 20 | London |
| S2 | Jones | 10 | Paris |
| S3 | Blake | 30 | Paris |
| S4 | Clark | 20 | london |
| S5 | Adams | 30 | Athens |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

4. Create Table with a P.

```
KD3-98843-Nandini> CREATE TABLE P(P# CHAR(10), Sname VARCHAR(20), Color CHAR(10), Weight int, City CHAR(20));
Query OK, 0 rows affected (0.05 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P1', 'Nut', 'Red', 12, 'London');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P2', 'Bolt', 'Green', 17, 'Paris');
Query OK, 1 row affected (0.01 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P3', 'Screw', 'Blue', 17, 'Rome');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P4', 'Screw', 'Red', 14, 'London');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P5', 'Cam', 'Blue', 12, 'Paris');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO P VALUES('P6', 'Cog', 'Red', 19, 'London');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> SELECT * FROM P;
+-----+-----+-----+-----+-----+
| P# | Sname | Color | Weight | City |
+-----+-----+-----+-----+-----+
| P1 | Nut | Red | 12 | London |
| P2 | Bolt | Green | 17 | Paris |
| P3 | Screw | Blue | 17 | Rome |
| P4 | Screw | Red | 14 | London |
| P5 | Cam | Blue | 12 | Paris |
| P6 | Cog | Red | 19 | London |
+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
KD3-98843-Nandini> CREATE TABLE J(J# CHAR(10), Jname VARCHAR(20), City CHAR(20));
Query OK, 0 rows affected (0.04 sec)
```

5. Create a table with a name J.

```
KD3-98843-Nandini> INSERT INTO J VALUES('P1','Sorter', 'Paris');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO J VALUES('J1','Punch', 'Rome');
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> UPDATE J SET `J#` = 'J1' WHERE Jname = 'Sorter';
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0

KD3-98843-Nandini> UPDATE J SET `J#` = 'J2' WHERE Jname = 'Punch';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

KD3-98843-Nandini> INSERT INTO J VALUES('J3','Reader', 'Athens');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO J VALUES('J4','Console', 'Athens');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO J VALUES('J5','Collator', 'london');
Query OK, 1 row affected (0.02 sec)

KD3-98843-Nandini> INSERT INTO J VALUES('J6','Terminal', 'Oslo');
Query OK, 1 row affected (0.01 sec)

KD3-98843-Nandini> INSERT INTO J VALUES('J7','Tape', 'london');
Query OK, 1 row affected (0.00 sec)

KD3-98843-Nandini> SELECT * FROM J;
+-----+-----+-----+
| J# | Jname | City |
+-----+-----+-----+
| J1 | Sorter | Paris |
| J2 | Punch | Rome |
| J3 | Reader | Athens |
| J4 | Console | Athens |
| J5 | Collator | london |
| J6 | Terminal | Oslo |
| J7 | Tape | london |
+-----+-----+-----+
7 rows in set (0.00 sec)
```

6. Create a table with a name of the sp

```
KD3-98843-Nandini> CREATE TABLE sp('S#' CHAR(4), 'P#' CHAR(4), 'I#' CHAR(4), QTY INT);
Query OK, 0 rows affected (0.04 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S1', 'P1', 'J1', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S1', 'P1', 'J4', 700);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J1', 400);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J2', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J3', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J4', 500);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J5', 600);
Query OK, 1 row affected (0.01 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J6', 400);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P3', 'J7', 800);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S2', 'P5', 'J2', 100);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S3', 'P3', 'J1', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S3', 'P4', 'J2', 500);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S3', 'P4', 'J2', 500);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S4', 'P6', 'J3', 300);
Query OK, 1 row affected (0.01 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S4', 'P6', 'J7', 300);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P2', 'J2', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P2', 'J4', 100);
Query OK, 1 row affected (0.01 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P5', 'J5', 500);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P5', 'J7', 100);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P6', 'J2', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P1', 'J4', 100);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P6', 'J4', 200);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P4', 'J4', 800);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P4', 'J4', 400);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> INSERT INTO sp VALUES('S5', 'P6', 'J4', 500);
Query OK, 1 row affected (0.02 sec)
```

```
KD3-98843-Nandini> SELECT * FROM sp;
```

S#	P#	I#	QTY
S1	P1	J1	200
S1	P1	J4	700
S2	P3	J1	400
S2	P3	J2	200
S2	P3	J3	200
S2	P3	J4	500
S2	P3	J5	600
S2	P3	J6	400
S2	P3	J7	800
S2	P5	J2	100
S3	P3	J1	200
S3	P4	J2	500
S4	P6	J3	300
S4	P6	J7	300
S5	P2	J2	200
S5	P2	J4	100
S5	P5	J5	500
S5	P5	J7	100
S5	P6	J2	200
S5	P1	J4	100
S5	P6	J4	200
S5	P4	J4	800
S5	P4	J4	400
S5	P6	J4	500

```
24 rows in set (0.00 sec)
```

7. Upload a database of a sales.

```
Microsoft Windows [Version 10.0.26200.9168]  
(c) Microsoft Corporation. All rights reserved.
```

```
C:\Users\nandi>mysql -u root -p
```

```
Enter password: *****
```

```
Welcome to the MySQL monitor.  Commands end with ; or \g.
```

```
Your MySQL connection id is 32
```

```
Server version: 8.4.2 MySQL Community Server - GPL
```

```
Copyright (c) 2000, 2024, Oracle and/or its affiliates.
```

```
Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.
```

```
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
root> CREATE DATABASE Sales;
```

```
Query OK, 1 row affected (0.02 sec)
```

```
root> USE Sales;
```

```
Database changed
```

```

root> SOURCE C:\Users\nandi\Downloads\CDAC\SunbeamGitData\DBT\dfs\sales-db.sql
Query OK, 0 rows affected, 1 warning (0.04 sec)

Query OK, 0 rows affected, 3 warnings (0.02 sec)

Query OK, 0 rows affected, 3 warnings (0.02 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

```

```

root> SHOW TABLES;
+-----+
| Tables_in_sales |
+-----+
| customers       |
| orders          |
| salespeople     |
+-----+
3 rows in set (0.01 sec)

root> SELECT * FROM customers;
+-----+-----+-----+-----+-----+
| cnum | cname   | city   | rating | snum |
+-----+-----+-----+-----+-----+
| 2001 | Hoffman | London | 100    | 1001 |
| 2002 | Giovanni | Rome   | 200    | 1003 |
| 2003 | Liu      | San Jose | 200    | 1002 |
| 2004 | Grass    | Berlin | 300    | 1002 |
| 2006 | Clemens  | London | 100    | 1001 |
| 2008 | Cisneros | San Jose | 300    | 1007 |
| 2007 | Pereira  | Rome   | 100    | 1004 |
+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

```



```

root> SHOW TABLES;
+-----+
| Tables_in_hr |
+-----+
| countries    |
| departments  |
| employees    |
| job_history  |
| jobs         |
| locations    |
| regions      |
+-----+
7 rows in set (0.00 sec)

```

```

root> SELECT * FROM countries;
+-----+-----+-----+
| COUNTRY_ID | COUNTRY_NAME | REGION_ID |
+-----+-----+-----+
| AR         | Argentina    | 20        |
| AU         | Australia    | 40        |
| BE         | Belgium      | 10        |
| BR         | Brazil       | 20        |
| CA         | Canada       | 20        |
| CH         | Switzerland  | 10        |
| CN         | China        | 30        |
| DE         | Germany      | 10        |
| DK         | Denmark      | 10        |
| EG         | Egypt        | 50        |
| FR         | France       | 10        |
| GB         | United Kingdom of Great Britain and Nort | 10        |
| IL         | Israel       | 30        |
| IN         | India        | 30        |
| IT         | Italy        | 10        |
| JP         | Japan        | 30        |
| KW         | Kuwait       | 30        |
| ML         | Malaysia     | 30        |
| MX         | Mexico       | 20        |
| NG         | Nigeria      | 50        |
| NL         | Netherlands  | 10        |
| SG         | Singapore    | 30        |
| US         | United States of America | 20        |
| ZM         | Zambia       | 50        |
| ZW         | Zimbabwe     | 50        |
+-----+-----+-----+
25 rows in set (0.00 sec)

```

```

root> SELECT * FROM departments;
+-----+-----+-----+-----+
| DEPARTMENT_ID | DEPARTMENT_NAME | MANAGER_ID | LOCATION_ID |
+-----+-----+-----+-----+
| 10            | Administration   | 200        | 1700        |
| 20            | Marketing        | 201        | 1800        |
| 30            | Purchasing       | 114        | 1700        |
| 40            | Human Resources  | 203        | 2400        |
| 50            | Shipping         | 121        | 1500        |
| 60            | IT               | 103        | 1400        |
| 70            | Public Relations | 204        | 2700        |
| 80            | Sales           | 145        | 2500        |
| 90            | Executive        | 100        | 1700        |
| 100           | Finance          | 108        | 1700        |
| 110           | Accounting       | 205        | 1700        |
| 120           | Treasury         | NULL       | 1700        |
| 130           | Corporate Tax    | NULL       | 1700        |
| 140           | Control And Credit | NULL       | 1700        |
| 150           | Shareholder Services | NULL       | 1700        |
| 160           | Benefits         | NULL       | 1700        |
| 170           | Manufacturing    | NULL       | 1700        |
| 180           | Construction     | NULL       | 1700        |
| 190           | Contracting      | NULL       | 1700        |
| 200           | Operations       | NULL       | 1700        |
| 210           | IT Support       | NULL       | 1700        |
| 220           | NOC              | NULL       | 1700        |
| 230           | IT Helpdesk      | NULL       | 1700        |
| 240           | Government Sales | NULL       | 1700        |
| 250           | Retail Sales     | NULL       | 1700        |
| 260           | Recruiting       | NULL       | 1700        |
| 270           | Payroll          | NULL       | 1700        |
+-----+-----+-----+-----+
27 rows in set (0.00 sec)

```

root> SELECT * FROM employees;										
EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
100	Steven	King	SKING	1.515.555.0100	2013-06-17	AD_PRES	24000.00		NUL	90
101	Neena	Yang	NYANG	1.515.555.0101	2015-09-21	AD_VP	17000.00		NUL	90
102	Lex	Garcia	LGARCIA	1.515.555.0102	2011-01-13	AD_VP	17000.00		NUL	90
103	Alexander	James	AJAMES	1.590.555.0103	2016-01-03	IT_PROG	9000.00		NUL	102
104	Ezra	Blitzer	EBLITZER	1.590.555.0104	2017-05-21	IT_PROG	6000.00		NUL	103
105	David	Williams	DWILLIAMS	1.590.555.0105	2015-06-25	IT_PROG	4800.00		NUL	103
106	Valli	Jackson	VJACKSON	1.590.555.0106	2016-02-05	IT_PROG	4800.00		NUL	103
107	Diana	Nguyen	DNNGUYEN	1.590.555.0107	2017-02-07	IT_PROG	4200.00		NUL	103
108	Nancy	Greenberg	NGREENBERG	1.515.555.0108	2012-08-17	FI_PROG	12000.00		NUL	101
109	Daniel	Faviet	DFAVIET	1.515.555.0109	2012-08-16	FI_ACCOUNT	9000.00		NUL	108
110	John	Chen	JCHEN	1.515.555.0110	2015-09-28	FI_ACCOUNT	8200.00		NUL	108
111	Ismael	Sciarra	ISCIARRA	1.515.555.0111	2015-09-30	FI_ACCOUNT	7700.00		NUL	108
112	Jose Manuel	Uman	JUMMAN	1.515.555.0112	2016-03-07	FI_ACCOUNT	7000.00		NUL	108
113	Luis	Popp	LPOPP	1.515.555.0113	2017-12-07	FI_ACCOUNT	6900.00		NUL	108
114	Den	Li	DLI	1.515.555.0114	2012-12-07	PU_MAN	11000.00		NUL	100
115	Alexander	Khoo	AKHOO	1.515.555.0115	2013-05-18	PU_CLERK	3100.00		NUL	114
116	Shelli	Baida	SBIDA	1.515.555.0116	2015-12-24	PU_CLERK	2900.00		NUL	114
117	Sigal	Tobias	STOBIAS	1.515.555.0117	2015-07-24	PU_CLERK	2800.00		NUL	114
118	Guy	Himuro	GHIHURO	1.515.555.0118	2016-11-15	PU_CLERK	2600.00		NUL	114
119	Karen	Colmenares	KCOLMENARES	1.515.555.0119	2017-08-10	PU_CLERK	2500.00		NUL	114
120	Matthew	Weiss	MWEISS	1.650.555.0120	2014-07-15	ST_MAN	8000.00		NUL	100
121	Adam	Fripp	AFRIPP	1.650.555.0121	2015-04-10	ST_MAN	8200.00		NUL	100
122	Payam	Maufling	PKAUFLING	1.650.555.0122	2013-05-01	ST_MAN	7900.00		NUL	100
123	Shanta	Vollman	SVOLLMAN	1.650.555.0123	2015-10-10	ST_MAN	6500.00		NUL	100
124	Kevin	Mourgos	KMOURGOS	1.650.555.0124	2017-11-16	ST_MAN	5800.00		NUL	100
125	Julia	Nayer	JNAYER	1.650.555.0125	2015-07-16	ST_CLERK	3200.00		NUL	120
126	Irene	Mikkilineni	IMIKKILINENI	1.650.555.0126	2016-09-28	ST_CLERK	2700.00		NUL	120
127	James	Landry	JLANDRY	1.650.555.0127	2017-01-14	ST_CLERK	2400.00		NUL	120
128	Steven	Markle	SMARKLE	1.650.555.0128	2018-03-08	ST_CLERK	2200.00		NUL	120
129	Laura	Bissot	LBISSOT	1.650.555.0129	2015-08-20	ST_CLERK	3300.00		NUL	121
130	Mozhe	Atkinson	MATKINSON	1.650.555.0130	2015-10-30	ST_CLERK	2800.00		NUL	121
131	James	Rafael	JRAFAEL	1.650.555.0131	2015-02-16	ST_CLERK	2500.00		NUL	121
132	TJ	Olson	TJOLSON	1.650.555.0132	2017-04-10	ST_CLERK	2100.00		NUL	121
133	Jason	Mallin	JMALLIN	1.650.555.0133	2014-06-14	ST_CLERK	3300.00		NUL	122
134	Michael	Rogers	MROGERS	1.650.555.0134	2016-08-26	ST_CLERK	2900.00		NUL	122
135	Kit	Green	KGREEN	1.650.555.0135	2017-12-12	ST_CLERK	2400.00		NUL	122
136	Hazel	Philtanker	HPHILTANKER	1.650.555.0136	2018-02-06	ST_CLERK	2200.00		NUL	122
137	Renske	Ladwig	RLADWIG	1.650.555.0137	2013-07-14	ST_CLERK	3600.00		NUL	123
138	Stephen	Stiles	SSTILES	1.650.555.0138	2015-10-26	ST_CLERK	3200.00		NUL	123
139	John	Seo	JSEO	1.650.555.0139	2016-02-12	ST_CLERK	2700.00		NUL	123
140	Joshua	Patel	JPAHEL	1.650.555.0140	2016-04-06	ST_CLERK	2500.00		NUL	123
141	Trenna	Rajs	TRAJS	1.650.555.0141	2013-10-17	ST_CLERK	3500.00		NUL	124
142	Curtis	Davies	CDAVIES	1.650.555.0142	2015-01-29	ST_CLERK	3100.00		NUL	124
143	Randall	Mates	RMATES	1.650.555.0143	2016-03-15	ST_CLERK	2600.00		NUL	124
144	Peter	Vargas	PVARGAS	1.650.555.0144	2016-07-09	ST_CLERK	2500.00		NUL	124
145	John	Singh	JSINGH	44.1632.960000	2014-10-01	SA_MAN	14000.00	0.40	100	80
146	Ronen	Partners	RPARTNER	44.1632.960001	2015-01-05	SA_MAN	13500.00	0.30	100	80
147	Alberto	Ernst	AERST	44.1632.960002	2015-03-10	SA_MAN	12000.00	0.30	100	80
148	Gerald	Cambraut	GCAMBRAUT	44.1632.960003	2017-10-15	SA_MAN	11000.00	0.30	100	80
149	Eleni	Zlotkey	EZLOTKEY	44.1632.960004	2018-01-29	SA_MAN	10500.00	0.20	100	80
150	Sean	Tucker	STUCKER	44.1632.960005	2015-01-30	SA_REP	10000.00	0.30	145	80
151	David	Bernstein	DBERNSTEIN	44.1632.960006	2015-03-24	SA_REP	9500.00	0.25	145	80
152	Peter	Hall	PHALL	44.1632.960007	2015-08-20	SA_REP	9000.00	0.25	145	80
153	Christopher	Olsen	COLSEN	44.1632.960008	2016-03-30	SA_REP	8000.00	0.20	145	80
154	Janette	Cambraut	JCAMBRAUT	44.1632.960009	2016-12-09	SA_REP	7500.00	0.20	145	80
155	Oliver	Tuvault	OTUVAULT	44.1632.960010	2017-11-23	SA_REP	7000.00	0.15	145	80
156	Janette	King	JKING	44.1632.960011	2014-01-30	SA_REP	10000.00	0.35	146	80
157	Patrick	Sully	PSULLY	44.1632.960012	2014-03-04	SA_REP	9500.00	0.35	146	80
158	Allan	Mckeen	AMCKEEN	44.1632.960013	2014-06-01	SA_REP	9000.00	0.35	146	80
159	Lindsey	Smith	LSMITH	44.1632.960014	2015-03-10	SA_REP	8000.00	0.30	146	80
160	Louise	Doran	LDORAN	44.1632.960015	2015-12-15	SA_REP	7500.00	0.30	146	80
161	Sarah	Sewall	SSEWALL	44.1632.960016	2016-11-03	SA_REP	7000.00	0.25	146	80
162	Clara	Vishney	CVISHNEY	44.1632.960017	2015-11-11	SA_REP	10500.00	0.25	147	80
163	Danielle	Greene	DGREENE	44.1632.960018	2017-03-19	SA_REP	9500.00	0.15	147	80
164	Mattea	Marvins	MMARVINS	44.1632.960019	2018-01-24	SA_REP	7200.00	0.10	147	80
165	David	Lee	DLEE	44.1632.960020	2018-02-23	SA_REP	6000.00	0.10	147	80
166	Sundar	Ande	SANDE	44.1632.960021	2018-03-24	SA_REP	6400.00	0.10	147	80
167	Amit	Banda	ABANDA	44.1632.960022	2018-04-21	SA_REP	6200.00	0.10	147	80
168	Lisa	Ozer	LOZER	44.1632.960023	2015-03-11	SA_REP	11500.00	0.25	148	80
169	Harrison	Bloom	HBLOOM	44.1632.960024	2016-03-23	SA_REP	10000.00	0.20	148	80
170	Taylor	Fox	TFOX	44.1632.960025	2016-01-24	SA_REP	9000.00	0.20	148	80
171	William	Smith	WSMITH	44.1632.960026	2017-02-23	SA_REP	7900.00	0.15	148	80


```
root> SELECT * FROM job_history;
```

EMPLOYEE_ID	START_DATE	END_DATE	JOB_ID	DEPARTMENT_ID
101	2007-09-21	2011-10-27	AC_ACCOUNT	110
101	2011-10-28	2015-03-15	AC_MGR	110
102	2011-01-13	2016-07-24	IT_PROG	60
114	2016-03-24	2017-12-31	ST_CLERK	50
122	2017-01-01	2017-12-31	ST_CLERK	50
176	2016-03-24	2016-12-31	SA_REP	80
176	2017-01-01	2017-12-31	SA_MAN	80
200	2005-09-17	2011-06-17	AD_ASST	90
200	2012-07-01	2016-12-31	AC_ACCOUNT	90
201	2014-02-17	2017-12-19	MK_REP	20

```
10 rows in set (0.00 sec)
```

```
root> SELECT * FROM jobs;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
AC_ACCOUNT	Public Accountant	4200	9000
AC_MGR	Accounting Manager	8200	16000
AD_ASST	Administration Assistant	3000	6000
AD PRES	President	20080	40000
AD_VP	Administration Vice President	15000	30000
FI_ACCOUNT	Accountant	4200	9000
FI_MGR	Finance Manager	8200	16000
HR_REP	Human Resources Representative	4000	9000
IT_PROG	Programmer	4000	10000
MK_MAN	Marketing Manager	9000	15000
MK_REP	Marketing Representative	4000	9000
PR_REP	Public Relations Representative	4500	10500
PU_CLERK	Purchasing Clerk	2500	5500
PU_MAN	Purchasing Manager	8000	15000
SA_MAN	Sales Manager	10000	20080
SA_REP	Sales Representative	6000	12008
SH_CLERK	Shipping Clerk	2500	5500
ST_CLERK	Stock Clerk	2008	5000
ST_MAN	Stock Manager	5500	8500

```
19 rows in set (0.00 sec)
```

```
root> SELECT * FROM locations;
```

LOCATION_ID	STREET_ADDRESS	POSTAL_CODE	CITY	STATE_PROVINCE	COUNTRY_ID
1000	1297 Via Cola di Rie	00989	Roma	NULL	IT
1100	93091 Calle della Testa	10934	Venice	NULL	IT
1200	2017 Shinjuku-ku	1689	Tokyo	Tokyo Prefecture	JP
1300	9450 Kamiya-cho	6823	Hiroshima	NULL	JP
1400	2014 Jabbawocky Rd	26192	Southlake	Texas	US
1500	2011 Interiors Blvd	99236	South San Francisco	California	US
1600	2007 Zagora St	50090	South Brunswick	New Jersey	US
1700	2004 Charade Rd	98199	Seattle	Washington	US
1800	147 Spadina Ave	M5V 2L7	Toronto	Ontario	CA
1900	6092 Boxwood St	Y5W 9T2	Whitehorse	Yukon	CA
2000	40-5-12 Laogianggen	190518	Beijing	NULL	CN
2100	1298 Vileparle (E)	490231	Bombay	Maharashtra	IN
2200	12-98 Victoria Street	2901	Sydney	New South Wales	AU
2300	198 Clementi North	540198	Singapore	NULL	SG
2400	8204 Arthur St	NULL	London	NULL	GB
2500	Magdalen Centre, The Oxford Science Park	OX9 9ZB	Oxford	Oxford	GB
2600	9702 Chester Road	09629850293	Stretford	Manchester	GB
2700	Schwanthalerstr. 7031	80925	Munich	Bavaria	DE
2800	Rua Frei Caneca 1360	01307-002	Sao Paulo	Sao Paulo	BR
2900	20 Rue des Corps-Saints	1730	Geneva	Geneve	CH
3000	Murtenstrasse 921	3095	Bern	BE	CH
3100	Pieter Breughelstraat 837	3029SK	Utrecht	Utrecht	NL
3200	Mariano Escobedo 9991	11932	Mexico City	Distrito Federal	MX

```
23 rows in set (0.00 sec)
```

```
root> SELECT * FROM regions;
```

REGION_ID	REGION_NAME
50	Africa
20	Americas
30	Asia
10	Europe
40	Oceania

```
5 rows in set (0.00 sec)
```

9. Upload a database of a joins.

```
root> CREATE DATABASE Joins;
Query OK, 1 row affected (0.00 sec)
```

```
root> USE Joins;
Database changed
```

```
root> SOURCE C:\Users\nandi\Downloads\CDAC\SunbeamGitData\DBT\dbs\joins.sql
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
Query OK, 0 rows affected (0.01 sec)
```

```
Query OK, 1 row affected (0.01 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Query OK, 0 rows affected (0.01 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
root> SHOW TABLES;
+-----+
| Tables_in_joins |
+-----+
| addr             |
| depts            |
| emp_meeting     |
| emps             |
| meeting          |
+-----+
5 rows in set (0.00 sec)

root> SELECT * FROM addr;
+-----+-----+-----+
| empno | tal   | dist   |
+-----+-----+-----+
| 1      | Gad   | Kolhapur |
| 2      | Karad | Satara  |
| 3      | Junnar | Pune    |
| 4      | Wai   | Satara  |
| 5      | Karad | Satara  |
+-----+-----+-----+
5 rows in set (0.00 sec)

root> SELECT * FROM depts;
+-----+-----+
| deptno | dname |
+-----+-----+
| 10     | DEV   |
| 20     | QA    |
| 30     | OPS   |
| 40     | ACC   |
+-----+-----+
4 rows in set (0.00 sec)
```

```
root> SELECT * FROM emp_meeting;
```

meetno	empno
100	3
100	4
200	1
200	2
200	3
200	4
200	5
300	1
300	2
300	4

```
10 rows in set (0.00 sec)
```

```
root> SELECT * FROM emps;
```

empno	ename	deptno	mgr
1	Amit	10	4
2	Rahul	10	3
3	Nilesh	20	4
4	Nitin	50	5
5	Sarang	50	NULL

```
5 rows in set (0.00 sec)
```

```
root> SELECT * FROM meeting;
```

meetno	topic	venue
100	Scheduling	Director Cabin
200	Annual meet	Board Room
300	App Design	Co-director Cabin

```
3 rows in set (0.00 sec)
```