

ASSIGNMENT 5

Q1.

```
kd3_98850_pranit> SELECT CONCAT(LOWER(first_name),'-',UPPER(last_name)) AS full_name FROM employees;
```

full_name
ellen-ABEL
sundar-ANDE
mozhe-ATKINSON
shelli-BAIDA
amit-BANDA
elizabeth-BATES
sarah-BELL
david-BERNSTEIN
laura-BISSOT
harrison-BLOOM
hermann-BROWN
alexis-BULL
anthony-CABRIO
gerald-CAMBRAULT
nanette-CAMBRAULT
john-CHEN
kelly-CHUNG
karen-COLMENARES

jonathon-TAYLOR
winston-TAYLOR
sigal-TOBIAS
sean-TUCKER
oliver-TUVAULT
jose manuel-URMAN
peter-VARGAS
timothy-VENZL
clara-VISHNEY
shanta-VOLLMAN
alana-WALSH
matthew-WEISS
jennifer-WHALEN
david-WILLIAMS
neena-YANG
eleni-ZLOTKEY

107 rows in set (0.00 sec)

ASSIGNMENT 5

Q2

```
kd3_98850_pranit> SELECT SUBSTRING_INDEX(job_title, ' ',1) from jobs;
+-----+
| SUBSTRING_INDEX(job_title, ' ',1) |
+-----+
| Public                             |
| Accounting                         |
| Administration                     |
| President                         |
| Administration                     |
| Accountant                         |
| Finance                           |
| Human                             |
| Programmer                         |
| Marketing                         |
| Marketing                         |
| Public                             |
| Purchasing                        |
| Purchasing                        |
| Sales                             |
| Sales                             |
| Shipping                          |
| Stock                             |
| Stock                             |
+-----+
19 rows in set (0.00 sec)
```

Q3.

```
kd3_98850_pranit> SELECT first_name, last_name, LENGTH(first_name) FROM employees
-> WHERE last_name LIKE '___%b%';
+-----+-----+-----+
| first_name | last_name | LENGTH(first_name) |
+-----+-----+-----+
| Gerald     | Cambrault | 6                   |
| Nanette    | Cambrault | 7                   |
| Nancy      | Gruenberg | 5                   |
| Susan      | Jacobs    | 5                   |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

ASSIGNMENT 5

Q4.

```
kd3_98850_pranit> SELECT employee_id,first_name,last_name FROM employees
-> WHERE first_name LIKE "%\ %" OR last_name LIKE "%\ %";
+-----+-----+-----+
| employee_id | first_name | last_name |
+-----+-----+-----+
|          112 | Jose Manuel | Urman    |
+-----+-----+-----+
1 row in set (0.00 sec)
```

Q5.

```
kd3_98850_pranit> SELECT first_name,last_name, ROUND(salary,-3)
-> FROM employees;
+-----+-----+-----+
| first_name | last_name | ROUND(salary,-3) |
+-----+-----+-----+
| Steven     | King     | 24000            |
| Neena      | Yang     | 17000            |
| Lex        | Garcia   | 17000            |
| Alexander  | James    | 9000             |
| Bruce      | Miller   | 6000             |
| David      | Williams | 5000             |
| Valli      | Jackson  | 5000             |
| Diana      | Nguyen   | 4000             |
| Nancy      | Gruenberg| 12000            |
| Daniel     | Favier   | 9000             |
| John       | Chen     | 8000             |
| Ismael     | Sciarra  | 8000             |
| Jose Manuel| Urman    | 8000             |
| Luis       | Popp     | 7000             |
| Den        | Li       | 11000            |
| Alexander  | Khoo     | 3000             |
| Shelli     | Baida    | 3000             |
| Sigal      | Tobias   | 3000             |
| Guy        | Himuro   | 3000             |
| Karen      | Colmenares| 3000            |
| Matt       | ...      | 3000             |
```

ASSIGNMENT 5

```
| Jennifer | Ditty | 4000 |
| Timothy | Venzl | 3000 |
| Randall | Perkins | 3000 |
| Sarah | Bell | 4000 |
| Britney | Everett | 4000 |
| Samuel | McLeod | 3000 |
| Vance | Jones | 3000 |
| Alana | Walsh | 3000 |
| Kevin | Feeney | 3000 |
| Donald | OConnell | 3000 |
| Douglas | Grant | 3000 |
| Jennifer | Whalen | 4000 |
| Michael | Martinez | 13000 |
| Pat | Davis | 6000 |
| Susan | Jacobs | 7000 |
| Hermann | Brown | 10000 |
| Shelley | Higgins | 12000 |
| William | Gietz | 8000 |
+-----+-----+-----+
107 rows in set (0.00 sec)
```

Q6.

```
kd3_98850_pranit> SELECT employee_id, DATE_FORMAT(end_date,'%W,%M %d %Y') FROM job.
history;
+-----+-----+-----+
| employee_id | DATE_FORMAT(end_date,'%W,%M %d %Y') |
+-----+-----+-----+
| 101 | Thursday,October 27 2011 |
| 101 | Sunday,March 15 2015 |
| 102 | Sunday,July 24 2016 |
| 114 | Sunday,December 31 2017 |
| 122 | Sunday,December 31 2017 |
| 176 | Saturday,December 31 2016 |
| 176 | Sunday,December 31 2017 |
| 200 | Friday,June 17 2011 |
| 200 | Saturday,December 31 2016 |
| 201 | Tuesday,December 19 2017 |
+-----+-----+-----+
10 rows in set (0.00 sec)
```

ASSIGNMENT 5

Q7.

```
kd3_98850_pranit> SELECT first_name,hire_date, ADDDATE(LAST_DAY(hire_date), INTERVAL 1 DAY) AS salary_day FROM employees;
```

first_name	hire_date	salary_day
Steven	2013-06-17	2013-07-01
Neena	2015-09-21	2015-10-01
Lex	2011-01-13	2011-02-01
Alexander	2016-01-03	2016-02-01
Bruce	2017-05-21	2017-06-01
David	2015-06-25	2015-07-01
Valli	2016-02-05	2016-03-01
Diana	2017-02-07	2017-03-01
Nancy	2012-08-17	2012-09-01
Daniel	2012-08-16	2012-09-01
John	2015-09-28	2015-10-01
Ismael	2015-09-30	2015-10-01
Jose Manuel	2016-03-07	2016-04-01
Luis	2017-12-07	2018-01-01
Den	2012-12-07	2013-01-01
Alexander	2013-05-18	2013-06-01
Shelli	2015-12-24	2016-01-01
Sigal	2015-07-24	2015-08-01
Guy	2016-11-15	2016-12-01
Karen	2017-08-10	2017-09-01
Matthew	2014-07-18	2014-08-01
Adam	2015-04-10	2015-05-01
Payam	2013-05-01	2013-06-01
Shanta	2015-10-10	2015-11-01
Kevin	2017-11-16	2017-12-01

Sarah	2014-02-04	2014-03-01
Britney	2015-03-03	2015-04-01
Samuel	2016-07-01	2016-08-01
Vance	2017-03-17	2017-04-01
Alana	2016-04-24	2016-05-01
Kevin	2016-05-23	2016-06-01
Donald	2017-06-21	2017-07-01
Douglas	2018-01-13	2018-02-01
Jennifer	2013-09-17	2013-10-01
Michael	2014-02-17	2014-03-01
Pat	2015-08-17	2015-09-01
Susan	2012-06-07	2012-07-01
Hermann	2012-06-07	2012-07-01
Shelley	2012-06-07	2012-07-01
William	2012-06-07	2012-07-01

```
107 rows in set (0.00 sec)
```

ASSIGNMENT 5

Q8.

```
kd3_98850_pranit> SELECT
->     first_name,
->     TIMESTAMPDIFF(YEAR, hire_date, NOW()) AS YEARS,
->     TIMESTAMPDIFF(MONTH, hire_date, NOW()) % 12 AS MONTHS,
->     TIMESTAMPDIFF(
->         DAY,
->         hire_date + INTERVAL TIMESTAMPDIFF(MONTH, hire_date, NOW()) MONTH,
->         NOW()
->     ) AS DAYS
-> FROM employees;
```

first_name	YEARS	MONTHS	DAYS
Steven	13	2	21
Neena	10	11	17
Lex	15	7	25
Alexander	10	8	4
Bruce	9	3	17
David	11	2	13
Valli	10	7	2
Diana	9	7	0
Nancy	14	0	21
Daniel	14	0	22
John	10	11	10
Ismael	10	11	8
Jose Manuel	10	6	0
Luis	8	9	0
Den	13	9	0
Alexander	13	3	20
Shelli	10	8	14
Sigal	11	1	14
Guy	9	9	23
Karen	9	0	28

Q9.

```
kd3_98850_pranit> SELECT employee_id,first_name,hire_date FROM employees WHERE MONTH(hire_date) = 08;
```

employee_id	first_name	hire_date
108	Nancy	2012-08-17
109	Daniel	2012-08-16
119	Karen	2017-08-10
129	Laura	2015-08-20
134	Michael	2016-08-26
152	Peter	2015-08-20
158	Allan	2014-08-01
189	Jennifer	2015-08-13
202	Pat	2015-08-17

9 rows in set (0.00 sec)

ASSIGNMENT 5

Q10.

```
kd3_98850_pranit> SELECT employee_id,hire_date FROM employees  
-> WHERE YEAR(hire_date) < 2015;
```

employee_id	hire_date
100	2013-06-17
102	2011-01-13
108	2012-08-17
109	2012-08-16
114	2012-12-07
115	2013-05-18
120	2014-07-18
122	2013-05-01
133	2014-06-14
137	2013-07-14
141	2013-10-17
145	2014-10-01
156	2014-01-30
157	2014-03-04
158	2014-08-01
174	2014-05-11
184	2014-01-27
192	2014-02-04
200	2013-09-17
201	2014-02-17
203	2012-06-07
204	2012-06-07
205	2012-06-07
206	2012-06-07

24 rows in set (0.00 sec)

Q11.

```
kd3_98850_pranit> SELECT DATEDIFF(SYSDATE(),STR_TO_DATE('1 JANUARY 2011', '%d %M %Y  
')) AS Num_diff;
```

Num_diff
5728

1 row in set (0.00 sec)

ASSIGNMENT 5

Q12.

```
kd3_98850_pranit> SELECT COUNT(employee_id) FROM employees
-> WHERE DAY(hire_date) > 15;
+-----+
| COUNT(employee_id) |
+-----+
|                57 |
+-----+
1 row in set (0.00 sec)
```

Q13.

```
kd3_98850_pranit> SELECT DISTINCT salary FROM employees
-> ORDER BY salary DESC
-> LIMIT 2,1;
+-----+
| salary |
+-----+
| 14000.00 |
+-----+
1 row in set (0.00 sec)
```