

ASSIGNMENT 10

Q1.

```
kd3_98850_pranit> DELIMITER $$
kd3_98850_pranit>
kd3_98850_pranit> CREATE PROCEDURE Rect()
-> BEGIN
->     DECLARE l INT DEFAULT 14;
->     DECLARE w INT DEFAULT 6;
->     DECLARE Perimeter INT;
->     DECLARE Area INT;
->
->     SET Perimeter = 2 * (L + W);
->     SET Area = L * W;
->
->     SELECT L AS Length,
->            W AS Width,
->            Perimeter,
->            Area;
-> END;
-> $$
```

Query OK, 0 rows affected (0.03 sec)

```
kd3_98850_pranit>
kd3_98850_pranit> DELIMITER ;
kd3_98850_pranit>
kd3_98850_pranit> CALL Rect();
```

Length	Width	Perimeter	Area
14	6	40	84

1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

ASSIGNMENT 10

Q2.

```
kd3_98850_pranit> CREATE TABLE temp ( num INT, sqr INT, cub INT );
ERROR 1046 (3D000): No database selected
kd3_98850_pranit> use classwork;
Database changed
kd3_98850_pranit> CREATE TABLE temp ( num INT, sqr INT, cub INT );
Query OK, 0 rows affected (0.04 sec)

kd3_98850_pranit>
-> DELIMITER $$
kd3_98850_pranit> CREATE PROCEDURE sp_calcnum()
-> BEGIN
->     DECLARE num INT DEFAULT 6;
->     INSERT INTO temp VALUES(num,num*num,num*num);
-> END;
-> $$
Query OK, 0 rows affected (0.01 sec)

kd3_98850_pranit>
kd3_98850_pranit> DELIMITER ;
kd3_98850_pranit> CALL sp_calcnum()
-> ;
Query OK, 1 row affected (0.01 sec)

kd3_98850_pranit> SELECT * FROM temp;
+-----+-----+-----+
| num  | sqr  | cub  |
+-----+-----+-----+
| 6    | 36   | 36   |
+-----+-----+-----+
1 row in set (0.00 sec)
```

ASSIGNMENT 10

Q3.

```
kd3_98850_pranit> DROP PROCEDURE IF EXISTS sp_tempconvert;
Query OK, 0 rows affected (0.01 sec)

kd3_98850_pranit> DELIMITER $$
kd3_98850_pranit> CREATE PROCEDURE sp_tempconvert(IN p_type VARCHAR(20), INOUT p_temp DOUBLE)
-> BEGIN
->     IF p_type = 'F' THEN
->         SET p_temp = (p_temp - 32) * 5 / 9;
->     ELSEIF p_type = 'C' THEN
->         SET p_temp = 9 * p_temp / 5 + 32;
->     END IF;
-> END;
-> $$
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> DELIMITER ;
kd3_98850_pranit> SET @temp = 100;
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> CALL sp_tempconvert('F', @temp);
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> SELECT @temp AS Celsius;
+-----+
| Celsius |
+-----+
| 37.777777777778 |
+-----+
1 row in set (0.00 sec)

kd3_98850_pranit>
kd3_98850_pranit> SET @temp = 37;
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> CALL sp_tempconvert('C', @temp);
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> SELECT @temp AS Fahrenheit;
+-----+
| Fahrenheit |
+-----+
| 98.6 |
+-----+
1 row in set (0.00 sec)

kd3_98850_pranit> |
```

ASSIGNMENT 10

Q4.

```
kd3_98850_pranit>
kd3_98850_pranit> DELIMITER $$
kd3_98850_pranit> CREATE PROCEDURE sp_convert( IN p_inches INT, OUT p_yards INT, OUT p_feet INT, OUT p_rem_inches INT )
-> BEGIN
->     SET p_yards = TRUNCATE(p_inches / 36, 0);
->     SET p_feet = TRUNCATE((p_inches % 36) / 12, 0);
->     SET p_rem_inches = p_inches % 12;
-> END;
-> $$
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> DELIMITER ;
kd3_98850_pranit>
kd3_98850_pranit> CALL sp_convert(124, @yards, @feet, @inches);
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit> SELECT @yards AS yards, @feet AS feet, @inches AS inches;
+-----+-----+-----+
| yards | feet | inches |
+-----+-----+-----+
|      3 |     1 |       4 |
+-----+-----+-----+
1 row in set (0.00 sec)
```

Q5.

```
kd3_98850_pranit> CREATE PROCEDURE sp_product(IN p_num1 DOUBLE, IN p_num2 DOUBLE)
-> BEGIN
->     DECLARE v_product DOUBLE;
->     SET v_product = p_num1 * p_num2;
->     IF v_product >= 100 THEN
->         SELECT 'Product is equal to or greater than 100' AS result;
->     ELSE SELECT 'Product is less than 100' AS result;
-> END IF;
-> END;
-> $$
Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit>
kd3_98850_pranit> DELIMITER ;
kd3_98850_pranit> CALL sp_product(11, 10);
+-----+
| result |
+-----+
| Product is equal to or greater than 100 |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

kd3_98850_pranit>
kd3_98850_pranit> CALL sp_product(6, 10);
+-----+
| result |
+-----+
| Product is less than 100 |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```