

LEETCODE SELF_LEARNING

1.

The screenshot shows the LeetCode interface for the problem 'Orders'. The user 'pranitikare22' has submitted a solution that is 'Accepted' with 19/19 testcases passed. The runtime is 448 ms, beating 90.74% of other solutions. The code is a MySQL query:

```
1 # Write your MySQL query statement below
2
3 SELECT customer_number FROM orders
4 GROUP BY customer_number
5 ORDER BY COUNT(customer_number) DESC
6 LIMIT 1;
```

 The test result for Case 1 shows the input table 'orders' with columns 'order_number' and 'customer_number', and the output table with column 'customer_number'.

order_number	customer_number
1	1
2	2
3	3
4	3

customer_number
3

2.

The screenshot shows the LeetCode interface for the problem 'MyNumbers'. The user 'pranitikare22' has submitted a solution that is 'Accepted' with 18/18 testcases passed. The runtime is 498 ms, beating 39.50% of other solutions. The code is a MySQL query:

```
1 # Write your MySQL query statement below
2 SELECT(SELECT num FROM MyNumbers
3 GROUP BY num
4 HAVING COUNT(num) = 1
5 ORDER BY num DESC
6 LIMIT 1) AS num;
```

 The test result for Case 1 shows the input table 'MyNumbers' with column 'num'.

num
8
8
3
3
1
4
5
6

LEETCODE SELF_LEARNING

3.

Accepted 12 / 12 testcases passed
pranilokare22 submitted at Sep 09, 2026 19:02

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editor...

Runtime
535 ms | Beats 53.84%

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT player_id, MIN(event_date) first_login FROM Activity
3 GROUP BY player_id;
```

Testcase | Test Result

Output

player_id	first_login
1	2016-03-01
2	2017-06-25
3	2016-03-02

Expected

player_id	first_login
1	2016-03-01
2	2017-06-25
3	2016-03-02

4.

Accepted 22 / 22 testcases passed
pranilokare22 submitted at Sep 09, 2026 19:11

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editor...

Runtime
704 ms | Beats 23.22%

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT date_id, make_name, COUNT(DISTINCT lead_id) AS unique_leads, COUNT(DISTINCT partner_id) AS unique_partners
3 FROM DailySales
4 GROUP BY date_id, make_name;
```

Testcase | Test Result

Output


date_id	make_name	unique_leads	unique_partners
2020-12-07	honda	3	2
2020-12-07	toyota	1	2
2020-12-08	honda	2	2
2020-12-08	toyota	2	3

Expected


date_id	make_name	unique_leads	unique_partners
2020-12-07	honda	3	2
2020-12-07	toyota	1	2
2020-12-08	honda	2	2
2020-12-08	toyota	2	3

LEETCODE SELF_LEARNING

5.



6.



LEETCODE SELF_LEARNING

7.

Accepted 24 / 24 testcases passed
prantikare22 submitted at Sep 15, 2026 18:17

Runtime: 615 ms | Beat: 92.16%

Code: MySQL

```
1 select user_id, max(time_stamp) 'last_stamp'
2 from logins
3 where time_stamp like '2020%'
4 group by user_id ;
```

Testcase: Test Result

Accepted Runtime: 86 ms

Case 1

Input

Logins =

user_id	time_stamp
6	2020-06-30 15:06:07
6	2021-04-21 14:06:06

8.

Accepted 13 / 13 testcases passed
prantikare22 submitted at Sep 15, 2026 18:18

Runtime: 415 ms | Beat: 43.13%

Code: MySQL

```
1 # Write your MySQL query statement below
2
3 SELECT query_name,
4        ROUND(AVG(rating/position),2) AS quality,
5        ROUND((SUM(CASE WHEN rating<3 THEN 1 ELSE 0 END) / count(*)) * 100,2) AS poor_query_percentage
6 FROM queries
7 GROUP BY query_name
```

Testcase: Test Result

Accepted Runtime: 91 ms

Case 1

Input

Queries =

query_name	result	position	rating
Dog	Golden Retriever	1	5

LEETCODE SELF_LEARNING

9.\

The screenshot shows a LeetCode submission for problem 9. The interface includes a sidebar with navigation links (Description, Editorial, Solutions, Accepted), a submission status bar (Accepted, 17/17 testcases passed, submitted at Sep 15, 2026 18:20), and a runtime performance graph. The main area displays the MySQL code and the test result.

Runtime Performance: 544 ms | Beats: 52.95%

Code (MySQL):

```
1 SELECT activity_date AS day, COUNT(DISTINCT user_id) AS active_users
2 FROM Activity
3 WHERE (activity_date > "2019-06-27" AND activity_date <= "2019-07-27")
4 GROUP BY activity_date;
```

Test Result: Accepted, Runtime: 87 ms

Case 1 Input:

user_id	session_id	activity_date	activity_type
1	1	2019-07-20	open_session

10.

The screenshot shows a LeetCode submission for problem 10. The interface includes a sidebar with navigation links (Description, Editorial, Solutions, Accepted), a submission status bar (Accepted, 11/11 testcases passed, submitted at Sep 15, 2026 18:21), and a runtime performance graph. The main area displays the MySQL code and the test result.

Runtime Performance: 340 ms | Beats: 72.72%

Code (MySQL):

```
1 # Write your MySQL query statement below
2 SELECT class
3 FROM Courses
4 GROUP BY class
5 HAVING COUNT(student) >= 5;
```

Test Result: Accepted, Runtime: 77 ms

Case 1 Input:

student	class
A	Math