

# LeetCode Self\_Learning

1.

The screenshot shows the LeetCode interface for the problem "replace-employee-id-with-the-unique-identifier". The submission is accepted, with a runtime of 1322 ms and a performance of 59.87%. The code is a MySQL query that joins the Employees and EmployeeUNI tables on their IDs.

**Code:**

```
1 # Write your MySQL query statement below
2 SELECT unique_id,name
3 FROM Employees E
4 LEFT JOIN EmployeeUNI U
5 ON E.id = U.id;
```

**Testcase:** Case 1

**Input:**

| id | name  |
|----|-------|
| 1  | Alice |

2.

The screenshot shows the LeetCode interface for the problem "product-sales-analysis-i". The submission is accepted, with a runtime of 1493 ms and a performance of 30.58%. The code is a MySQL query that joins the Sales and Product tables on their product IDs.

**Code:**

```
1 # Write your MySQL query statement below
2 SELECT
3     p.product_name,
4     s.year,
5     s.price
6 FROM
7     Sales s
8 JOIN
9     Product p ON s.product_id = p.product_id;
```

**Testcase:** Case 1

**Input:**

| sale_id | product_id | year | quantity | price |
|---------|------------|------|----------|-------|
| 1       | 100        | 2008 | 10       | 5000  |

# LeetCode Self\_Learning

3.

The screenshot shows the LeetCode interface for the problem "Employee Bonus". The problem is marked as "Accepted" with 21/21 testcases passed. The user's solution is a MySQL query that selects employee names and bonuses, filtering for bonuses less than 1000 or null. The runtime is 1211 ms, beating 33.81% of other solutions. A runtime distribution graph is shown, with the user's solution marked by a blue dot. The test result for Case 1 is "Accepted" with a runtime of 129 ms. The input table for Case 1 is:

| empId | name | supervisor | salary |
|-------|------|------------|--------|
| 3     | Brad | null       | 4000   |


4.

The screenshot shows the LeetCode interface for the problem "Students and Examinations". The problem is marked as "Accepted" with 15/15 testcases passed. The user's solution is a MySQL query that selects student IDs, student names, subject names, and the count of attended exams. The runtime is 1245 ms, beating 31.41% of other solutions. A runtime distribution graph is shown, with the user's solution marked by a blue dot. The test result for Case 1 is "Accepted" with a runtime of 201 ms. The input table for Case 1 is:


| student_id | student_name |
|------------|--------------|
| 1          | Alice        |

# LeetCode Self\_Learning

5.



6.



7.

# LeetCode Self\_Learning

Problem List

DescriptionEditorialSolutionsAccepted


All Submissions

Accepted 16 / 16 testcases passed  
pranitikare22 submitted at Sep 15, 2026 18:40

₹583.25  
Save over 88%

Unlock the Full LeetCode Experi...  
Company problems, Ask Leet, and expert e...

Runtime  
490 ms | Beats 79.93%



Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT product_id, new_price AS price
3 FROM Products
4 WHERE (product_id, change_date) IN
```

Code

MySQL

```
1 SELECT product_id, new_price AS price
2 FROM Products
3 WHERE (product_id, change_date) IN
4 (
5     SELECT product_id, MAX(change_date)
6     FROM Products
7     WHERE change_date <= '2019-08-16'
8     GROUP BY product_id
9 )
10 UNION
11 SELECT product_id, 10 AS price
12 FROM Products
13 WHERE (product_id) NOT IN
14 (
15     SELECT product_id
16     FROM Products
17     WHERE change_date <= '2019-08-16'
18 );
```

Saved

Ln 19, Col 3

Testcase

Test Result

Accepted Runtime: 93 ms

Case 1

Input

Products =

| product_id | new_price | change_date |
|------------|-----------|-------------|
| 1          | 20        | 2019-08-14  |