


Assignment 6


1.



The image shows two terminal windows. The top window has a title bar 'sunbeam@pranit: ~/18oct' and shows the command 'mkdir 18oct' being executed. The bottom window has a title bar 'sunbeam@pranit: ~' and shows the command 'find 18oct/ -type d' being executed, with the output listing four directories: '18oct/', '18oct/dir2', '18oct/dir3', and '18oct/dir1'.

```
sunbeam@pranit:~$ mkdir 18oct
sunbeam@pranit:~$ find 18oct/ -type d
18oct/
18oct/dir2
18oct/dir3
18oct/dir1
sunbeam@pranit:~$
```

2.



The image shows a terminal window with a title bar 'sunbeam@pranit: ~'. It displays the command 'find 18oct/ -type f' and its output, which lists four files: '18oct/4.txt', '18oct/1.txt', '18oct/3.txt', and '18oct/2.txt'.

```
sunbeam@pranit:~$ find 18oct/ -type f
18oct/4.txt
18oct/1.txt
18oct/3.txt
18oct/2.txt
sunbeam@pranit:~$
```

3.

```
sunbeam@pranit: ~/18oct
sunbeam@pranit:~/18oct$ chmod 755 2.txt
sunbeam@pranit:~/18oct$ find . -type f -perm 755
./2.txt
sunbeam@pranit:~/18oct$
```

4.

```
sunbeam@pranit: ~/18oct
sunbeam@pranit:~/18oct$ find . -type f -name "4.txt"
./4.txt
sunbeam@pranit:~/18oct$
```

