

ASSIGNMENT 6

1. Write a query that counts the number of salespeople registering orders for each day. (If a salesperson has more than one order on a given day, he or she should be counted only once.).

```
KD3_98823_pranoti@localhost> select odate ,count(distinct snum) from orders
-> group by odate;
```

odate	count(distinct snum)
1990-10-03	4
1990-10-04	3

```
2 rows in set (0.03 sec)
```

2. Write a query on the Customers table that will find the highest rating in each city. Put the output in this form: For the city (city), the highest rating is: (rating).

```
KD3_98823_pranoti@localhost> select CONCAT('for the city ',city, ',the highest rating is:',MAX(rating),'.')AS rating FROM customers GROUP BY city;
```

rating
for the city London,the highest rating is:100.
for the city Rome,the highest rating is:200.
for the city San Jose,the highest rating is:300.
for the city Berlin,the highest rating is:300.

```
4 rows in set (0.02 sec)
```

3. Write an SQL query to calculate the total order amount for each day and display the results in descending order of total orders.

```
KD3_98823_pranoti@localhost> select odate ,SUM(amt)from orders
-> group by odate
-> order by SUM(amt) DESC;
```

odate	SUM(amt)
1990-10-04	16713.81
1990-10-03	8944.59

```
2 rows in set (0.02 sec)
```

```
KD3_98823_pranoti@localhost>
```

4. Write a query that selects the total amount in orders for each salesperson for whom this total is greater than the average amount of the order in the table. (Note Use the average amount value directly →2565.84)

```
KD3_98823_pranoti@localhost> SELECT snum,SUM(amt) AS total_amount from orders
-> GROUP BY snum
-> having SUM(amt)>2565.84;
```

snum	total_amount
1001	15382.07
1002	5546.15

```
2 rows in set (0.02 sec)
```

5. . Write a query that selects the highest rating in each city.

```
KD3_98823_pranoti@localhost> select city,MAX(rating) from customers
-> GROUP BY city;
```

city	MAX(rating)
London	100
Rome	200
San Jose	300
Berlin	300

```
4 rows in set (0.00 sec)
```

6. Retrieve the maximum order amount for each salesperson from the orders table, including only those orders whose value exceeds Rs. 3000.

```
KD3_98823_pranoti@localhost> select snum,MAX(amt) from orders
-> GROUP BY snum
-> having MAX(amt) >3000 ORDER BY snum desc;
```

snum	MAX(amt)
1002	5160.45
1001	9891.88

```
2 rows in set (0.02 sec)
```

7. Write an SQL query to find the smallest order placed by every customer.

```
MD3_98823_pranoti@localhost> select cnum,min(amt) from orders
-> group by cnum
-> ORDER BY cnum;
```

cnum	min(amt)
2001	767.19
2002	1713.23
2003	5160.45
2004	75.75
2006	4723.00
2007	1900.10
2008	18.69

```
7 rows in set (0.00 sec)
```