

1.

Description
Editorial
Solutions
Submissions

586. Customer Placing the Largest Number of Orders

Easy
Topics
Companies
Hint

SQL Schema
Pandas Schema

Table: Orders

Column Name	Type
order_number	int
customer_number	int

order_number is the primary key (column with unique values) for this table. This table contains information about the order ID and the customer ID.

Write a solution to find the customer_number for the customer who has placed the largest number of orders.

1.2K
105
28 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 SELECT customer_number
3 FROM Orders
4 GROUP BY customer_number
5 ORDER BY count(customer_number) DESC LIMIT 1;

```

Saved Ln 5, Col 46

Testcase Test Result

Accepted Runtime: 77 ms

Case 1

Input

orders =

order_number	customer_number
1	1
2	2
3	3
4	3

Output

Activate Windows
Go to Settings to activate Windows.

2.

Description
Editorial
Solutions
Submissions

619. Biggest Single Number

Easy
Topics
Companies

SQL Schema
Pandas Schema

Table: MyNumbers

Column Name	Type
num	int

This table may contain duplicates (In other words, there is no primary key for this table in SQL). Each row of this table contains an integer.

A **single number** is a number that appeared only once in the MyNumbers table.

Find the largest **single number**. If there is no **single number**, report null.

955
128
22 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select
3 case when count(num)=1 then num else null end as num
4 from MyNumbers
5 group by num

```

Saved Ln 6, Col 27

Testcase Test Result

Accepted Runtime: 184 ms

Case 1 Case 2

Input

MyNumbers =

num
8
8
3
3
1
4

Output

Activate Windows
Go to Settings to activate Windows.

3.

Description

Editorial

Solutions

Submissions

511. Game Play Analysis I

Easy Topics Companies

SQL Schema Pandas Schema

Table: Activity

Column Name	Type
player_id	int
device_id	int
event_date	date
games_played	int

(player_id, event_date) is the primary key (combination of columns with unique values) of this table.

This table shows the activity of players of some games.

Each row is a record of a player who logged in and played a number of games (possibly 0) before logging out on someday using some device.

1.1K 91 44 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select distinct player_id, first_value(event_date) over (partition by player_id order by event_date) first_login
3 from activity;
4

```

Saved Ln 2, Col 29

Testcase Test Result

Accepted Runtime: 270 ms

Case 1

Input

Activity =

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

Output

Activate Windows
Go to Settings to activate Windows.

4.

Description

Editorial

Solutions

Submissions

1693. Daily Leads and Partners

Easy Topics Companies

SQL Schema Pandas Schema

Table: DailySales

Column Name	Type
date_id	date
make_name	varchar
lead_id	int
partner_id	int

There is no primary key (column with unique values) for this table. It may contain duplicates.

This table contains the date and the name of the product sold and the IDs of the lead and partner it was sold to.

The name consists of only lowercase English letters.

631 35 8 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select date_id, make_name, count(distinct lead_id) unique_leads,
3 count(distinct partner_id) unique_partners from DailySales group by date_id, make_name;

```

Saved Ln 3, Col 91

Testcase Test Result

Accepted Runtime: 77 ms

Case 1

Input

DailySales =

date_id	make_name	lead_id	partner_id
2020-12-8	toyota	0	1
2020-12-8	toyota	1	0
2020-12-8	toyota	1	2
2020-12-7	toyota	0	2
2020-12-7	toyota	0	1
2020-12-8	honda	1	2

Output

Activate Windows
Go to Settings to activate Windows.

5.

Description

Editorial

Solutions

Submissions

1741. Find Total Time Spent by Each Employee

Easy Topics Companies

SQL Schema Pandas Schema

Table: Employees

Column Name	Type
emp_id	int
event_day	date
in_time	int
out_time	int

(emp_id, event_day, in_time) is the primary key (combinations of columns with unique values) of this table.

The table shows the employees' entries and exits in an office.

event_day is the day at which this event happened, in_time is the minute at which the employee entered the office, and out_time is

803 47 9 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select event_day as day, emp_id, sum(out_time-in_time) as total_time from Employees group by event_day, emp_id;

```

Saved Ln 2, Col 110

Testcase Test Result

Accepted Runtime: 63 ms

Case 1

Input

Employees =

emp_id	event_day	in_time	out_time
1	2020-11-28	4	32
1	2020-11-28	55	200
1	2020-12-3	1	42
2	2020-11-28	3	33
2	2020-12-9	47	74

Output

day	emp_id	total_time
-----	--------	------------

Activate Windows
Go to Settings to activate Windows.

6.

1050. Actors and Directors Who Cooperated At Least Three Times

Easy Topics Companies

SQL Schema Pandas Schema

Table: ActorDirector

Column Name	Type
actor_id	int
director_id	int
timestamp	int

timestamp is the primary key (column with unique values) for this table.

Write a solution to find all the pairs (actor_id, director_id) where the actor has cooperated with the director at least three times.

782 Likes 53 Comments 12 Online

Code

```
MySQL
1 # Write your MySQL query statement below
2 SELECT actor_id AS ACTOR_ID, director_id as DIRECTOR_ID
3 FROM ActorDirector
4 GROUP BY actor_id, director_id
5 HAVING COUNT(*) >= 3;
```

Saved Ln 5, Col 22

Testcase Test Result

Accepted Runtime: 85 ms

Case 1

Input

ActorDirector =

actor_id	director_id	timestamp
1	1	0
1	1	1
1	1	2
1	2	3
1	2	4

Activate Windows
Go to Settings to activate Windows.

7.

1890. The Latest Login in 2020

Easy Topics Companies

SQL Schema Pandas Schema

Table: Logins

Column Name	Type
user_id	int
time_stamp	datetime

(user_id, time_stamp) is the primary key (combination of columns with unique values) for this table.

Each row contains information about the login time for the user with ID user_id.

Write a solution to report the **latest** login for all users in the year 2020. Do **not** include the users who did not login in 2020.

Return the result table in **any order**.

465 Likes 49 Comments 9 Online

Code

```
MySQL
1 # Write your MySQL query statement below
2 SELECT user_id, max(time_stamp) AS last_stamp FROM Logins WHERE time_stamp >= '2020-01-01' AND time_stamp
3 <= '2020-12-31' GROUP by user_id;
```

Saved Ln 2, Col 138

Testcase Test Result

Accepted Runtime: 63 ms

Case 1

Input

Logins =

user_id	time_stamp
6	2020-06-30 15:06:07
6	2021-04-21 14:06:06
6	2019-03-07 00:18:15
8	2020-02-01 05:10:53
8	2020-12-30 00:46:50
2	2020-01-16 02:49:50

Activate Windows
Go to Settings to activate Windows.

View more

8.

Description
Editorial
Solutions
Submissions

1211. Queries Quality and Percentage

Easy
Topics
Companies

SQL Schema
Pandas Schema

Table: Queries

Column Name	Type
query_name	varchar
result	varchar
position	int
rating	int

This table may have duplicate rows.
This table contains information collected from some queries on a database.
The position column has a value from **1** to **500**.
The rating column has a value from **1** to **5**.
Query with rating less than 3 is a poor query.

1.1K
200
37 Online

Code

MySQL
Auto

```

1 # Write your MySQL query statement below
2 SELECT query_name, ROUND(AVG(rating/position),2) AS quality,
3 ROUND(AVG(IF(rating < 3,1,0)) * 100,2) as poor_query_percentage
4 FROM Queries
5 WHERE query_name is not null
6 GROUP BY query_name;

```

Saved Ln 6, Col 21

Testcase
Test Result

Accepted Runtime: 62 ms

Case 1

Input

Queries =

query_name	result	position	rating
Dog	Golden Retriever	1	5
Dog	German Shepherd	2	5
Dog	Mule	200	1
Cat	Shirazi	5	2

9.

Description
Editorial
Solutions
Submissions

1141. User Activity for the Past 30 Days I

Easy
Topics
Companies

SQL Schema
Pandas Schema

Table: Activity

Column Name	Type
user_id	int
session_id	int
activity_date	date
activity_type	enum

This table may have duplicate rows.
The activity_type column is an ENUM (category) of type ('open_session', 'end_session', 'scroll_down', 'send_message').
The table shows the user activities for a social media website.
Note that each session belongs to exactly one user.

1.1K
235
31 Online

Code

MySQL
Auto

```

1 # Write your MySQL query statement below
2 select distinct activity_date as day, count(distinct user_id) as active_users
3 from activity
4 where datediff('2019-07-27', activity_date) < 30 and activity_date <= '2019-07-27'
5 group by 1;

```

Saved Ln 5, Col 12

Testcase
Test Result

Accepted Runtime: 87 ms

Case 1

Input

Activity =

user_id	session_id	activity_date	activity_type
1	1	2019-07-20	open_session
1	1	2019-07-20	scroll_down
1	1	2019-07-20	end_session
2	4	2019-07-20	open_session
2	4	2019-07-21	send_message
2	4	2019-07-21	end_session

10.

Problem List

596. Classes With at Least 5 Students

Easy

SQL Schema

Table: Courses

Column Name	Type
student	varchar
class	varchar

(student, class) is the primary key (combination of columns with unique values) for this table.
Each row of this table indicates the name of a student and the class in which they are enrolled.

Write a solution to find all the classes that have **at least five**

Code

MySQL

```
1 # Write your MySQL query statement below
2 select class
3 from courses
4 group by class
5 having count(distinct student)>=5;
```

SavedLn 5, Col 35

TestcaseTest Result

AcceptedRuntime: 64 ms

Case 1

Input

Courses =

student	class
A	Math
B	English
C	Math
D	Biology
E	Math
F	Computer

Activate Windows
Go to Settings to activate Windows.