

1.

Description

Editorial

Solutions

Submissions

181. Employees Earning More Than Their Managers

Easy Topics Companies

SQL Schema > Pandas Schema >

Table: Employee

Column Name	Type
id	int
name	varchar
salary	int
managerId	int

id is the primary key (column with unique values) for this table.
Each row of this table indicates the ID of an employee, their name, salary, and the ID of their manager.

3.1K 148 33 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select e1.name Employee from Employee e1
3 where e1.salary > (select e2.salary from employee e2 where e2.id = e1.managerId);

```

Saved Ln 3, Col 82

Testcase Test Result

Accepted Runtime: 83 ms

Case 1

Input

Employee =

id	name	salary	managerId
1	Joe	70000	3
2	Henry	80000	4
3	Sam	60000	null
4	Max	90000	null

Output

Activate Windows
Go to Settings to activate Windows.

2.

Description

Editorial

Solutions

Submissions

183. Customers Who Never Order

Easy Topics Companies

SQL Schema > Pandas Schema >

Table: Customers

Column Name	Type
id	int
name	varchar

id is the primary key (column with unique values) for this table.
Each row of this table indicates the ID and name of a customer.

Table: Orders

Column Name	Type
id	int
customerid	int

3K 161 16 Online

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 select name as Customers from Customers c1 left outer join Orders o1
3 on c1.id = o1.customerid where o1.id is null;

```

Saved Ln 3, Col 46

Testcase Test Result

Accepted Runtime: 110 ms

Case 1

Input

Customers =

id	name
1	Joe
2	Henry
3	Sam
4	Max

Orders =

id	customerid
----	------------

Output

Activate Windows
Go to Settings to activate Windows.

3.

DescriptionEditorialSolutionsSubmissions

178. Rank Scores

MediumTopicsCompanies

[SQL Schema](#) > [Pandas Schema](#) >

Table: Scores

Column Name	Type
id	int
score	decimal

id is the primary key (column with unique values) for this table.
Each row of this table contains the score of a game. Score is a floating point value with two decimal places.

Write a solution to find the rank of the scores. The ranking should be calculated according to the following rules:

- The scores should be ranked from the highest to the lowest.

2.5K15322 Online

</>Code

MySQLAuto

```
1 # Write your MySQL query statement below
2 select Score, dense_rank() over(order by Score desc) as 'Rank' from Scores;
```

SavedLn 2, Col 76

TestcaseTest Result

AcceptedRuntime: 63 ms

Case 1

Input

Scores =

id	score
1	3.5
2	3.65
3	4
4	3.85
5	4
6	3.65

Activate Windows
Go to Settings to activate Windows.

9.

DescriptionEditorialSolutionsSubmissions

196. Delete Duplicate Emails

EasyTopicsCompanies

[SQL Schema](#) > [Pandas Schema](#) >

Table: Person

Column Name	Type
id	int
email	varchar

id is the primary key (column with unique values) for this table.
Each row of this table contains an email. The emails will not contain uppercase letters.

Write a solution to **delete** all duplicate emails, keeping only one unique email with the smallest id.

For SQL users, please note that you are supposed to write a **DELETE** statement and not a **SELECT** one.

2.1K32229 Online

</>Code

MySQLAuto

```
1 # Write your MySQL query statement below
2 DELETE P1
3 FROM person P1, person P2
4 where P1.email = P2.email AND P1.id > P2.id;
```

SavedLn 4, Col 43

TestcaseTest Result

AcceptedRuntime: 68 ms

Case 1

Input

Person =

id	email
1	john@example.com
2	bob@example.com
3	john@example.com

Activate Windows
Go to Settings to activate Windows.

10.

1204. Last Person to Fit in the Bus

Medium

SQL Schema

Pandas Schema

Table: Queue

Column Name	Type
person_id	int
person_name	varchar
weight	int
turn	int

person_id column contains unique values. This table has the information about all people waiting for a bus. The person_id and turn columns will contain all numbers from 1 to n, where n is the number of rows in the table. turn determines the order of which the people will board the bus, where turn=1 denotes the first person to board and turn=n denotes the last person to board.

1.1K16311 Online

Code

MySQL

```
1 # Write your MySQL query statement below
2 select p.person_name
3 from (select person_name,
4 sum(weight) over(order by turn)as rn
5 from Queue) p
6 where rn<=1000
7 order by rn desc
8 limit 1;
```

SavedLn 1, Col 1

TestcaseTest Result

AcceptedRuntime: 64 ms

Case 1

Input

Queue =

person_id	person_name	weight	turn
5	Alice	250	1
4	Bob	175	5
3	Alex	350	2
6	John Cena	400	3

Activate Windows
Go to Settings to activate Windows.

11.

176. Second Highest Salary

Medium

SQL Schema

Pandas Schema

Table: Employee

Column Name	Type
id	int
salary	int

id is the primary key (column with unique values) for this table. Each row of this table contains information about the salary of an employee.

Write a solution to find the second highest **distinct** salary from the Employee table. If there is no second highest salary, return null (return None in Pandas).

The result format is in the following example

4.2K40345 Online

Code

MySQL

```
1 # Write your MySQL query statement below
2 SELECT max(salary) as SecondHighestSalary
3 FROM employee
4 WHERE employee.salary < (
5 SELECT max(salary)
6 FROM employee
7 );
```

SavedLn 7, Col 3

TestcaseTest Result

AcceptedRuntime: 82 ms

Case 1Case 2

Input

Employee =

id	salary
1	100
2	200
3	300

Activate Windows
Go to Settings to activate Windows.