

ASSIGNMENT 2

```
KD3-98849-sakshi@localhost> SELECT *FROM orders WHERE NOT (odate='1990-10-03'
OR snum>1006)AND amt>=1500;
```

onum	amt	odate	cnum	snum
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3011	9891.88	1990-10-04	2006	1001

3 rows in set (0.037 sec)

```
KD3-98849-sakshi@localhost> SELECT *FROM orders WHERE (amt<1000 OR NOT(odat
e='1990-1-03' AND cnum>2003));
```

onum	amt	odate	cnum	snum
3001	18.69	1990-10-03	2008	1007
3003	767.19	1990-10-03	2001	1001
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3007	75.75	1990-10-04	2004	1002
3008	4723.00	1990-10-04	2006	1001
3010	309.95	1990-10-04	2004	1002
3011	9891.88	1990-10-04	2006	1001

10 rows in set (0.032 sec)

```
KD3-98849-sakshi@localhost> SELECT *FROM orders WHERE amt >100;
```

onum	amt	odate	cnum	snum
3003	767.19	1990-10-03	2001	1001
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3010	309.95	1990-10-04	2004	1002
3011	9891.88	1990-10-04	2006	1001

8 rows in set (0.017 sec)

```
KD3-98849-sakshi@localhost> SELECT *FROM customers WHERE city='Rome' OR rating>100;
```

cnum	cname	city	rating	snum
2002	Giovanni	Rome	200	1003
2003	Liu	San Jose	200	1002
2004	Grass	Berlin	300	1002
2008	Cisneros	San Jose	300	1007
2007	Pereira	Rome	100	1004

```
5 rows in set (0.015 sec)
```

```
KD3-98849-sakshi@localhost> SELECT sname,city from salespeople WHERE city='London' AND comm >0.10;
```

sname	city
Peel	London
Motika	London

```
2 rows in set (0.022 sec)
```

```
KD3-98849-sakshi@localhost> SELECT *FROM Orders WHERE amt>1000;
```

onum	amt	odate	cnum	snum
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3011	9891.88	1990-10-04	2006	1001

```
6 rows in set (0.012 sec)
```

```
KD3-98849-sakshi@localhost> SELECT DISTINCT snum salespeople FROM Orders
```

salespeople
1007
1001
1004
1002
1003

```
5 rows in set (0.026 sec)
```

```
KD3-98849-sakshi@localhost> SELECT rating,cname FROM Customers WHERE city='San Jose';
```

rating	cname
200	Liu
300	Cisneros

```
2 rows in set (0.019 sec)
```

```
KD3-98849-sakshi@localhost> SELECT *FROM Customers WHERE snum=1001;
```

cnum	cname	city	rating	snum
2001	Hoffman	London	100	1001
2006	Clemens	London	100	1001

```
2 rows in set (0.012 sec)
```

```
KD3-98849-sakshi@localhost> SELECT snum,sname,city FROM salespeople WHERE comm>=.12 AND comm<=.14;
```

snum	sname	city
1001	Peel	London
1002	Serres	San Jose

```
2 rows in set (0.033 sec)
```