

Assignment – 7

1. Write a query that lists each order number followed by the name of the customer who made the order.

```
10 rows in set (0.00 sec)

KD3-98829-upendra> select c.cname ,d.onum  from customers c
-> INNER JOIN orders d ON c.cnum = d.cnum;
+-----+-----+
| cname | onum |
+-----+-----+
| Cisneros | 3001 |
| Hoffman | 3003 |
| Pereira | 3002 |
| Liu | 3005 |
| Cisneros | 3006 |
| Giovanni | 3009 |
| Grass | 3007 |
| Clemens | 3008 |
| Grass | 3010 |
| Clemens | 3011 |
+-----+-----+
10 rows in set (0.00 sec)

KD3-98829-upendra> 
```

2. Write a query that gives the names of both the salesperson and the customer for each order along with the order number.

```
ERROR 1054 (42S22): Unknown column 'c.sname' in 'on clause'
KD3-98829-upendra> SELECT o.onum, c.cname, s.sname
-> FROM customers c
-> INNER JOIN orders o ON c.cnum = o.cnum
-> INNER JOIN salespeople s ON o.snum = s.snum;
+-----+-----+-----+
| onum | cname | sname |
+-----+-----+-----+
| 3003 | Hoffman | Peel |
| 3009 | Giovanni | Axelrod |
| 3005 | Liu | Serres |
| 3010 | Grass | Serres |
| 3007 | Grass | Serres |
| 3011 | Clemens | Peel |
| 3008 | Clemens | Peel |
| 3006 | Cisneros | Rifkin |
| 3001 | Cisneros | Rifkin |
| 3002 | Pereira | Motika |
+-----+-----+-----+
10 rows in set (0.00 sec)

KD3-98829-upendra> 
```

3. Write a query that produces all customers serviced by salespeople with a commission above 12%. Display the customer's name, the salesperson's name, and the salesperson's rate of commission.

```
2 rows in set (0.00 sec)

KD3-98829-upendra> select cname, sname, comm from customers
-> INNER JOIN salespeople ON salespeople.snum = customers.snum
-> where comm>0.12;
+-----+-----+-----+
| cname | sname | comm |
+-----+-----+-----+
| Liu   | Serres | 0.13 |
| Grass | Serres | 0.13 |
| Cisneros | Rifkin | 0.15 |
+-----+-----+-----+
3 rows in set (0.00 sec)

KD3-98829-upendra> 
```

4. Write a query that calculates the commission earned by each salesperson for orders placed by customers with a rating above 100.

```
-> where rating>100;
ERROR 1054 (42S22): Unknown column 'amt' in 'field list'
KD3-98829-upendra> select onum,comm , amt*comm from orders
-> INNER JOIN customers ON orders.cnum =customers.cnum
-> INNER JOIN salespeople ON salespeople.snum = orders.snum
-> where rating>100;
+-----+-----+-----+
| onum | comm | amt*comm |
+-----+-----+-----+
| 3010 | 0.13 | 40.2935 |
| 3007 | 0.13 | 9.8475 |
| 3005 | 0.13 | 670.8585 |
| 3006 | 0.15 | 164.7240 |
| 3001 | 0.15 | 2.8035 |
| 3009 | 0.10 | 171.3230 |
+-----+-----+-----+
6 rows in set (0.00 sec)

KD3-98829-upendra> 
```

5. Write a query that produces all pairs of salespeople who are living in the same city. Exclude combinations of salespeople with themselves as well as duplicate rows with the order reversed.

```
| Axelrod | Axelrod |
+-----+-----+
7 rows in set (0.02 sec)

KD3-98829-upendra> select s1.sname,s2.sname from salespeople s1 inner join salespeople s2 on s1.city = s2.city and s1.snum >
s2.snum;
+-----+-----+
| sname | sname |
+-----+-----+
| Motika | Peel |
+-----+-----+
1 row in set (0.00 sec)

KD3-98829-upendra> █
```