

Database Technologies - Self-Learning

Leetcode Exercises GROUP BY Problems

1. 586. Customer Placing the Largest Number of Orders <https://leetcode.com/problems/customer-placing-the-largest-number-of-orders>

The screenshot shows the LeetCode interface for problem 586. The submission is accepted, with 19/19 test cases passed. The runtime is 486 ms, beating 72.67% of other submissions. The code is written in MySQL and uses a GROUP BY clause to find the customer with the most orders.

```
1 # Write your MySQL query statement below
2 SELECT customer_number
3 FROM Orders
4 GROUP BY customer_number
5 ORDER BY COUNT(*) DESC
6 LIMIT 1;
```

2. 619. Biggest Single Number <https://leetcode.com/problems/biggest-single-number>

The screenshot shows the LeetCode interface for problem 619. The submission is accepted, with 18/18 test cases passed. The runtime is 446 ms, beating 74.33% of other submissions. The code is written in MySQL and uses a HAVING clause to find the number that appears only once.

```
1 # Write your MySQL query statement below
2 SELECT MAX(num) AS num
3 FROM MyNumbers
4 WHERE num IN (
5     SELECT num
6     FROM MyNumbers
7     GROUP BY num
8     HAVING COUNT(*) = 1
9 );
```

3. 511. Game Play Analysis I <https://leetcode.com/problems/game-play-analysis-i>

leetcode.com/problems/game-play-analysis-i/submissions/2142580772/

Accepted 12 / 12 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:07

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
578 ms | Beats 34.24%

Code

```
MySQL
1 # Write your MySQL query statement below
2 SELECT player_id, MIN(event_date) AS first_login
3 FROM Activity
4 GROUP BY player_id;
```

Run Submit

Testcase Test Result

You must run your code first

4. 1693. Daily Leads and Partners <https://leetcode.com/problems/daily-leads-and-partners>

leetcode.com/problems/daily-leads-and-partners/submissions/2142583397/?utm_source=chatgpt.com

Accepted

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
693 ms | Beats 25.63%

Code

```
MySQL
1 # Write your MySQL query statement below
2 SELECT date_id, make_name,
3        COUNT(DISTINCT lead_id) AS unique_leads,
4        COUNT(DISTINCT partner_id) AS unique_partners
5 FROM DailySales
6 GROUP BY date_id, make_name;
```

Run Submit

Testcase Test Result

You must run your code first

5. 1741. Find Total Time Spent by Each Employee <https://leetcode.com/problems/find-total-time-spent-by-each-employee>

Find Total Time Spent by Each Employee

Accepted 22 / 22 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:12

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime: 636 ms | Beats 36.11%

```

1 # Write your MySQL query statement below
2 SELECT event_day AS day,
3        emp_id,
4        SUM(out_time - in_time) AS total_time
5 FROM Employees
6 GROUP BY event_day, emp_id;

```

Ln 6, Col 28 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

6. 1050. Actors and Directors Who Cooperated at Least Three Times

<https://leetcode.com/problems/actors-and-directors-who-cooperated-at-leastthree-times>

Accepted 12 / 12 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:17

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime: 361 ms | Beats 88.63%

```

1 # Write your MySQL query statement below
2 SELECT actor_id, director_id
3 FROM ActorDirector
4 GROUP BY actor_id, director_id
5 HAVING COUNT(*) >= 3;

```

Ln 5, Col 22 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

7. 1890. The Latest Login in 2020 <https://leetcode.com/problems/the-latest-login-in-2020>

Accepted 24 / 24 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:19

Runtime: 635 ms | Beats 85.88%

```

1 # Write your MySQL query statement below
2 SELECT user_id,
3        MAX(time_stamp) AS last_stamp
4 FROM Logins
5 WHERE time_stamp >= '2020-01-01'
6       AND time_stamp < '2021-01-01'
7 GROUP BY user_id;

```

8. 1211. Queries Quality and Percentage <https://leetcode.com/problems/queries-quality-and-percentage>

Accepted 13 / 13 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:20

Runtime: 338 ms | Beats 96.98%

```

1 # Write your MySQL query statement below
2 SELECT query_name,
3        ROUND(AVG(rating / position), 2) AS quality,
4        ROUND(
5            AVG(CASE WHEN rating < 3 THEN 1 ELSE 0 END) * 100,
6            2
7        ) AS poor_query_percentage
8 FROM Queries
9 GROUP BY query_name;

```

9. 1141. User Activity for the Past 30 Days I <https://leetcode.com/problems/user-activity-for-the-past-30-days-i>

Problem List < > Problem List < > Problem List

Description | Accepted x | Editorial | Solutions | Problem List

All Submissions Problem List

Accepted 17 / 17 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:28

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
541 ms | Beats 54.75%

6%
4%
2%

Code
MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT activity_date AS day,
3       COUNT(DISTINCT user_id) AS active_users
4 FROM Activity
5 WHERE activity_date BETWEEN '2019-06-28' AND '2019-07-27'
6 GROUP BY activity_date;
```

Ln 6, Col 24 Saved Run Submit

Testcase Test Result

You must run your code first

10. 596. Classes With At Least 5 Students <https://leetcode.com/problems/classes-with-at-least-5-students>

Problem List < > Problem List < > Problem List

Description | Accepted x | Editorial | Solutions | Problem List

All Submissions Problem List

Accepted 11 / 11 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:30

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
356 ms | Beats 56.58%

0%
4%
2%

Code
MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT class
3 FROM Courses
4 GROUP BY class
5 HAVING COUNT(DISTINCT student) >= 5;
```

Ln 5, Col 37 Saved Run Submit

Testcase Test Result

You must run your code first

1. Replace Employee ID With The Unique Identifier <https://leetcode.com/problems/replace-employee-id-with-the-unique-identifier>

Problem List < > Problem List < > Problem List

Description | Accepted x | Editorial | Solutions | Problem List

All Submissions Problem List

Accepted 25 / 25 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:45

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
1430 ms | Beats 40.20%

4%
3%
2%

Code
MySQL Auto


```
1 # Write your MySQL query statement below
2 SELECT eu.unique_id,
3       e.name
4 FROM Employees e
5 LEFT JOIN EmployeeUNI eu
6 ON e.id = eu.id;
```

Ln 6, Col 17 Saved Run Submit

Testcase Test Result

You must run your code first

2. Product Sales Analysis I <https://leetcode.com/problems/product-sales-analysis-i>



The screenshot shows the LeetCode interface for the problem "Product Sales Analysis I". The solution is accepted, with 13/13 testcases passed. The runtime is 1190 ms, beating 92.45% of other solutions. The code is a MySQL query that joins the Sales and Product tables to find the product name, year, and price for each sale.

Accepted 13 / 13 testcases passed
GayatriNageshDeshmukh submitted at Sep 15, 2026 18:46

Runtime
1190 ms | Beats 92.45%

Code


```
1 # Write your MySQL query statement below
2 SELECT p.product_name,
3        s.year,
4        s.price
5 FROM Sales s
6 JOIN Product p
7 ON s.product_id = p.product_id;
```

Ln 7, Col 32 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

3. Employee Bonus <https://leetcode.com/problems/employee-bonus>



The screenshot shows the LeetCode interface for the problem "Employee Bonus". The solution is accepted, with 21/21 testcases passed. The runtime is 1904 ms, beating 5.01% of other solutions. The code is a MySQL query that joins the Employee and Bonus tables to find the employee name and bonus for each employee, filtering for bonuses less than 1000 or null.

Accepted 21 / 21 testcases passed
GayatriNageshDeshmukh submitted at Sep 15, 2026 18:47

Runtime
1904 ms | Beats 5.01%

Code

```
1 # Write your MySQL query statement below
2 SELECT e.name,
3        b.bonus
4 FROM Employee e
5 LEFT JOIN Bonus b
6 ON e.empId = b.empId
7 WHERE b.bonus < 1000
8        OR b.bonus IS NULL;
```

Ln 8, Col 23 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

4. Students and Examinations <https://leetcode.com/problems/students-and-examinations> 5.
Managers With At Least

Description | Accepted x | Editorial | Solutions | <

All Submissions

Accepted 15 / 15 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:48

₹583.25/mo Save over 98%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
1039 ms | Beats 75.04%

4%
3%
2%
1%

Code

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT s.student_id,
3        s.student_name,
4        sub.subject_name,
5        COUNT(e.subject_name) AS attended_exams
6 FROM Students s
7 CROSS JOIN Subjects sub
8 LEFT JOIN Examinations e
9 ON s.student_id = e.student_id
10 AND sub.subject_name = e.subject_name
11 GROUP BY s.student_id,
12          s.student_name,
13          sub.subject_name
14 ORDER BY s.student_id,
15          sub.subject_name;
```

Ln 15, Col 27 Saved Run Submit

Testcase Test Result

You must run your code first

5 Direct Reports <https://leetcode.com/problems/managers-with-at-least-5-direct-reports>

Description | Accepted x | Editorial | Solutions | <

All Submissions

Accepted 11 / 11 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:49

₹583.25/mo Save over 98%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
333 ms | Beats 94.49%

8%
6%
4%
2%

Code

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT name
3 FROM Employee
4 WHERE id IN (
5     SELECT managerId
6     FROM Employee
7     GROUP BY managerId
8     HAVING COUNT(*) >= 5
9 );
```

Ln 9, Col 3 Saved Run Submit

Testcase Test Result

You must run your code first

5. Asian Population <https://www.hackerrank.com/challenges/asian-population>

Change Theme Language MySQL

```
1 SELECT SUM(CITY.POPULATION)
2 FROM CITY
3 JOIN COUNTRY
4 ON CITY.COUNTRYCODE = COUNTRY.CODE
5 WHERE COUNTRY.CONTINENT = 'Asia';
```

6. Average Population of Each Continent <https://www.hackerrank.com/challenges/average-population-of-each-continent>

```

Change Theme Language MySQL
1 SELECT COUNTRY.CONTINENT,
2     FLOOR(AVG(CITY.POPULATION))
3 FROM CITY
4 JOIN COUNTRY
5 ON CITY.COUNTRYCODE = COUNTRY.CODE
6 GROUP BY COUNTRY.CONTINENT;

```

7. Last Person to Fit in the Bus <https://leetcode.com/problems/last-person-to-fit-in-the-bus>

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:54

₹583.25/mo Save over 56% Unlock the Full LeetCode Experience Company problems, Ask Leet, and expert editorials ...

Runtime: 2818 ms | Beats 5.00%

6%
4%
2%

```

1 # Write your MySQL query statement below
2 SELECT person_name
3 FROM Queue
4 WHERE turn = (
5     SELECT MAX(turn)
6     FROM Queue q1
7     WHERE (
8         SELECT SUM(weight)
9         FROM Queue q2
10        WHERE q2.turn <= q1.turn
11    ) <= 1000
12 );

```

Ln 12, Col 3 | Saved Run

Testcase Test Result

You must run your code first

8. Product Price at a Given Date <https://leetcode.com/problems/product-price-at-a-given-date>
Subquery Problems 1. 18

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:54

₹583.25/mo Save over 56% Unlock the Full LeetCode Experience Company problems, Ask Leet, and expert editorials ...

Runtime: 2818 ms | Beats 5.00%

6%
4%
2%

```

1 # Write your MySQL query statement below
2 SELECT person_name
3 FROM Queue
4 WHERE turn = (
5     SELECT MAX(turn)
6     FROM Queue q1
7     WHERE (
8         SELECT SUM(weight)
9         FROM Queue q2
10        WHERE q2.turn <= q1.turn
11    ) <= 1000
12 );

```

Ln 12, Col 3 | Saved Run

Testcase Test Result

You must run your code first

1. Employees Earning More Than Their Managers <https://leetcode.com/problems/employees-earning-more-than-their-managers/>

All Submissions

Accepted 14 / 14 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:57

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
372 ms | Beats 90.81%

10%
5%

MySQL Auto

```

1 # Write your MySQL query statement below
2 SELECT e.name AS Employee
3 FROM Employee e
4 JOIN Employee m
5 ON e.managerId = m.id
6 WHERE e.salary > m.salary;

```

Ln 6, Col 27 Saved Run Submit

Testcase Test Result

You must run your code first

2. 183. Customers Who Never Order <https://leetcode.com/problems/customers-who-never-order/>

Description Accepted Editorial Solutions

All Submissions

Accepted 12 / 12 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:58

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
586 ms | Beats 73.08%

6%
4%
2%

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 SELECT name AS Customers
3 FROM Customers
4 WHERE id NOT IN (
5     SELECT customerId
6     FROM Orders
7 );

```

Ln 7, Col 3 Saved Run Submit

Testcase Test Result

You must run your code first

2. 197. Rising Temperature <https://leetcode.com/problems/rising-temperature/>

Description Accepted Editorial Solutions

All Submissions

Accepted 15 / 15 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:59

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
514 ms | Beats 60.48%

6%
4%
2%

Code

MySQL Auto

```

1 # Write your MySQL query statement below
2 SELECT w1.id
3 FROM Weather w1
4 JOIN Weather w2
5 ON DATEDIFF(w1.recordDate, w2.recordDate) = 1
6 WHERE w1.temperature > w2.temperature;

```

Ln 6, Col 39 Saved Run Submit

Testcase Test Result

You must run your code first

3. 607. Sales Person <https://leetcode.com/problems/sales-person/>

Description | **Accepted** | Editorial | Solutions | < > < >

All Submissions

Accepted 21 / 21 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 19:00

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
5395 ms | Beats 5.00%

4%
3%
2%
1%

Code

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT name
3 FROM SalesPerson
4 WHERE sales_id NOT IN (
5     SELECT o.sales_id
6     FROM Orders o
7     JOIN Company c
8     ON o.com_id = c.com_id
9     WHERE c.name = 'RED'
10 );
```

Ln 10, Col 3 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

4. 180. Consecutive Numbers <https://leetcode.com/problems/consecutive-numbers/>

Description | **Accepted** | Editorial | Solutions | < > < >

All Submissions

Accepted 15 / 15 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:59

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
514 ms | Beats 60.48%

6%
4%
2%

Code

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT w1.id
3 FROM Weather w1
4 JOIN Weather w2
5 ON DATEDIFF(w1.recordDate, w2.recordDate) = 1
6 WHERE w1.temperature > w2.temperature;
```

Ln 6, Col 39 | Saved | Run | Submit

Testcase | Test Result

You must run your code first

5. 175. Combine Two Tables <https://leetcode.com/problems/combine-two-tables/>

Description | **Accepted** | Editorial | Solutions | < > < >

All Submissions

Accepted 8 / 8 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 19:01

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
518 ms | Beats 24.02%

6%
4%
2%

2.07% of solutions used 505 ms of runtime

Code

MySQL Auto


```
1 # Write your MySQL query statement below
2 SELECT p.firstName,
3        p.lastName,
4        a.city,
5        a.state
6 FROM Person p
7 LEFT JOIN Address a
8 ON p.personId = a.personId;
```

Ln 8, Col 28 | Saved | Run | Submit


Testcase | Test Result

You must run your code first


6. 178. Rank Scores <https://leetcode.com/problems/rank-scores/>



8. 570. Managers with at Least 5 Direct Reports <https://leetcode.com/problems/managers-with-at-least-5-direct-reports>



9. 196. Delete Duplicate Emails <https://leetcode.com/problems/delete-duplicate-emails/>



10. 1204. Last Person to Fit in the Bus <https://leetcode.com/problems/last-person-to-fit-in-the-bus/>

Description | Accepted x | Editorial | Solutions | <

All Submissions


Accepted 29 / 29 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 19:03

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
3033 ms | Beats 5.00%



Code

```

1 # Write your MySQL query statement below
2 SELECT person_name
3 FROM Queue
4 WHERE turn = (
5     SELECT MAX(turn)
6     FROM Queue q1
7     WHERE (
8         SELECT SUM(weight)
9         FROM Queue q2
10        WHERE q2.turn <= q1.turn
11    ) <= 1000
12 );

```

Ln 1, Col 1 | Saved

Run Submit

Testcase | Test Result

You must run your code first

11. 176. Second Highest Salary <https://leetcode.com/problems/second-highest-salary>

Description | Accepted x | Editorial | Solutions | Submis

All Submissions


Accepted 13 / 13 testcases passed

GayatriNageshDeshmukh submitted at Sep 15, 2026 18:46

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials ...

Runtime
1190 ms | Beats 92.45%



Code

```

1 # Write your MySQL query statement below
2 SELECT p.product_name,
3        s.year,
4        s.price
5 FROM Sales s
6 JOIN Product p
7 ON s.product_id = p.product_id;

```

Ln 7, Col 32 | Saved

Run Submit

Testcase | Test Result

You must run your code first