

GROUP BY Problems

1. 586. Customer Placing the Largest Number of Orders

<https://leetcode.com/problems/customer-placing-the-largest-number-of-orders>

Accepted 19 / 19 testcases passed
gaauri123 submitted at Sep 14, 2026 23:01

Runtime: 461 ms, Beats 87.14%

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT customer_number
3 FROM Orders
4 GROUP BY customer_number
5 ORDER BY COUNT(order_number) DESC
6 LIMIT 1;
```

customer_number	order_number
1	1
2	2
3	3
4	3

Output: customer_number | 3

2. 619. Biggest Single Number <https://leetcode.com/problems/biggest-single-number>

Accepted 18 / 18 testcases passed Time taken: 18s
gaauri123 submitted at Sep 14, 2026 23:04

Runtime: 451 ms, Beats 70.77%

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT MAX(num) AS num
3 FROM MyNumbers
4 WHERE num IN (
5     SELECT num
6     FROM MyNumbers
7     GROUP BY num
8     HAVING COUNT(num) = 1
9 );
```


Accepted Runtime: 98 ms

Case 1 Case 2


Input: MyNumbers =

num
8
8
3

3. 511. Game Play Analysis I <https://leetcode.com/problems/game-play-analysis-i>



4. 1693. Daily Leads and Partners <https://leetcode.com/problems/daily-leads-and-partners>



5. 1741. Find Total Time Spent by Each Employee <https://leetcode.com/problems/find-total-time-spent-by-each-employee>

Document 10.docx | DBT-SelfLearning.pdf | Find Total Time Spent by Each Employee | Ask Gemini

leetcode.com/problems/find-total-time-spent-by-each-employee/submissions/2141853290/

Apps | Gmail | YouTube | YouTube | Maps

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 22 / 22 testcases passed
gauuri123 submitted at Sep 14, 2026 23:14

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
818 ms | Beats 9.94%

Code | MySQL

```

1 SELECT
2   event_day AS day,
3   emp_id,
4   SUM(out_time - in_time) AS total_time
5 FROM Employees
6 GROUP BY event_day, emp_id;

```

Testcase | Test Result

Accepted Runtime: 75 ms

Case 1

Input

Employees =

emp_id	event_day	in_time	out_time
1	2020-11-20	4	32
1	2020-11-28	55	200
1	2020-12-3	1	42

ENG IN 52% 11:15 PM 14-09-2026

6. 1050. Actors and Directors Who Cooperated at Least Three Times

<https://leetcode.com/problems/actors-and-directors-who-cooperated-at-leastthree-times>

Document 10.docx | DBT-SelfLearning.pdf | Actors and Directors Who Coop | Ask Gemini

leetcode.com/problems/actors-and-directors-who-cooperated-at-least-three-times/submissions/2141855633/

Apps | Gmail | YouTube | YouTube | Maps

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 12 / 12 testcases passed
gauuri123 submitted at Sep 14, 2026 23:16

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
393 ms | Beats 62.82%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT actor_id, director_id
3 FROM ActorDirector
4 GROUP BY actor_id, director_id
5 HAVING COUNT(*) >= 3;

```

Testcase | Test Result

Accepted Runtime: 64 ms

Case 1

Input

ActorDirector =

actor_id	director_id	timestamp
1	1	0
1	1	1
1	1	2

ENG IN 54% 11:17 PM 14-09-2026

7. 1890. The Latest Login in 2020 <https://leetcode.com/problems/the-latest-login-in-2020>

Document 10.docx | DBT-SelfLearning.pdf | The Latest Login in 2020 - Leet | + | Ask Gemini

leetcode.com/problems/the-latest-login-in-2020/submissions/2141856839/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 24 / 24 testcases passed
gauuri123 submitted at Sep 14, 2026 23:18

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
748 ms | Beats 39.45%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT
3   user_id,
4   MAX(time_stamp) AS last_stamp
5 FROM Logins
6 WHERE time_stamp >= '2020-01-01'
7   AND time_stamp < '2021-01-01'
8 GROUP BY user_id;

```

Testcase | Test Result

Accepted Runtime: 76 ms

Case 1

Input

Logins =

user_id	time_stamp
6	2020-06-30 15:06:07
6	2021-04-21 14:06:06
6	2019-03-07 00:18:15

ENG IN 54% 11:18 PM 14-09-2026

8. 1211. Queries Quality and Percentage <https://leetcode.com/problems/queries-quality-and-percentage>

Document 10.docx | DBT-SelfLearning.pdf | The Latest Login in 2020 - Leet | + | Queries Quality and Percentage | Ask Gemini

leetcode.com/problems/queries-quality-and-percentage/submissions/2141858455/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 13 / 13 testcases passed
gauuri123 submitted at Sep 14, 2026 23:19

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
371 ms | Beats 79.18%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT
3   query_name,
4   ROUND(AVG(rating / position), 2) AS quality,
5   ROUND(
6     SUM(CASE WHEN rating < 3 THEN 1 ELSE 0 END) * 100.0 / COUNT(*),
7     2
8   ) AS poor_query_percentage
9 FROM Queries
10 GROUP BY query_name;

```

Testcase | Test Result

Accepted Runtime: 101 ms

Case 1

Input

Queries =

query_name	result	position	rating
Dog	Golden Retriever	1	5
Dog	German Shepherd	2	5
Dog	Mule	200	1

ENG IN 56% 11:19 PM 14-09-2026

9. 1141. User Activity for the Past 30 Days | <https://leetcode.com/problems/user-activity-for-the-past-30-days-i>

Accepted 17 / 17 testcases passed
gaauri123 submitted at Sep 14, 2026 23:20

Runtime: 3689 ms Beats 5.01%

0.63% of solutions used 663 ms of runtime

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT
3     activity_date AS day,
4     COUNT(DISTINCT user_id) AS active_users
5 FROM Activity
6 WHERE activity_date BETWEEN '2019-06-28' AND '2019-07-27'
7 GROUP BY activity_date;
```

Testcase: Accepted Runtime: 61 ms

Case 1

Input

user_id	session_id	activity_date	activity_type
1	1	2019-07-20	open_session
1	1	2019-07-20	scroll_down
1	1	2019-07-20	end_session

10. 596. Classes With At Least 5 Students | <https://leetcode.com/problems/classes-with-at-least-5-students>

Accepted 11 / 11 testcases passed
gaauri123 submitted at Sep 14, 2026 23:21

Runtime: 361 ms Beats 51.59%

0.09% of solutions used 572 ms of runtime

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT class
3 FROM Courses
4 GROUP BY class
5 HAVING COUNT(student) >= 5;
```

Testcase: Accepted Runtime: 69 ms

Case 1

Input

student	class
A	Math
B	English
C	Math

JOINS

1. Replace Employee ID With The Unique Identifier

<https://leetcode.com/problems/replace-employee-id-with-the-unique-identifier>

The screenshot shows a LeetCode submission for the problem "Replace Employee ID With The Unique Identifier". The submission is accepted, with 25 test cases passed. The runtime is 1144 ms, which beats 92.88% of other submissions. A bar chart shows the distribution of runtimes, with the user's submission at 1144 ms. The code is written in MySQL and uses a LEFT JOIN to replace employee IDs with unique identifiers.

```
1 # Write your MySQL query statement below
2 SELECT eu.unique_id, e.name
3 FROM Employees e
4 LEFT JOIN EmployeeUNI eu
5 ON e.id = eu.id;
```

Testcase 1 (Runtime: 103 ms) is shown as accepted. The input is a table named Employees:

id	name
1	Alice
7	Bob
11	Meir

2. Product Sales Analysis I <https://leetcode.com/problems/product-sales-analysis-i>

The screenshot shows a LeetCode submission for the problem "Product Sales Analysis I". The submission is accepted, with 13 test cases passed. The runtime is 1257 ms, which beats 78.82% of other submissions. A bar chart shows the distribution of runtimes, with the user's submission at 1257 ms. The code is written in MySQL and uses a JOIN to analyze product sales.

```
1 # Write your MySQL query statement below
2 SELECT
3   p.product_name,
4   s.year,
5   s.price
6 FROM Sales s
7 JOIN Product p
8 ON s.product_id = p.product_id;
```

Testcase 1 (Runtime: 89 ms) is shown as accepted. The input is a table named Sales:

sale_id	product_id	year	quantity	price
1	100	2008	10	5000
2	100	2009	12	5000
7	200	2011	15	9000

3. Employee Bonus <https://leetcode.com/problems/employee-bonus>

Document 10.docx | Product Sales Analysis I - LeetC | DBT-SelfLearning.pdf | Employee Bonus - LeetCode | + | Ask Gemini

leetcode.com/problems/employee-bonus/submissions/2141867163/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 21 / 21 testcases passed
gauuri123 submitted at Sep 14, 2026 23:26

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
1423 ms Beats 12.94%

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT e.name, b.bonus
3 FROM Employee e
4 LEFT JOIN Bonus b
5 ON e.empId = b.empId
6 WHERE b.bonus < 1000
7 OR b.bonus IS NULL;
```

Testcase Test Result

Accepted Runtime: 90 ms

Case 1

Input

Employee =

empId	name	supervisor	salary
3	Brad	null	4000
1	John	3	1000
2	Dan	3	2000

4. Students and Examinations <https://leetcode.com/problems/students-and-examinations>

Document 10.docx | DBT-SelfLearning.pdf | Students and Examinations - Le | Managers with at Least 5 Direct | + | Ask Gemini

leetcode.com/problems/students-and-examinations/submissions/214186748/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 15 / 15 testcases passed
gauuri123 submitted at Sep 14, 2026 23:28

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
1099 ms Beats 59.88%

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT s.student_id, s.student_name, e.subject_name
3 FROM Students s
4 CROSS JOIN Subjects sub
5 LEFT JOIN Examinations e
6 ON s.student_id = e.student_id
7 AND sub.subject_name = e.subject_name
8 GROUP BY
9 s.student_id,
10 s.student_name,
11 sub.subject_name
12 ORDER BY
13 s.student_id,
14 sub.subject_name;
```

Testcase Test Result

Accepted Runtime: 103 ms

Case 1

Input

Students =

student_id	student_name
1	Alice
2	Bob
13	John

5. Managers With At Least 5 Direct Reports <https://leetcode.com/problems/managers-with-at-least-5-direct-reports>

Accepted 11 / 11 testcases passed
 gauuri123 submitted at Sep 14, 2026 23:28

Unlock the Full LeetCode Experience
 Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
 655 ms Beats 5.97%

Code: MySQL

```

1 # Write your MySQL query statement below
2 SELECT e.name
3 FROM Employee e
4 JOIN Employee emp
5 ON e.id = emp.managerId
6 GROUP BY e.id, e.name
7 HAVING COUNT(emp.id) >= 5;

```

Testcase Test Result
 Accepted Runtime: 172 ms

Case 1

Input

Employee =

id	name	department	managerId
101	John	A	null
102	Dan	A	101
103	James	A	101

6. Asian Population <https://www.hackerrank.com/challenges/asian-population>

7. Average Population of Each Continent

<https://www.hackerrank.com/challenges/average-population-of-each-continent>

8. Last Person to Fit in the Bus <https://leetcode.com/problems/last-person-to-fit-in-the-bus>

Document 10.docx | DBT-SelfLearning.pdf | Product Price at a Given Date | Last Person to Fit in the Bus | Ask Gemini

leetcode.com/problems/last-person-to-fit-in-the-bus/submissions/2141872017/

Problem List | Judging... | Editorial | Solutions | Submissions

All Submissions

Accepted
gauuri123 submitted at Sep 14, 2026 23:31

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
0 ms Beats -%

Code | MySQL

```

1 Write your MySQL query statement below
2 SELECT person_name
3 FROM (
4     SELECT
5         person_name,
6         SUM(weight) OVER (ORDER BY turn) AS total_weight
7     FROM Queue
8 ) q
9 WHERE total_weight <= 1000
10 ORDER BY total_weight DESC
11 LIMIT 1;

```

Testcase Test Result

You must run your code first.

ENG IN 65% 11:31 PM 14-09-2026

9. Product Price at a Given Date <https://leetcode.com/problems/product-price-at-a-given-date>

Document 10.docx | DBT-SelfLearning.pdf | Product Price at a Given Date | Last Person to Fit in the Bus | Ask Gemini

leetcode.com/problems/product-price-at-a-given-date/submissions/2141874101/

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 16 / 16 testcases passed
gauuri123 submitted at Sep 14, 2026 23:32

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
485 ms Beats 81.97%

Code | MySQL

```

1 SELECT product_id, MAX(change_date)
2 FROM Products
3 WHERE change_date <= '2019-08-16'
4 GROUP BY product_id
5
6 UNION
7
8 SELECT product_id, 10 AS price
9 FROM Products
10 GROUP BY product_id
11 HAVING MIN(change_date) > '2019-08-16';

```

Testcase Test Result

Accepted Runtime: 66 ms

Case 1

Input

Products =

product_id	new_price	change_date
1	20	2019-08-14
2	50	2019-08-14
1	30	2019-08-15

ENG IN 66% 11:32 PM 14-09-2026

SUBQUERY

1.181. Employees Earning More Than Their Managers

<https://leetcode.com/problems/employees-earning-more-than-their-managers/>

Document 10.docx | DBT-SelfLearning.pdf | Employees Earning More Than | + | Ask Gemini

leetcode.com/problems/employees-earning-more-than-their-managers/submissions/2141877111/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 14 / 14 testcases passed Time taken: 45s
gauuri123 submitted at Sep 14, 2026 23:35

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
658 ms Beats 12.20%

0.17% of solutions used 651 ms of runtime

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT e.name AS Employee
3 FROM Employee e
4 JOIN Employee m
5 ON e.managerId = m.id
6 WHERE e.salary > m.salary;
```

Testcase Test Result

Accepted Runtime: 65 ms

Case 1

Input

Employee =

id	name	salary	managerId
1	Joe	70000	3
2	Henry	80000	4
3	Sam	60000	null

2. 183. Customers Who Never Order <https://leetcode.com/problems/customers-who-never-order/>

Document 10.docx | DBT-SelfLearning.pdf | Customers Who Never Order | + | Ask Gemini

leetcode.com/problems/customers-who-never-order/submissions/2141879639/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 12 / 12 testcases passed
gauuri123 submitted at Sep 14, 2026 23:37

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
558 ms Beats 85.66%

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT c.name AS Customers
3 FROM Customers c
4 LEFT JOIN Orders o
5 ON c.id = o.customerId
6 WHERE o.customerId IS NULL;
```

Testcase Test Result

Accepted Runtime: 110 ms

Case 1

Input

Customers =

id	name
1	Joe
2	Henry
3	Sam

3. 197. Rising Temperature <https://leetcode.com/problems/rising-temperature/>

Document 10.docx | DBT-SelfLearning.pdf | Customers Who Never Order - | Rising Temperature - LeetCode | Ask Gemini

leetcode.com/problems/rising-temperature/submissions/214188185/

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 15 / 15 testcases passed
gaauri123 submitted at Sep 14, 2026 23:39

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
2091 ms | Beats 5.01%

0.87% of solutions used 647 ms of runtime

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT w1.id
3 FROM Weather w1
4 JOIN Weather w2
5 ON DATEDIFF(w1.recordDate, w2.recordDate) = 1
6 WHERE w1.temperature > w2.temperature;
```

Saved | Ln 6, Col 39

Testcase | Test Result

Accepted Runtime: 77 ms

Case 1

Input

Weather =

id	recordDate	temperature
1	2015-01-01	10
2	2015-01-02	25
3	2015-01-03	20

ENG IN 72% 11:39 PM 14-09-2026

4. 607. <https://leetcode.com/problems/sales-person/>

Document 10.docx | DBT-SelfLearning.pdf | Sales Person - LeetCode | Ask Gemini

leetcode.com/problems/sales-person/submissions/2141882962/

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 21 / 21 testcases passed
gaauri123 submitted at Sep 14, 2026 23:40

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
2127 ms | Beats 9.39%

Code | MySQL

MySQL Auto

```
1 # Write your MySQL query statement below
2 SELECT s.name
3 FROM SalesPerson s
4 WHERE s.sales_id NOT IN
5 (
6     SELECT o.sales_id
7     FROM Orders o
8     JOIN Company c
9     ON o.com_id = c.com_id
10    WHERE c.name = 'RED'
11 );
```

Saved | Ln 11, Col 3

Testcase | Test Result

Accepted Runtime: 180 ms

Case 1

Input

SalesPerson =

sales_id	name	salary	commission_rate	hire_date
1	John	100000	6	4/1/2006
2	Amy	12000	5	5/1/2010
3	Mark	65000	12	12/25/2008

ENG IN 72% 11:40 PM 14-09-2026

5. 180. Consecutive Numbers <https://leetcode.com/problems/consecutive-numbers/>

Document 10.docx | Combine Two Tables - LeetCode | Consecutive Numbers - LeetCode | Ask Gemini

leetcode.com/problems/consecutive-numbers/submissions/2141885125/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 23 / 23 testcases passed
gauuri123 submitted at Sep 14, 2026 23:42

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
622 ms Beats 53.40%

Code MySQL

```

1 # Write your MySQL query statement below
2 SELECT DISTINCT l1.num AS ConsecutiveNums
3 FROM Logs l1
4 JOIN Logs l2
5 ON l2.id = l1.id + 1
6 JOIN Logs l3
7 ON l3.id = l1.id + 2
8 WHERE l1.num = l2.num
9   AND l2.num = l3.num;

```

Testcase Test Result

Accepted Runtime: 89 ms

Case 1

Input

Logs =

id	num
1	1
2	1
3	1

Windows Search | ENG IN | 74% | 11:42 PM 14-09-2026

6. 175. Combine Two Tables <https://leetcode.com/problems/combine-two-tables/>

Document 10.docx | Combine Two Tables - LeetCode | Consecutive Numbers - LeetCode | Ask Gemini

leetcode.com/problems/combine-two-tables/submissions/2141884325/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 8 / 8 testcases passed
gauuri123 submitted at Sep 14, 2026 23:41

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
418 ms Beats 81.04%

Code MySQL

```

1 # Write your MySQL query statement below
2 SELECT
3   p.firstName,
4   p.lastName,
5   a.city,
6   a.state
7 FROM Person p
8 LEFT JOIN Address a
9 ON p.personId = a.personId;

```

Testcase Test Result

Accepted Runtime: 167 ms

Case 1

Input

Person =

personId	lastName	firstName
1	Wang	Allen
2	Alice	Bob

Windows Search | ENG IN | 73% | 11:41 PM 14-09-2026

7. 178. Rank Scores <https://leetcode.com/problems/rank-scores/>

Document 10.docx x Rank Scores - LeetCode x DBT-SelfLearning.pdf x + Ask Gemini

leetcode.com/problems/rank-scores/submissions/2141886631/

Accepted 11 / 11 testcases passed
gauuri123 submitted at Sep 14, 2026 23:43

Runtime: 310 ms Beats 86.35%

Code: MySQL

```

1 # Write your MySQL query statement below
2 SELECT
3     score,
4     DENSE_RANK() OVER (ORDER BY score DESC) AS "rank"
5 FROM Scores
6 ORDER BY score DESC;

```

Testcase: Accepted Runtime: 90 ms

Case 1

Input

id	score
1	3.5
2	3.65
3	4

8. 570. Managers with at Least 5 Direct Reports

<https://leetcode.com/problems/managers-with-at-least-5-direct-reports>

Document 10.docx x Rank Scores - LeetCode x DBT-SelfLearning.pdf x Managers with at Least 5 x Delete Duplicate Emails x + Ask Gemini

leetcode.com/problems/managers-with-at-least-5-direct-reports/submissions/2141888298/

Accepted 11 / 11 testcases passed
gauuri123 submitted at Sep 14, 2026 23:45

Runtime: 456 ms Beats 17.51%

Code: MySQL

```

1 # Write your MySQL query statement below
2 SELECT e.name
3 FROM Employee e
4 JOIN Employee emp
5 ON e.id = emp.managerId
6 GROUP BY e.id, e.name
7 HAVING COUNT(emp.id) >= 5;

```

Testcase: Accepted Runtime: 133 ms

Case 1

Input

id	name	department	managerId
101	John	A	null
102	Dan	A	101
103	James	A	101

9. 196. Delete Duplicate Emails <https://leetcode.com/problems/delete-duplicate-emails/>

Document 10.docx | Rank Scores - LeetCode | DBT-SelfLearning.pdf | Managers with at Least | Delete Duplicate Emails | Ask Gemini

leetcode.com/problems/delete-duplicate-emails/submissions/2141889061/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 22 / 22 testcases passed Time taken: 59s
gauuri123 submitted at Sep 14, 2026 23:45

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
1024 ms Beats 26.75%

Code | MySQL

```

1 # Write your MySQL query statement below
2 DELETE p1
3 FROM Person p1
4 JOIN Person p2
5 ON p1.email = p2.email
6 AND p1.id > p2.id;

```

Testcase Test Result

Accepted Runtime: 98 ms

Case 1

Input

Person =

id	email
1	john@example.com
2	bob@example.com
3	john@example.com

ENG IN 76% 11:45 PM 14-09-2026

10. 1204. Last Person to Fit in the Bus <https://leetcode.com/problems/last-person-to-fit-in-the-bus/>

Document 10.docx | DBT-SelfLearning.pdf | Last Person to Fit in the Bus - Le | Second Highest Salary - LeetCode | Ask Gemini

leetcode.com/problems/last-person-to-fit-in-the-bus/submissions/2141890250/

Problem List | Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 29 / 29 testcases passed Time taken: 51s
gauuri123 submitted at Sep 14, 2026 23:46

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
745 ms Beats 96.48%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT person_name
3 FROM (
4     SELECT
5         person_name,
6         SUM(weight) OVER (ORDER BY turn) AS total_weight
7     FROM Queue
8 ) q
9 WHERE total_weight <= 1000
10 ORDER BY total_weight DESC
11 LIMIT 1;

```

Testcase Test Result

Accepted Runtime: 74 ms

Case 1

Input

Queue =

person_id	person_name	weight	turn
5	Alice	250	1
4	Bob	175	5
3	Alex	350	2

ENG IN 77% 11:46 PM 14-09-2026

11. 176. Second Highest Salary <https://leetcode.com/problems/second-highest-salary>

Document 10.docx | DBT-SelfLearning.pdf | Last Person to Fit in the Bus - LeetCode | Second Highest Salary - LeetCode | Ask Gemini

leetcode.com/problems/second-highest-salary/submissions/2141891183/

Apps | Gmail | YouTube | Maps | All Bookmarks

Problem List | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 10 / 10 testcases passed
gauuri123 submitted at Sep 14, 2026 23:47

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
321 ms | Beats 37.07%

MySQL

Code

```
1 # Write your MySQL query statement below
2 SELECT
3     MAX(salary) AS SecondHighestSalary
4 FROM Employee
5 WHERE salary < (
6     SELECT MAX(salary)
7 FROM Employee
8 );
```

Testcase | Test Result

Accepted Runtime: 87 ms

Case 1 Case 2

Input

Employee =

id	salary
1	100
2	200
3	300

Windows | Search | ENG IN | 78% | 11:47 PM 14-09-2026