Assignment No 1

```
Linux Commands Assignments - 1 1)

1. List the directory contents date wise also sorted. ( new to)
2. List the directory contents size wise also sorted.
3. List directory contents also in this order first directory
then files.
4. List the contents of the subdirectory.
5. Create a file, write your surname and name in it and
write
your name the same file and add your address in it and
write
it.
6. Now to change the time stamp of file (see touch)

7. Create directory structure. Give following commands .
-> mkdir one
-> cd one
-> touch 1.txt 11.txt
-> cd two
-> cd three
-> touch 2.txt 22.txt
-> cd three
-> touch 3.txt 33.txt
-> cd four
-> touch 4.txt 44.txt
-> cd five
-> touch 5.txt 55.txt
-> cd ~ ( i.e. go to your home directory)

8. Remove the directory structure . Do following
operations
a. Remove the directory contents of directory named
"five" from current directory ( i.e. from directory)

9. Create a file, write your surname and name in it and
write
your name the same file and add your address in it and
write
it.
b. Change the name of file name "f" to "first"
c. Delete the file "first"

10. Create a file, write your surname and name in it and
write
your name the same file and add your address in it and
write
it.
a. Change to your home directory
b. Change the name of file name "f" to "first"
c. Delete the file "first"

11. Create directory structure. Give following commands .
-> mkdir one
-> cd one
-> touch 1.txt 11.txt
-> cd two
-> cd three
-> touch 2.txt 22.txt
-> cd three
-> touch 3.txt 33.txt
-> cd four
-> touch 4.txt 44.txt
-> cd five
-> touch 5.txt 55.txt
-> cd ~ ( i.e. go to your home directory)
```

1. List the directory contents date wise sorted. (new to)

ls -lt
ls -ltr
ls -ltrreverse
ls -ltr reverse

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls -lt
total 0
-rw-r--r-- 1 root root 0 Jul 22 22:54 55.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 5.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 44.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 4.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 33.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 3.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 22.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 2.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 11.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 1.txt
```

2. List the directory contents size wise sorted.(man ls)

ls -S
ls -Sr
ls -Sreverse

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls -S
total 0
-rw-r--r-- 1 root root 0 Jul 22 22:54 11.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 1.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 22.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 2.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 33.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 3.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 44.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 4.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 55.txt
-rw-r--r-- 1 root root 0 Jul 22 22:54 5.txt
```

3. List directory contents along with their inode no. (man ls)

ls -i
ls -ir
ls -ireverse
ls -ir reverse

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls -i
total 0
1966 11.txt  1968 1.txt  1969 22.txt  1971 2.txt  1972 33.txt  1974 3.txt  1975 44.txt  1977 4.txt  1978 55.txt  1980 5.txt
```

4. List the contents of the subdirectory.

ls subdir
ls -R subdir
ls -R subdir
ls -Rreverse subdir

```
[root@kali]-[~/Desktop]
└─# ls -R subdir
subdir:
hello.txt  one

one:
hello.txt  two

two:
hello.txt  three

three:
hello.txt  four

four:
hello.txt  five

five:
hello.txt  six

six:
hello.txt  seven

seven:
hello.txt  eight

eight:
hello.txt  nine

nine:
hello.txt  ten

ten:
hello.txt

[root@kali]-[~/Desktop]
└─# ls -R subdir -reverse
ls: cannot access '-reverse': No such file or directory
subdir:
hello.txt  one

one:
hello.txt  two

two:
hello.txt  three

three:
hello.txt  four

four:
hello.txt  five

five:
hello.txt  six

six:
hello.txt  seven

seven:
hello.txt  eight

eight:
hello.txt  nine

nine:
hello.txt  ten

ten:
hello.txt
```

5. Create a file, write your surname and name in it and write
your name the same file and add your address in it and
write
it.Prepare the same file and check your name and address is
there

```
[root@kali]-[~/Desktop]
└─# touch myfile.txt
[root@kali]-[~/Desktop]
└─# echo "Ashish Kokate" >> myfile.txt
[root@kali]-[~/Desktop]
└─# cat myfile.txt
Ashish Kokate
[root@kali]-[~/Desktop]
└─#
```

6. Now to change the time stamp of file (see touch)

touch myfile.txt
touch -m myfile.txt
touch -a myfile.txt
touch -mreference=myfile.txt
touch -t 2021 file2

```
[root@kali]-[~/Desktop]
└─# touch myfile.txt
[root@kali]-[~/Desktop]
└─# stat myfile.txt
  File: myfile.txt
  Size: 0               Blocks: 0          IO Block: 4096   regular file
Device: 259,3   Inode: 524160      Links: 1
Access: (0644/-rw-r--r--)  Uid: (    0/    root)   Gid: (    0/    root)
Access: 2021-07-22 22:54:39.000000000 +0530
Modify: 2021-07-22 22:54:39.000000000 +0530
Change: 2021-07-22 22:54:39.000000000 +0530
 Birth: 2021-07-22 22:54:39.000000000 +0530
[root@kali]-[~/Desktop]
└─# touch -m myfile.txt
[root@kali]-[~/Desktop]
└─# stat myfile.txt
  File: myfile.txt
  Size: 0               Blocks: 0          IO Block: 4096   regular file
Device: 259,3   Inode: 524160      Links: 1
Access: (0644/-rw-r--r--)  Uid: (    0/    root)   Gid: (    0/    root)
Access: 2021-07-22 22:54:39.000000000 +0530
Modify: 2021-07-22 22:55:01.000000000 +0530
Change: 2021-07-22 22:55:01.000000000 +0530
 Birth: 2021-07-22 22:54:39.000000000 +0530
[root@kali]-[~/Desktop]
└─#
```

7. Create directory structure . Give following commands .
-> mkdir one
-> cd one
-> touch 1.txt 11.txt
-> mkdir two
-> cd two
-> touch 2.txt 22.txt
-> mkdir three
-> cd three
-> touch 3.txt 33.txt
-> mkdir four
-> cd four
-> touch 4.txt 44.txt
-> mkdir five
-> cd five
-> touch 5.txt 55.txt
-> cd ~ (i.e. go to your home directory)

```
[root@kali]-[~/Desktop/test]
└─# mkdir one
[root@kali]-[~/Desktop/test]
└─# ls
one
[root@kali]-[~/Desktop/test]
└─# cd one
[root@kali]-[~/Desktop/test/one]
└─# touch 1.txt 11.txt
[root@kali]-[~/Desktop/test/one]
└─# mkdir two
[root@kali]-[~/Desktop/test/one]
└─# ls
1.txt  11.txt  two
[root@kali]-[~/Desktop/test/one]
└─# cd two
[root@kali]-[~/Desktop/test/one/two]
└─# touch 2.txt 22.txt
[root@kali]-[~/Desktop/test/one/two]
└─# mkdir three
[root@kali]-[~/Desktop/test/one/two]
└─# ls
2.txt  22.txt  three
[root@kali]-[~/Desktop/test/one/two]
└─# cd three
[root@kali]-[~/Desktop/test/one/two/three]
└─# touch 3.txt 33.txt
[root@kali]-[~/Desktop/test/one/two/three]
└─# mkdir four
[root@kali]-[~/Desktop/test/one/two/three]
└─# ls
3.txt  33.txt  four
[root@kali]-[~/Desktop/test/one/two/three]
└─# cd four
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# touch 4.txt 44.txt
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# mkdir five
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# ls
4.txt  44.txt  five
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# cd five
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# touch 5.txt 55.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls
5.txt  55.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# cd ~
[root@kali]-[~]
└─# pwd
/home/ritik
[root@kali]-[~]
└─#
```

8. Removing above directory structure . Do following operations

1. Set the directory contents of directory named "five" from current directory (i.e. home directory).

```
[root@kali]-[~]
└─# ls -lt Desktop/test/one/two/three/four/five
total 0
-rw-r--r-- 1 ritik ritik 0 Jun  8 16:28 5.txt
-rw-r--r-- 1 ritik ritik 0 Jun  8 16:28 55.txt
[root@kali]-[~]
└─#
```

Ritik: Write your name in file "5.txt" of directory four from home directory

```
[root@kali]-[~]
└─# echo "Ritik Yadav" > Desktop/test/one/two/three/four/5.txt
[root@kali]-[~]
└─# cat Desktop/test/one/two/three/four/5.txt
Ritik Yadav
[root@kali]-[~]
└─#
```

Ritik: Remove file "55.txt" from directory five from home directory

```
[root@kali]-[~]
└─# rm Desktop/test/one/two/three/four/five/55.txt
[root@kali]-[~]
└─# ls Desktop/test/one/two/three/four/five
5.txt
[root@kali]-[~]
└─#
```

Ritik: Change directory to five

```
[root@kali]-[~]
└─# cd Desktop/test/one/two/three/four/five
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls
5.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# pwd
/root/Desktop/test/one/two/three/four/five
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─#
```

Ritik: Write your courses names in file "5.txt" from current directory (five)

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# echo "MSc DBDA" > 5.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# echo "Msc Ds" >> 5.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# cat 5.txt
MSc DBDA
Msc Ds
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─#
```

Ritik: List contents of directory "two" from current directory (four)

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls -l ../../../two/
total 4
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 11.txt
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 1.txt
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 22.txt
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 2.txt
drwxr-xr-x 5 ritik ritik 4096 Jun  8 16:28 three
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─#
```

Ritik: Remove file "22.txt" from directory two from current directory (four)

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# rm ../../../two/22.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# ls -l ../../../two/
total 0
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 11.txt
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 1.txt
-rw-r--r-- 1 ritik ritik    0 Jun  8 16:22 2.txt
drwxr-xr-x 5 ritik ritik 4096 Jun  8 16:28 three
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─#
```

Ritik: Change directory to "three"

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# cd ../../../three/
[root@kali]-[~/Desktop/test/one/two/three]
└─# ls
3.txt  33.txt  four
[root@kali]-[~/Desktop/test/one/two/three]
└─#
```

Ritik: Remove file "33.txt" from directory three from current directory (three)

```
[root@kali]-[~/Desktop/test/one/two/three]
└─# rm 33.txt
[root@kali]-[~/Desktop/test/one/two/three]
└─# ls
3.txt  four
[root@kali]-[~/Desktop/test/one/two/three]
└─#
```

Ritik: Change directory to "four"

```
[root@kali]-[~/Desktop/test/one/two/three]
└─# cd four
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# ls
4.txt  five
[root@kali]-[~/Desktop/test/one/two/three/four]
└─#
```

Ritik: Remove file "44.txt" from directory four from current directory (four)

```
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# rm 44.txt
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# ls
4.txt  five
[root@kali]-[~/Desktop/test/one/two/three/four]
└─#
```

Ritik: Change directory to "two"

```
[root@kali]-[~/Desktop/test/one/two/three/four]
└─# cd ../../
[root@kali]-[~/Desktop/test/one/two]
└─# pwd
/home/ritik/Desktop/test/one/two
[root@kali]-[~/Desktop/test/one/two]
└─#
```

Ritik: Remove all files only from directory "five" from current directory (one)

```
[root@kali]-[~/Desktop/test/one]
└─# rm five/*
[root@kali]-[~/Desktop/test/one]
└─# ls five
[root@kali]-[~/Desktop/test/one]
└─#
```

9. Change timestamp of file "5.txt" in directory "three"

```
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─# touch -m 5.txt
[root@kali]-[~/Desktop/test/one/two/three/four/five]
└─#
```