




PHP Practicum


IS4102

Presentation 08

WGS Lakshitha
Instructor in Computer Technology
Faculty of Computing




Contents

- ❑ Create database and table using MySQL
 - ❑ Create database connection
 - ❑ Write PHP code for view data
 - ❑ Test the view function
- 


Step 01: Create database and table using MySQL

- ❑ The first step is creating the database and table for store data.
- ❑ We can use MySQL to create a database.
- ❑ Start the XAMP server in your machine.
- ❑ Then run the MySQL and Apache server.



Creating a Database

- ❑ Click the new on the left side menu.
- ❑ Then enter the database name as **MyDB** and click the create button.



The screenshot shows the 'Databases' section of a MySQL management tool. It features a 'Create database' link with a question mark icon. Below this, there is a text input field containing 'MyDB', a dropdown menu labeled 'Collation', and a 'Create' button.


Databases

Create database ?

MyDB Collation ▼ Create

Creating a Table

- ❑ Create an item table.
- ❑ Firstly, enter the table name as item, and the number of columns is four after selecting the Go button can be seen below the window.




Server: MySQL-3306 » Database: mydb

Structure SQL Search Query Export Import

No tables found in database.

Create table

Name: Number of columns:



Server: MySQL-3306 » Database: mydb » Table: item

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table name: Add column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	A.I
	INT		None			☐	--	☐
	INT		None			☐	--	☐
	INT		None			☐	--	☐
	INT		None			☐	--	☐

Creating a Table(Cont.)

Fill the table column names with length/values and select the types.

Server: MySQL:3306 » Database: mydb » Table: item


Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table name: item Add 1 column(s) Go

Structure								
Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	
id	INT	10	None			☐	PRIMARY	☒
PRIMARY								
name	VARCHAR	50	None			☐	---	☐
quantity	INT	10	None			☐	---	☐
price	VARCHAR	10	None			☐	---	☐

Creating a Table(cont.)

Structure of Item table.



The screenshot shows the MySQL Table Structure window for the 'item' table in the 'mydb' database. The table has four columns: 'id' (int(10), primary key, auto-increment), 'name' (varchar(50), latin1_swedish_ci), 'quantity' (int(10)), and 'price' (varchar(10), latin1_swedish_ci). The 'id' column is highlighted as the primary key. The 'name' and 'price' columns are also marked as primary keys in the screenshot, which is unusual for a standard table structure.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(10)			No	None		AUTO_INCREMENT	Change Drop Primary Unique Index More
☐ 2	name	varchar(50)	latin1_swedish_ci		No	None			Change Drop Primary Unique Index More
☐ 3	quantity	int(10)			No	None			Change Drop Primary Unique Index More
☐ 4	price	varchar(10)	latin1_swedish_ci		No	None			Change Drop Primary Unique Index More

Step 02: Create a PHP/MySQL Database Connection

```
<?php
$localhost = "127.0.0.1"; //use this Ip address or 'localhost'
$username = "root"; //database user name, default username is root
$password = ""; //if you use database password, enter password here.
$dbname = "mydb"; //your database name

$connect = new mysqli($localhost, $username, $password, $dbname);

if ($connect->connect_error) {
    die("Connection Failed : " . $connect->connect_error);
}

else {
    echo "Successfully Connected";
}
?>
```

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **dbconnection.php**

Step 03: Create a view page

- Link the database connection.

```
<?php  
    require_once "dbconnection.php";  
?>
```

- Select query.

```
$sql = "SELECT * FROM item";
```

- Query execution.

```
$result = $connect->query($sql);
```

- Check results are empty or not?

```
if ($result->num_rows > 0) {
```

Step 03: Create a view page(Cont.)

HTML Table header code(Using html)

```
<table align="center" border = "1"
width="100%">

<tr align="center">
    <td><b>No.</b></td>
    <td><b>Name</b></td>
    <td><b>Quantity</b></td>
    <td><b>Price(Rs.)</b></td>

</tr>;
```

HTML Table header code(Using PHP)

```
echo "<table align=\"center\" border =\"1\"
width=\"100%\">

<tr align=\"center\">
    <td><b>No.</b></td>
    <td><b>Name</b></td>
    <td><b>Quantity</b></td>
    <td><b>Price</b></td>

</tr>;"
```

Step 03: Create a view page(Cont.)

- Create the output data row.

```
while($row = $result->fetch_assoc()) {  
    echo "<tr align=\"center\">  
        <td>".$row["id"]."</td>  
        <td>".$row["name"]."</td>  
        <td>".$row["quantity"]."</td>  
        <td align=\"right\">".$row["price"]."</td>  
    </tr>";  
}
```


- An item table is an empty show the message.

```
else {  
    echo "0 results";  
}
```

Step 03: View function.php

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **view_function.php**

```
<!DOCTYPE html>
<html>
<head>
<title>View Item</title>
</head>
<body>
<div class="wrapper">
<div class="container-fluid">
<div class="row">
<div class="col-md-12">
<div class="page-header">
<h2>PHP/MySQL View function</h2>
</div>
```



```
<?php
```

```
    require_once "dbconnection.php";
```

```
    $sql = "SELECT * FROM item ORDER BY name ASC";
```

```
    $result = $connect->query($sql);
```

```
    if ($result->num_rows > 0) {
```

```
        echo "<table align=\"center\" border =\"1\" width=\"100%\">
```

```
            <tr align=\"center\">
```

```
                <td><b>No.</b></td>
```

```
                <td><b>Name</b></td>
```

```
                <td><b>Quantity</b></td>
```

```
                <td><b>Price(Rs.)</b></td>
```

```
            </tr>";
```

```
            while($row = $result->fetch_assoc()) {
```

```
                echo "<tr align=\"center\">
```

```
                    <td>".$row["id"]."</td>
```

```
                    <td>".$row["name"]. "</td>
```

```
                    <td>".$row["quantity"]."</td>
```


```
                    <td align=\"right\">".$row["price"]. "</td>
```

```
                </tr>";
```

```
            }
```

```
            echo "</table>";
```


```
    }
```



```
else {  
    echo "0 results";  
}  
  
$connect->close();  
  
?>  
</div>  
</div><p align="right"><a href="home.php">Go Home page</a></p>  
</div>  
</div>  
</body>  
</html>
```



Step 04: Test the view function

- ☐ open your web browser.
 - ☐ type localhost/view_function.php in the search bar.
 - ☐ Press the enter key.
- 



Thank you!