




PHP Practicum


IS4102

Presentation 10

WGS Lakshitha
Instructor in Computer Technology
Faculty of Computing




Contents

- ❑ Create a database and table using MySQL
 - ❑ Create a database connection
 - ❑ Create an item view page to identify items for updating
 - ❑ Create a PHP update function page
 - ❑ Create a PHP update action page
 - ❑ Create a PHP update error page
 - ❑ Test the update function
- 


Step 01: Create a database and table using MySQL

- ❑ The first step is creating the database and table for store data.
- ❑ We can use MySQL to create a database.
- ❑ Start the XAMP server in your machine.
- ❑ Then run the MySQL and Apache server.



Creating a Database

- ❑ Click the new on the left side menu.
- ❑ Then enter the database name as **MyDB** and click the create button.



The screenshot shows the 'Databases' section of a MySQL management tool. It features a 'Create database' link with a question mark icon. Below this, there is a text input field containing 'MyDB', a dropdown menu labeled 'Collation', and a 'Create' button.


Databases

Create database ?

MyDB Collation ▼ Create

Creating a Table

- ❑ Create an item table.
- ❑ First, enter the table name as item and set the number of columns to four. After selecting the Go button, the window shown below will appear.




Server: MySQL:3306 » Database: mydb

Structure SQL Search Query Export Import

⚠ No tables found in database.

Create table

Name: Number of columns:



Server: MySQL:3306 » Database: mydb » Table: item

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table name: Add column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	A.I
	INT		None			☐	--	☐
	INT		None			☐	--	☐
	INT		None			☐	--	☐
	INT		None			☐	--	☐

Creating a Table(Cont.)

Fill the table column names with length/values and select the types.

Server: MySQL:3306 » Database: mydb » Table: item


Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table name: item Add 1 column(s) Go

Structure								
Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	
id	INT	10	None			☐	PRIMARY	☒
PRIMARY								
name	VARCHAR	50	None			☐	---	☐
quantity	INT	10	None			☐	---	☐
price	VARCHAR	10	None			☐	---	☐

Creating a Table(cont.)

Structure of Item table.



The screenshot shows the MySQL Table Structure window for the 'item' table in the 'mydb' database. The table has four columns: 'id' (int(10), primary key, auto-increment), 'name' (varchar(50), latin1_swedish_ci), 'quantity' (int(10)), and 'price' (varchar(10), latin1_swedish_ci). The 'id' column is highlighted as the primary key. The 'name' and 'price' columns are also marked as primary keys in the screenshot, which is unusual for a standard table structure.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(10)			No	None		AUTO_INCREMENT	Change Drop Primary Unique Index More
☐ 2	name	varchar(50)	latin1_swedish_ci		No	None			Change Drop Primary Unique Index More
☐ 3	quantity	int(10)			No	None			Change Drop Primary Unique Index More
☐ 4	price	varchar(10)	latin1_swedish_ci		No	None			Change Drop Primary Unique Index More

Step 02: Create a PHP/MySQL Database Connection

```
<?php
$localhost = "127.0.0.1"; //use this Ip address or 'localhost'
$username = "root"; //database user name, default username is root
$password = ""; //if you use database password, enter password here.
$dbname = "mydb"; //your database name

$connect = new mysqli($localhost, $username, $password, $dbname);

if ($connect->connect_error) {
    die("Connection Failed : " . $connect->connect_error);
}


else {
    echo "Successfully Connected";
}
?>
```

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **dbconnection.php**

Step 03: update_form.php

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **update_form.php**

```
<!DOCTYPE html>
<html>
<head>
<title>Update Item</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.css">
<style type="text/css">
.wrapper{
    width: 500px;
    margin: 0 auto;
}
</style>
</head>
<?php
    require_once "dbconnection.php";
?>
```



```
<body>
<div class="wrapper">
<div class="container-fluid">
<div class="row">
<div class="col-md-12">
<div class="page-header">
<h2>PHP/MySQL Update function</h2>
</div>
<?php

$sql = "SELECT * FROM item";
$result = $connect->query($sql);

if ($result->num_rows> 0) {
echo "<table align=\"center\" border =\"1\" width=\"100%\">
    <tr align=\"center\">
        <td><b> No.</b></td>
        <td><b> Name</b></td>
        <td><b>Quantity</b></td>
        <td><b>Price(Rs.)</b></td>
        <td><b>Update Item</b></td>
    </tr>";
```



```
// output data of each row
while($row = $result->fetch_assoc()) {
    echo "<tr align=\"center\">
        <td>".$row["id"]."</td>
        <td>".$row["name"]. "</td>
        <td>".$row["quantity"]."</td>
        <td>".$row["price"]. "</td>
        <td><a href='update_function.php?id=". $row['id'] .'\" title='Update Item' data-toggle='tooltip'><span
class='glyphicon glyphicon-pencil'></span></a></td>
    </tr>";
} echo "</table>";
} else {
    echo "0 results";
}
$connect->close();
?>

</div>
</div><p align="right"><a href="home.php">Go Home page</a></p>
</div>
</div>
</body>
</html>
```

PHP/MySQL Update function


No.	Name	Quantity	Price(Rs.)	Update Item
13	Sample Item 2	5	30.00	
1	Sample Item	10	25.00	

[Go Home page](#)


Step 04: update_function.php

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **update_function.php**


```
<?php
require_once 'dbconnection.php';
$name = ""; $quantity = ""; $price = "";
$id = $_GET["id"];
$sql = "SELECT * FROM item WHERE id='$id'";
$result = $connect->query($sql);
if ($result->num_rows > 0) {
while($row = $result->fetch_assoc()) {
    $name = $row["name"];
    $quantity = $row["quantity"];
    $price = $row["price"];
    }
}
else {
    echo "0 results";
}
$connect->close();
?>
```



```
<!DOCTYPE html>
<html lang="en">
<meta charset="UTF-8">
<title>Update function</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.css">
<style type="text/css">
.wrapper{
    width: 500px;
    margin: 0 auto;
}
</style>
<body>
<div class="wrapper">
<div class="container-fluid">
<div class="row">
<div class="col-md-12">
<div class="page-header">
<h2>PHP/MySQL Update function</h2>
</div>
```



```
<form action="update_function_action.php" method="post">
<div class="form-group">
<input type="hidden" name="id" value="<?php echo $id; ?>">
<label for="name">Item Name</label>
<input type="text" name="name" value="<?php echo $name; ?>" class="form-control" require>
</div>
<div class="form-group">
<label for="quantity">Item Quantity</label>
<input type="int" name="quantity" value="<?php echo $quantity; ?>" class="form-control" require>
</div>
<div class="form-group">
<label for="price">Item Price</label>
<input type="text" name="price" value="<?php echo $price; ?>" class="form-control" require>
</div>
<br>
<div class="form-group">
<input type="submit" class="btn btn-primary" value="Submit">
<p align="right"><a href="home.php">Go Home page</a></p>
</div>
</form>
</div></div></div>
</div>
</body>
</html>
```



PHP/MySQL Update function

Item Name

Item Quantity

Item Price

[Go Home page](#)

Step 05: update_function_action.php

- ❑ Save this file under the **htdocs** folder (**C/xampp/htdocs**) name should be **update_function_action.php**

```
<?php

require_once 'dbconnection.php';
$id    = $_POST["id"];
$name  = $_POST["name"];
$quantity = $_POST["quantity"];
$price = $_POST["price"];

$sql = "UPDATE item SET name='$name', quantity='$quantity', price='$price' WHERE id='$id'";
    if($connect->query($sql) === TRUE) {
        header("Location: update_form.php");
    } else {
        header("Location: update_error.php");
    }

?>
```

Step 06: Update_error.php

- ❑ Save this file under the **htdocs** folder (C/xampp/htdocs) name should be **update_error.php**

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Update Error</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.css">
<style type="text/css">.wrapper{ width: 750px; margin: 0 auto; }</style>
</head>
<body>
<div class="wrapper">
<div class="container-fluid"><div class="row"><div class="col-md-12"><div class="page-header">
<h1>Update Error</h1>
</div>
<div class="alert alert-danger fade in">
<p>Sorry, you've made an invalid request. Please <a href="update_form.php" class="alert-link">go back</a> and try
again.</p>
</div></div></div></div></div>
</body>
</html>
```

Step 07: Test the update function

- ☐ Open your web browser.
- ☐ Type localhost/update_form.php in the search bar.
- ☐ Select the item need to update among the items list.

01

PHP/MySQL Update function

No.	Name	Quantity	Price(Rs.)	Update Item
13	Sample Item 2	5	30.00	
1	Sample Item	10	25.00	

[Go Home page](#)

03

Update Error

Sorry, you've made an invalid request. Please **go back** and try again.

02

PHP/MySQL Update function

Item Name

Sample Item

Item Quantity

10

Item Price

25.00

Submit

[Go Home page](#)



Thank you!