

Capstone Project and Test Summary

Playwright Automation Testing

Github Link : <https://github.com/KEERTHANA20022004/Capstone-Project-Playwright>

-Keerthana R

B.E Computer Science & Engineering
SDET Playwright

Software Application being Tested

Link : <https://opensource-demo.orangehrmlive.com/web/index.php/auth/login>




TABLE OF CONTENTS

Section No.	Title
Overview	Project Overview
Goals	Goals and Objectives
Specifications	In-Scope Functional Modules
Milestone 1	Analysis and Planning
1.1	Introduction
1.2	Requirement Analysis
1.2.1	Functional Requirements (FR)
1.2.2	Non-Functional Requirements (NFR)
1.3	Test Strategy
1.3.1	Automation Testing Scope
1.4	Requirements Traceability Matrix (RTM)
Milestone 2	Automation Framework Setup and Test Script Development
2.1	Framework Setup and Configuration
2.2	Playwright Installation
2.3	Playwright Configuration File
2.4	Page Object Model (POM) Implementation
2.5	Test Script Development
2.6	Test Execution
2.7	Test Reporting
2.8	Continuous Integration Setup
2.9	Outcome
Milestone 3	Automated Test Execution and Validation
3.1	Test Execution Strategy
3.2	Test Coverage
3.3	Test Design Methodology
3.4	Test Cases
Milestone 4	Reporting and Result Analysis
4.1	Playwright Report Generation
4.2	Test Result Analysis
4.3	Defect Tracking and Validation
4.4	Allure Report Integration
4.5	Module-wise Test Reporting
4.6	Outcome
Appendix	Additional Modules and Test Cases

Overview

Project Overview

The Application Under Test (AUT) is OrangeHRM, a web-based Human Resource Management System designed to streamline and manage various HR operations within an organization. The platform provides comprehensive functionalities such as employee information management, recruitment, leave management, performance tracking, time management, and user administration through a centralized and user-friendly interface.

This project focuses on ensuring the quality, reliability, and performance of the OrangeHRM application by validating its core business processes and system functionalities. The testing scope covers critical modules including Login, Dashboard, PIM (Personnel Information Management), Recruitment, Leave Management, Time Tracking, and Employee Administration.

The automation framework is developed using Playwright with JavaScript, following the Page Object Model (POM) design pattern to improve test maintainability, scalability, and reusability. The framework also integrates GitHub Actions for continuous integration and continuous deployment (CI/CD), along with Allure Reports for detailed test execution reporting and analysis.

The primary objective of this project is to verify that OrangeHRM meets functional requirements, maintains data integrity, ensures system stability, and delivers a seamless user experience across all HR management modules.

Goals

The primary quality objectives for this engagement are defined as follows:

1 Business Objectives

- **Employee Data Integrity:** Ensure 100% accuracy in employee information management, user administration, leave records, timesheets, and performance data.
- **Operational Efficiency:** Validate seamless workflows across HR processes such as employee onboarding, leave requests, recruitment management, and time tracking.

- **Data Security:** Verify that sensitive employee information, login credentials, and administrative functions are protected through proper authentication and authorization mechanisms.
- **System Reliability:** Ensure critical HR operations function consistently without data loss or workflow interruptions.

2 Quality Engineering Objectives

- **Automation Coverage:** Achieve high automation coverage for repetitive functional and regression test scenarios using Playwright and JavaScript.
- **Defect Containment:** Identify and resolve critical and high-severity defects before production deployment, with special focus on employee management, leave processing, and user administration modules.
- **Data Validation:** Ensure UI actions correctly update application records and maintain data consistency across the system.

Specifications

In-Scope Functional Module

Testing will cover the following core functional areas:

1.Authentication and User Management

- Validate successful and unsuccessful login scenarios.
- Verify logout functionality and session management.
- Validate role-based access controls and user permissions.

2.Admin Module

- Verify user creation, modification, search, and deletion.
- Validate user roles and status management.

3.PIM (Personnel Information Management)

- Verify employee creation, update, search, and deletion.
- Validate employee record accuracy and data persistence.

4.Leave Management

- Validate leave application, approval, rejection, and leave balance calculations.

- Verify leave history and leave status updates.

5. Time Management

- Verify timesheet creation, submission, editing, and validation.
- Validate recorded work hours and time entries.

6. Recruitment Management

- Verify candidate status tracking and vacancy management.
- Validate recruitment workflow operations.

Milestone 1 - Analysis and Planning

1.1 Introduction

The objective of this phase is to analyze the business requirements of the OrangeHRM application and define a comprehensive testing strategy. This phase ensures that all functional and non-functional requirements are testable and that potential risks are identified early in the Software Testing Life Cycle (STLC).

1.2 Requirement Analysis

The following Functional Requirements (FR) and Non-Functional Requirements (NFR) have been identified based on the OrangeHRM business processes and project scope.

1.2.1 Functional Requirements (FR)

Module	Requirement Description	Priority
Authentication	Users must be able to log in with valid credentials and access authorized modules. Invalid credentials must be rejected.	Critical
Admin	Administrators must be able to add, search, edit, and delete user accounts while managing user roles and permissions.	High
PIM	Users must be able to create, update, search, and manage employee records.	Critical
Leave	Employees must be able to apply for leave and authorized users must approve or reject leave requests.	High
Time	Employees must be able to create, submit, edit, and manage timesheets.	High

Module	Requirement Description	Priority
Recruitment	HR users must be able to manage vacancies and track candidate status.	Medium

1.2.2 Non-Functional Requirements (NFR)

- Data Integrity: Employee records, leave requests, timesheets, and recruitment data must remain accurate and consistent throughout the application.
- Browser Compatibility: The application should function correctly across supported browsers tested through Playwright execution environments.
- Performance: Core HR workflows should execute efficiently without significant delays.
- Security: Authentication and role-based access controls must prevent unauthorized access to sensitive HR data.

1.3 Test Strategy

The testing strategy focuses on end-to-end automation testing using Playwright and JavaScript.

1.3.1 Automation Testing Scope

Automation testing will be used for:

- Authentication Testing: Login, logout, session validation, and credential verification.
- Admin Module Testing: User creation, search, modification, deletion, and role validation.
- PIM Testing: Employee creation, update, search, and deletion.
- Leave Management Testing: Leave application, approval, rejection, and leave balance validation.
- Time Module Testing: Timesheet creation, submission, editing, and validation.
- Recruitment Testing: Vacancy management and candidate status tracking.
- Profile Testing: Personal information updates and password changes.
- Expenses and Performance Testing: Expense claims, performance tracking, and employee reviews.
- Regression Testing: Validation of existing functionalities after application changes.

1.4 Requirements Traceability Matrix (RTM) Structure

To ensure complete test coverage, an RTM will be maintained linking every requirement to corresponding test cases.

Requirement Summary	Test Scenario
Authentication	Verify successful login with valid credentials
Authentication	Verify error message for invalid credentials
Admin Management	Verify successful user creation
PIM Management	Verify employee record creation
Leave Management	Verify leave application and approval workflow
Time Management	Verify timesheet submission
Recruitment	Verify candidate status tracking

Milestone 2 - Automation Framework Setup and Test Script Development

2.1 Framework Setup and Configuration

The Playwright automation framework was configured using JavaScript and Node.js. The project was organized using the Page Object Model (POM) design pattern to improve code reusability, maintainability, and scalability.

Playwright Installation

The Playwright automation framework was installed using Node.js and npm. Required dependencies and browser binaries were successfully configured to enable automated test execution across supported browsers.

Inside that directory, you can run several commands:

```
npx playwright test
```

Runs the end-to-end tests.

```
npx playwright test --ui
```

Starts the interactive UI mode.

```
npx playwright test --project=chromium
```

Runs the tests only on Desktop Chrome.

```
npx playwright test example
```

Runs the tests in a specific file.

```
npx playwright test --debug
```

Runs the tests in debug mode.

```
npx playwright codegen
```

Auto generate tests with Codegen.

We suggest that you begin by typing:

```
npx playwright test
```


And check out the following files:

- `.\tests\example.spec.ts` - Example end-to-end test
- `.\tests-examples\demo-todo-app.spec.ts` - Demo Todo App end-to-end tests
- `.\playwright.config.ts` - Playwright Test configuration

Visit <https://playwright.dev/docs/intro> for more information. ✨



Happy hacking! 🍷

2.1 Playwright Installation



The framework includes:

- Page Object Model (POM) classes
- Test scripts for OrangeHRM modules
- Playwright configuration file
- Playwright HTML reports
- Allure reporting integration
- GitHub Actions workflow for CI/CD execution




2.1 Playwright configuration file

2.2 Page Object Model (POM) Implementation

The Page Object Model design pattern was implemented to separate page elements and actions from test scripts. This approach improves maintainability and reduces code duplication.

Page classes were created for different OrangeHRM modules such as Login, Dashboard, and PIM.



```
JS LoginPage.js
pom > JS LoginPage.js > LoginPage
1 class LoginPage {
2   constructor(page) {
3     this.page = page;
4
5     // Locators
6     this.usernameInput = 'input[name="username"]';
7     this.passwordInput = 'input[name="password"]';
8     this.loginButton = 'button[type="submit"]';
9   }
10
11   async goto() {
12     await this.page.goto('https://opensource-demo.orangehrmlive.com/');
13   }
14
15   async login(username, password) {
16     await this.page.fill(this.usernameInput, username);
17     await this.page.fill(this.passwordInput, password);
18     await this.page.click(this.loginButton);
19   }
20
21
22
23   module.exports = LoginPage;

```

```
JS PIMPage.js
pom > JS PIMPage.js > PIMPage
1 class PIMPage {
2   constructor(page) {
3     this.page = page;
4
5     // Locators
6     this.pimMenu = 'span:has-text("PIM")';
7
8     this.employeeSearch = 'input[placeholder="Search"]';
9
10    this.searchButton = 'button[type="submit"]';
11
12    this.employeeTable = '.oxd-table-body';
13  }
14
15  // Open PIM Module
16  async openPIM() {
17    await this.page.click(this.pimMenu);
18  }
19
20
21
22
23  async searchEmployeeByName(name) {
24
25    // Fill Employee Name
26    await this.page.fill(this.employeeSearch, name);
27
28    // Click Search
29    await this.page.click(this.searchButton);
30
31    // Verify Results
32    await this.page.waitForSelector(this.employeeTable, {
33      state: 'visible',
34      timeout: 60000
35    });
36  }
37
38

```

```
JS DashboardPage.js
pom > JS DashboardPage.js > DashboardPage
1 class DashboardPage {
2   constructor(page) {
3     this.page = page;
4
5     this.profileDropdown = '.oxd-userdropdown-toggle';
6     this.logoutButton = 'a[href="/web/index.php/logout"]';
7   }
8
9   async logout() {
10    await this.page.click(this.profileDropdown);
11    await this.page.click(this.logoutButton);
12  }
13
14
15
16   module.exports = DashboardPage;

```


2.3 Test Script Development

Automation test scripts were developed to validate major OrangeHRM functionalities including:

- Authentication Module
- Admin Module
- PIM Module
- Leave Module
- Time Module
- Dashboard Module
- Profile Module

- Recruitment Module
- Expenses Module
- Performance Module

These scripts validate various positive and negative test scenarios to ensure application functionality and stability.



```

1  const { test, expect } = require('@playwright/test');
2  const LoginPage = require('../../pom/LoginPage');
3
4  test.describe('Admin Tests', () => {
5
6      let loginPage;
7
8      test.beforeEach(async ({ page }) => {
9          page.setDefaultTimeout(60000);
10         loginPage = new LoginPage(page);
11         await loginPage.goto();
12         await loginPage.login('Admin', 'admin123');
13         await page.getByRole('link', { name: 'Admin' }).click();
14     });
15
16     test('Open Admin module', async ({ page }) => {
17         await page.getByRole('link', { name: 'Admin' }).click();
18     });
19
20     test('Search for user', async ({ page }) => {
21         await page.getByRole('text', { name: 'Search' }).fill('Mandaa user');
22         await page.locator('button').first().click();
23         await page.getByRole('button', { name: 'Search' }).click();
24     });
25
26     test('Add user', async ({ page }) => {
27         await page.getByRole('button', { name: 'Add' }).click();
28     });
29
30     test('Open Nationalities page', async ({ page }) => {
31         await page.getByRole('link', { name: 'Nationalities' }).click();
32     });
33
34     test('to know about work shifts', async ({ page }) => {
35         await page.getByText('Job').click();
36         await page.getByRole('menuitem', { name: 'Work Shifts' }).click();
37     });
38
39 });
  
```

2.4 Test Execution

The developed automation scripts were executed using the Playwright Test Runner across configured browser environments. Test execution results, screenshots, logs, and reports were generated to validate application functionality and identify failures efficiently.

The execution process involved:

- Launching the browser and accessing the OrangeHRM application.
- Logging into the system using valid credentials.
- Running automated test cases across various modules such as Admin, PIM, Leave, Recruitment, Time, Claim, Buzz, and Logout.
- Validating application behavior using assertions to compare actual and expected results.

- Capturing screenshots and logs when test failures occurred.
- Generating Allure Reports to analyze test execution results and identify defects.

The execution results provided information about passed and failed test cases, execution time, and overall application stability. This helped ensure that the tested functionalities were working correctly and met the expected requirements.

```
PS C:\Users\thili\Desktop\Capstone Project> npx playwright test --project=chromium

Running 125 tests using 4 workers
1) [chromium] > tests\PIM\employeevalidation.spec.js:23:3 > PIM - Employee Validation Tests > Verify Add Employee page loads correctly


Test timeout of 30000ms exceeded.

Error: page.click: Test timeout of 30000ms exceeded.
Call log:
  - waiting for locator('a:has-text("Add Employees")')

23 | test('Verify Add Employee page loads correctly', async ({ page
    => {
24 |
    > 25 |     await page.click('a:has-text("Add Employees")');
        |           ^
26 |
27 |     await expect(
28 |       page.getByRole('heading', { name: 'Add Employee' })
    at C:\Users\thili\Desktop\Capstone Project\tests\PIM\employeevalidation.spec.js:25:16

Error Context: test-results\PIM-employeevalidation-PIM-072f9-employee-page-loads-correctly-chromium\error-context.md

1 failed
[chromium] > tests\PIM\employeevalidation.spec.js:23:3 > PIM - Employee Validation Tests > Verify Add Employee page loads correctly
124 passed (6.5m)
```



2.5 Test Reporting

Playwright HTML Reports and Allure Reports were integrated into the framework to provide detailed test execution summaries, pass/fail statistics, and failure analysis.

2.6 Continuous Integration Setup

GitHub Actions was configured to automatically trigger Playwright test execution on code commits and pull requests. Test reports and execution artifacts were generated as part of the CI/CD workflow to support continuous quality validation.

2.7 Outcome

The automation framework was successfully established, and automated test scripts were developed for multiple OrangeHRM modules. Reporting and CI/CD integration were also configured to support continuous testing and efficient result analysis.

Milestone 3 - Automated Test Execution and Validation

3.1 Test Execution Strategy

After developing the automation framework and test scripts, automated test cases were executed using Playwright Test Runner. The objective was to validate the functionality of the OrangeHRM application and verify that all automated workflows performed as expected.

3.2 Test Coverage

Automated test cases were executed for the following modules:

- Authentication Module
- Admin Module
- PIM Module
- Leave Module
- Time Module
- Dashboard Module
- Profile Module
- Recruitment Module
- Expenses Module
- Performance Module

3.3 Test Design Methodology

The automated test cases were designed based on business requirements and user workflows within the OrangeHRM application.

The design followed these principles:

1. Functional Validation
 - Verify that application features behave according to requirements.
2. Positive and Negative Testing
 - Validate successful operations and error handling scenarios.
3. Regression Testing
 - Ensure existing functionalities remain unaffected after changes.
4. Requirement Traceability
 - Maintain mapping between requirements and automated test cases.

3.4 Test Cases

Authentication Module

- Verify successful login with valid credentials
- Verify login failure with invalid credentials

- Verify empty username validation
- Verify empty password validation
- Verify logout functionality

Admin Module

- Verify add user
- Verify search user
- Verify edit user
- Verify delete user

PIM Module

- Verify add employee
- Verify search employee
- Verify update employee details
- Verify employee record validation

Leave Module

- Verify leave application
- Verify leave approval
- Verify leave rejection

Time Module

- Verify timesheet submission
- Verify timesheet update

Recruitment Module


- Verify candidate status validation
- Verify vacancy information

Milestone 4 - Reporting, Result Analysis

4.1 Playwright Report Generation

After executing the automated test suite, Playwright's built-in reporting functionality was used to generate detailed execution reports. These reports provide information regarding test execution status, execution duration, pass/fail statistics, and failure details.

The Playwright report enabled efficient analysis of test results and helped identify any failed scenarios during execution.



The screenshot displays the Playwright HTML Report Dashboard. At the top, there is a search bar with 's:passed' and a summary bar showing 'All 125', 'Passed 119', 'Failed 6', 'Flaky 0', and 'Skipped 0'. Below this, the project name 'chromium' and a filter '119 (25.7m)' are shown, along with the date '2/6/2026, 9:20:46 am' and 'Total time: 7.4m'. The main content area lists several test suites, each with a dropdown arrow, a list of test cases with their status (green checkmark for passed), duration, and browser (chromium). The test suites and their test cases are: Recruitment/Vacancies.spec.js (Vacancies Tests > Checking the role software engineer: 24.7s, Recruitment/Vacancies.spec.js:18; Vacancies Tests > add button: 18.6s, Recruitment/Vacancies.spec.js:42), PIM/employeevalidation.spec.js (PIM - Employee Validation Tests > Validate required fields on submit: 13.4s, PIM/employeevalidation.spec.js:37; PIM - Employee Validation Tests > Verify Cancel button returns to PIM page: 15.8s, PIM/employeevalidation.spec.js:50), Recruitment/recruitment.spec.js (Recruitment Tests > Verify Recruitment tab: 16.8s, Recruitment/recruitment.spec.js:15; Recruitment Tests > Verify Vacancies tab: 18.5s, Recruitment/recruitment.spec.js:20), and Time/Attendancetime.spec.js (Time Tests > My Records with time check: 27.3s, Time/Attendancetime.spec.js:16; Time Tests > employee attendance record check: 19.8s, Time/Attendancetime.spec.js:17).

Test Suite	Test Case	Status	Duration	Browser
Recruitment/Vacancies.spec.js	Vacancies Tests > Checking the role software engineer	Passed	24.7s	chromium
	Recruitment/Vacancies.spec.js:18			
	Vacancies Tests > add button	Passed	18.6s	chromium
PIM/employeevalidation.spec.js	PIM - Employee Validation Tests > Validate required fields on submit	Passed	13.4s	chromium
	PIM/employeevalidation.spec.js:37			
	PIM - Employee Validation Tests > Verify Cancel button returns to PIM page	Passed	15.8s	chromium
Recruitment/recruitment.spec.js	Recruitment Tests > Verify Recruitment tab	Passed	16.8s	chromium
	Recruitment/recruitment.spec.js:15			
	Recruitment Tests > Verify Vacancies tab	Passed	18.5s	chromium
Time/Attendancetime.spec.js	Time Tests > My Records with time check	Passed	27.3s	chromium
	Time/Attendancetime.spec.js:16			
	Time Tests > employee attendance record check	Passed	19.8s	chromium

4.1: Playwright HTML Report Dashboard

4.2 Test Result Analysis


The generated reports were analyzed to verify the overall stability and functionality of the OrangeHRM application.

The analysis included:

- Total number of executed test cases
- Number of passed test cases
- Number of failed test cases
- Execution duration
- Module-wise test coverage
- Error and failure investigation

The successful execution of the automated test suite confirmed that the implemented OrangeHRM modules functioned according to the defined requirements.

Metric	Value
Total Test Cases	125
Passed	124
Failed	1
Skipped	0
Pass Percentage	99.2%



4.2 Test Execution Summary

4.3 Defect Tracking and Validation

Any issues identified during execution were analyzed and corrected. The affected test cases were re-executed to confirm successful resolution.


Regression testing was performed to ensure that fixes did not impact existing functionalities within the application.

4.4 Allure Report Integration

Allure Reports were integrated with the Playwright automation framework to provide advanced reporting capabilities and detailed test execution insights.

The generated reports include:

- Test execution summary
- Pass and fail statistics
- Execution timeline
- Detailed test information
- Failure screenshots and logs
- Historical execution trends



4.4 Execution timeline

4.5 Module-wise Test Reporting

The Allure report provides detailed execution information for each OrangeHRM module.

Modules included in the automation suite:

- Authentication Module
- Admin Module
- PIM Module
- Leave Module
- Time Module

- Dashboard Module
- Profile Module
- Recruitment Module
- Expenses Module
- Performance Module

← → ↻ 🏠 keerthana20022004.github.io/Capstone-Project-Playwright/#behaviors

Allure

Behaviors

🔍 🔄

order ⬇️⬆️ name ⋮ duration ⬇️⬆️ status ⬇️⬆️
 Status: 0 3 372 0 0 Marks: 🔍 🔍 🔍 🔍 🔍

✓ #301	add button	chromium	7s 653ms
✓ #347	add button	firefox	9s 519ms
✓ #350	add button	webkit	7s 878ms
✓ #196	Add employee successfully	chromium	7s 230ms
✓ #215	Add employee successfully	firefox	9s 933ms
✓ #225	Add employee successfully	webkit	12s 599ms
✓ #205	Add employee with only first name (negative case)	chromium	7s 790ms
✓ #226	Add employee with only first name (negative case)	firefox	12s 951ms
✓ #236	Add employee with only first name (negative case)	webkit	7s 602ms
✓ #5	Add user	firefox	6s 452ms
✓ #8	Add user	chromium	6s 087ms
✓ #10	Add user	webkit	6s 661ms
✓ #125	Apply Leave	chromium	8s 638ms
✓ #135	Apply Leave	firefox	8s 093ms
✓ #143	Apply Leave	webkit	8s 170ms
✓ #131	Approved leave	chromium	7s 356ms
✓ #141	Approved leave	firefox	11s 405ms
✓ #149	Approved leave	webkit	10s 560ms
✓ #113	Assian Claim	chromium	5s 279ms

Overview
 Categories
 Suites
 Behaviors
 Packages
 Graphs
 Timeline


En
 Collapse

4.5: Module-wise Allure Results

4.6 Outcome

The integration of Playwright automation, Allure Reports, and GitHub Actions provided a scalable and maintainable test automation solution for OrangeHRM.

The framework supports automated regression testing, detailed reporting, and continuous quality validation, improving overall software quality and testing efficiency.



4.6: Final Allure Summary Report

Appendix :

Add on:

1.Dashboard and Profile Management

- Verify dashboard widgets and role-based visibility.
- Validate profile updates and password change functionality.

2.Expenses and Performance Management

- Verify employee expense claims, expense categories, and claim submission.
- Validate employee performance tracking, reviews, and performance configuration.

Functional Requirements (FR)

Module	Requirement Description	Priority
Profile	Users must be able to view and update personal information and change passwords.	Medium
Dashboard	The system must display appropriate widgets and information based on user roles.	Medium
Expenses	Employees must be able to submit and manage expense claims.	Medium
Performance	Managers must be able to track employee performance and conduct performance reviews.	Medium

Requirements Traceability Matrix (RTM) Structure

To ensure complete test coverage, an RTM will be maintained linking every requirement to corresponding test cases.

Requirement Summary	Test Scenario
Recruitment	Verify candidate status tracking
Profile Management	Verify password change functionality
Expenses Management	Verify expense claim submission
Performance Management	Verify employee performance review workflow

Continuous Integration using GitHub Actions

GitHub Actions was configured to automate the execution of Playwright test cases whenever code changes were pushed to the repository.

The CI/CD workflow performs the following activities:

- Source code checkout
- Dependency installation
- Playwright test execution
- Report generation
- Result publication

This automation ensures continuous validation of application functionality and supports efficient regression testing.

The screenshot displays the GitHub web interface for a repository named 'capstone proj' by user 'KEERTHANA20022004'. On the left, the 'Files' sidebar shows the repository structure, with the file 'playwright.yml' selected under the '.github/workflows' directory. The main area shows the content of 'playwright.yml', which is a GitHub Actions workflow file. The file is 104 lines long, containing 87 lines of code and 2.37 KB of data. The workflow is triggered on a 'push' event to the 'main' or 'master' branch. It includes permissions for writing contents, pages, and id-tokens. The workflow consists of a single job named 'test' that runs on 'ubuntu-latest' and uses a matrix strategy with three shards. The steps in the job are 'Checkout Repository' and 'Setup Node.js'.

```
1  name: Playwright Tests & Allure Report
2  on:
3    push:
4      branches:
5        - "*"
6  pull_request:
7    branches: [ main, master ]
8  workflow_dispatch:
9
10 permissions:
11   contents: write
12   pages: write
13   id-token: write
14
15 jobs:
16   test:
17     timeout-minutes: 60
18     runs-on: ubuntu-latest
19     strategy:
20       fail-fast: false
21       matrix:
22         shard_index: [1, 2, 3]
23     env:
24       CI: true
25
26   steps:
27     - name: Checkout Repository
28       uses: actions/checkout@v4
29
30     - name: Setup Node.js
```

4.6: GitHub Actions Workflow File

KEERTHANA20022004 / Capstone-Project-Playwright

< Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

pages build and deployment #9

Summary

All jobs

- build
- report-build-status
- deploy

Run details

Usage

Triggered via GitHub Pages 2 days ago	Status	Total duration	Artifacts
github-pages[bot] 67459f4 gh-pages	Success	26s	1

pages-build-deployment

on: dynamic

```
graph LR; build[build 9s] --> report[report-build-status 4s]; report --> deploy[deploy 8s];
```

https://keerthana20022004.github.io/Caps...

Annotations

Successful GitHub Actions Execution

Test Cases

Profile Module

- Verify profile update
- Verify password change

Expenses Module

- Verify expense claim submission

Performance Module

- Verify employee tracker validation
- Verify performance review validation