Exercise 07 - Map Problems

For each problem, create a cpp file named `"map0n.cpp"` where *n* is the problem number. Each source code must use a *Map* object.

Problems:

1. Define the string function named `MW()` whose header is

   ```
   string MW(Array<string>& root)
   ```

   It returns a string of the elements of *root* that appear the most. Afterward, within the main function:

   a) Declares an array of at least 10 strings.

   b) Display the call of `MW()` with the array.

2. Define the string function named `DS()` whose header is

   ```
   string DS(string str)
   ```

   Given that *str* is an encoded string with the following encoding

Encryption:	"1"	"2"	"3"	"4"	"5"	"6"	"7"	"8"	"9"	"10#"	"11#"	"12#"	"13#"
Decryption:	"a"	"b"	"c"	"d"	"e"	"f"	"g"	"h"	"i"	"j"	"k"	"l"	"m"
Encryption:	"14#"	"15#"	"16#"	"17#"	"18#"	"19#"	"20#"	"21#"	"22#"	"23#"	"24#"	"25#"	"26#"
Decryption:	"n"	"o"	"p"	"q"	"r"	"s"	"t"	"u"	"v"	"w"	"x"	"y"	"z"

   it returns *str* decoded.

   Example:

   For instance, `DS("10#12")` and `DS("11#920#5")` returns `"jab"` and `"kite"` respectively.

   Afterward, within the main function, verify the samples from the example.