

**E-paper Display Series** 



**IL0324** 

Dalian Good Display Co., Ltd.



# **Table of Content**

REVISION HISTORY	3
Introduction	4
MAIN APPLICATIONS	4
FEATURE HIGHLIGHTS	.4
BLOCK DIAGRAM	5
ORDERING INFORMATION	.6
PIN DESCRIPTION	7
COMMAND TABLE	9
COMMAND DESCRIPTION	13
HOST INTERFACES	38
POWER MANAGEMENT	40
OTP Address Mapping	44
TEMPERATURE RANGE	46
DEEP SLEEP MODE	50
CASCADE APPLICATION CIRCUIT	52
BOOSTER APPLICATION CIRCUIT	53
ABSOLUTE MAXIMUM RATINGS	54
DC CHARACTERISTICS	55
AC CHARACTERISTICS	56
PHYSICAL DIMENSIONS	58
ALIGNMENT MARK INFORMATION	60
PAD COORDINATES	61
TRAY INFORMATION	72



## **REVISION HISTORY**

ı	Revision	Contents	Date
	1.0	(N/A)	2019.02.21

# **IL0324**

All-in-one driver IC with Timing Controller for White/Black/Red Dot-Matrix Micro-Cup ESL

#### INTRODUCTION

The IL0324 is an all-in-one driver with timing controller for ESL. Its output is of 1-bit white/black and 1-bit red resolution per pixel. The timing controller provides control signals for source driver and gate driver.

The DC-DC controller allows it to generate the source output voltage VDH/VDL (62.4V~615.0V) and VDHR (2.4V~15.0V). The chip also includes an output buffer for the supply of the COM electrode (AC-VCOM or DC-VCOM). The system is configurable through a 3-wire/4-wire (SPI) serial interface.

#### MAIN APPLICATIONS

E-tag application

#### **FEATURE HIGHLIGHTS**

- System-on-chip (SOC) for ESL
- Timing controller supports several resolutions
  - 2 Up to 240 source x 512 gate resolution + 1 border + 1 VCOM
  - 1 bit for white/black and 1 bit for red per pixel
- Cascade: 2 or more chips cascade mode
- Memory (Max.): 240 x 512 x 2 bits SRAM
- 3-wire/4-wire (SPI) serial interface
  - 2 Clock rate up to 20MHz

- Temperature sensor:
  - 2 On-Chip: -25~50 °C 6 2.0 °C / 8-bit status
  - 2 Off-Chip: -55~125°C 6 2.0°C /11-bit status (I<sup>2</sup>C/LM75)
- Support LPD, Low Power Detection
  - VDD < 2.5V or 2.4V or 2.3V or 2.2V (by setting)</li>
- OSC / PLL: On-chip RC oscillator
- VCOM:
  - 2 AC-VCOM / DC-VCOM (by LUT)
  - 2 Support VCOM sensing (6-bit digital status)
- Charge Pump: On-chip booster and regulator:
  - 2 VGH: +9V~+12V, +17V~+20V (programmable)
  - 2 VGL: -9V~-12V, -17V~-20V (programmable)
  - 2 VDH: +2.4 ~ +15.0V (programmable, black/white)
  - 2 VDL: -2.4 ~ -15.0V (programmable, black/white)
  - 2 VDHR: +2.4 ~ +15.0V (programmable, red)
- Supply voltage: 2.3~ 3.6V
- OTP: 6K-byte OTP for LUTs and Settings
- Package: COG
- Source/Gate bump information


2 Bump pitch:  $14 \mu M 6 2 \mu M$ 2 Bump space:  $1 \mu M 6 3 \mu M$ 

2 Bump surface: (TBD) µM<sup>2</sup>

Remark: Contact WF for a visual inspection document (03-DOC-093).



## **BLOCK DIAGRAM**





#### **ORDERING INFORMATION**

Part Number	Description
IL0324cHAA-U0X3-3	IC thickness: 300uM, with 3" double-faced tray
IL0324cHAA-U0X3-4	IC thickness: 300uM, with 4" double-faced tray

## **General Notes**

#### **APPLICATION INFORMATION**

For improved readability, the specification contains many application data points. When application information is given, it is advisory and does not form part of the specification for the device.

#### BARE DIE DISCLAIMER

All die are tested and are guaranteed to comply with all data sheet limits up to the point of wafer sawing. There is no post waffle saw/pack testing performed on individual die. Although the latest modern processes are utilized for wafer sawing and die pick-&-place into waffle pack carriers, WF has no control of third party procedures in the handling, packing or assembly of the die. Accordingly, it is the responsibility of the customer to test and qualify their application in which the die is to be used. Good Display assumes no liability for device functionality or performance of the die or systems after handling, packing or assembly of the die.

#### LIFE SUPPORT APPLICATIONS

These devices are not designed for use in life support appliances, or systems where malfunction of these products can reasonably be expected to result in personal injuries. Customer using or selling these products for use in such applications do so at their own risk.

#### **CONTENT DISCLAIMER**

Good Display believes the information contained in this document to be accurate and reliable. However, it is subject to change without notice. No responsibility is assumed by Good Display for its use, nor for infringement of patents or other rights of third parties. No part of this publication may be reproduced, or transmitted in any form or by any means without the prior consent of Good Display. Good Display's terms and conditions of sale apply at all times.

## **PIN DESCRIPTION**

Type: I: Input, O: Output, I/O: Input/Output, PWR: Power, C: Capacitor pin

Pin (Pad) Name	Pin Count	Туре	Description
			Power Supply Pins
VDD	7	PWR	Digital power
VDDA	10	PWR	Analog power
VDDIO	7	PWR	IO power
VDDDO	5	PWR	Digital power output (1.8V)
VDDD (VDDDI)	5	PWR	Digital power input (1.8V)
VPP	7	PWR	OTP program power (7.75V)
VDM	6	PWR	Analog Ground.
GND	25	PWR	Digital Ground.
GNDA	17	PWR	Analog Ground
			LDO Pins
VDH (VSH)	9	I/O	Positive source driver Voltage (+2.4V ~ +15V)
VDHR	8	I/O	Positive source driver voltage for Red (+2.4V ~ +15V)
VDL (VSL)	9	I/O	Negative source driver voltage (-2.4V ~ -15V)
		C	CONTROL INTERFACE PINS
			Bus Selection. Select 3-wire / 4-wire SPI interface
BS	1	I	L: 4-wire interface. H: 3-wire interface.
			Global reset pin. Low: active.
RST_N	1	l (Pull-up)	When RST_N becomes low, driver will reset. All register will reset to default value. Driver all function will disable.
		(i dii-dp)	Source/Gate/Border/VCOM will be released to floating. The minimal width of RST_N=low is 50us.
			Cascade setting pin.
MS	1	I	L: Slave chip. H: Master chip.
			Clock input/output pin.
CL	2	I/O	Master: Clock output. Slave: Clock input.
CDEI	1	I	Cascade signal input pin. Connect to GND if not used.
CDEO	1	0	Cascade signal output pin. Leave it open if not used.
CDAI	1	I	Cascade data input pin. Connect to GND if not used.
CDAO	1	0	Cascade data output pin. Leave it open if not used.
BUSY_N	1	0	Driver busy flag. L: Driver is Busy. H: Host side can send command/data to driver.



Pin (Pad) Name	Pin Count	Туре	Description								
		MC	CU INTERFACE (SPI) PINS								
CSB	1	I	Serial communication chip select.								
SDA	1	I/O	Serial communication data input/output								
SCL	1		Serial communication clock input.								
			Command/Data input.								
DC	1	I	L: command								
	·		H: data								
			Connect to GND if BS=High.  I <sup>2</sup> C INTERFACE								
		_									
TSCL	2	O (open-drain)	I <sup>2</sup> C clock (External pull-up resistor is necessary.) Leave them open if not used.								
			I <sup>2</sup> C data (External pull-up resistor is necessary.)								
TSDA	2	I/O (open-drain)	Leave them open if not used.								
		,	Output Pins								
S0~S239			Source driver output signals.								
( S<0>~S<239> )	240	Ο									
G0~G511			Gate driver output signals.								
( G<0>~G<511> )	512	0	· · ·								
VCOM	16	0	VCOM output.								
VBD		0	Border output pins.								
(VBD<0>, VBD<1>)	1, 1	U									
			BOOSTER PINS								
GDR	8	0	N-MOS gate control								
RESE	2	Р	Current sense input for control loop.								
FB	2	Р	(Keep Open.)								
VGH	11	I/O	Positive Gate voltage.								
VGL	11	I/O	Negative Gate voltage.								
		(	CHECK PANEL PINS								
CHKGI	1	l (Pull-down)	Check panel break input. Leave open if it is not used.								
CHKGO	1	0	Check panel break output. Leave open if it is not used.								
			RESERVED PINS								
VSYNC	2	0	Reserved pins. Leave it floating.								
TEST1~TEST3	1x3	l	Reserved pins. Leave it floating or connected to VSS.								
TEST4~TEST7	1x4	0	Reserved pins. Leave it floating.								
TEST8~TEST13	1x6	I	Reserved pins. Leave it floating.								
DUMMY	37	-	Reserved pins. Leave it floating.								
GD<0>~GD<3>	1x4		Reserved pins. Leave it floating.								
NC	12	-	Not Connected.								



# **COMMAND TABLE**

#	Command	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	Registers	Default
		0	0	0	0	0	0	0	0	0	0		00н
1	Panel Setting (PSR)	0	1			#	#	#	#	#	#	REG, KW/R, UD, SHL,	0FH
		U	-			#	#	#	#	#	#	SHD_N, RST_N	UFH
		0	0	0	0	0	0	0	0	0	1		01н
		0	1						#	#	#	VSR_EN, VS_EN, VG_EN	03н
2	Power Setting (PWR)	0	1					#	#	#	#	VCOM_HV, VG_LVL[2:0]	00н
_	Tower setting (FWTC)	0	1			#	#	#	#	#	#	VDH_LVL[5:0]	26н
		0	1			#	#	#	#	#	#	VDL_LVL[5:0]	26н
		0	1			#	#	#	#	#	#	VDHR_LVL[5:0]	03н
3	Power OFF (POF)	0	0	0	0	0	0	0	0	1	0		02н
4	Power OFF Sequence Setting	0	0	0	0	0	0	0	0	1	1		03н
4	(PFS)	0	1			#	#					T_VDS_OFF[1:0]	00н
5	Power ON (PON)	0	0	0	0	0	0	0	1	0	0		04н
6	Power ON Measure (PMES)	0	0	0	0	0	0	0	1	0	1		05н
		0	0	0	0	0	0	0	1	1	0		06н
7	December Coff Chart (DTCT)	0	1	#	#	#	#	#	#	#	#	BT_PHA[7:0]	17н
7	Booster Soft Start (BTST)	0	1	#	#	#	#	#	#	#	#	BT_PHB[7:0]	17н
		0	1			#	#	#	#	#	#	BT_PHC[5:0]	17н
^	D (DOLD)	0	0	0	0	0	0	0	1	1	1		07н
8	Deep sleep (DSLP)	0	1	1	0	1	0	0	1	0	1	Check code	А5н
		0	0	0	0	0	1	0	0	0	0	K/W or OLD Pixel Data (240x512):	10н
_	Display Start Transmission 1	0	1	#	#	#	#	#	#	#	#	KPXL[1:8]	-
9	(DTM1, White/Black Data)	0	1	:	:	:	:	:	:	:	:	:	:
	(x-byte command)	0	1	#	#	#	#	#	#	#	#	KPXL[n-7:n]	-
		0	0	0	0	0	1	0	0	0	1		11н
10	Data Stop (DSP)	1	1	#									00н
11	Display Refresh (DRF)	0	0	0	0	0	1	0	0	1	0		12н
		0	0	0	0	0	1	0	0	1	1	Red or NEW Pixel Data (240X512):	13н
	Display Start transmission 2	0	1	#	#	#	#	#	#	#	#	RPXL[1:8]	-
12	(DTM2, Red Data)	0	1	:	:	:	:	:	:	:	:	:	:
	(x-byte command)	0	1	#	#	#	#	#	#	#	#	RPXL[n-7:n]	-
		0	0	0	0	0	1	0	1	1	1	, ,	17н
13	Auto Sequence (AUTO)	0	1	1	0	1	0	0	1	0	1	Check code	А5н
		0	0	0	0	1	0	0	0	0	0		<b>20</b> H
		0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	VCOM LUT (LUTC)	0	1	:	:	:	:	:	:	:	:	Number of frames-0[7:0]	-
14	(61-byte command,	0	1	:		:		:	:	:	:	Number of frames-1[7:0]	-
	structure of bytes 2~7 repeated 10		1			:		:	:	:	:	Number of frames-2[7:0]	_
	times)	0	1			:	:	:	:	:	:	Number of frames-3[7:0]	_
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-

#	Command	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	Registers	Default
		0	0	0	0	1	0	0	0	0	1		21н
		0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	W2W LUT (LUTWW)	0	1	:	:	:	:	:	:	:	:	Number of frames-0[7:0]	-
15	(43-byte command,	0	1	:	:	:	:	:	:	:	:	Number of frames-1[7:0]	-
	structure of bytes 2~7 repeated 7 times)	0	1	:	:	:	:	:	:	:	:	Number of frames-2[7:0]	-
	umosy	0	1	:	:	:	:	:	:	:	:	Number of frames-3[7:0]	-
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-
		0	0	0	0	1	0	0	0	1	0		<b>22</b> H
	IZONA LLIT (LLITIZIA) (LLITIZI	0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	K2W LUT (LUTKW / LUTR) (61-byte command,	0	1	:	:	:	:	:	:	:	:	Number of frames-0[7:0]	-
16	structure of bytes 2~7 repeated 10	0	1	:	:	:	:	:	:	:	:	Number of frames-1[7:0]	-
	times)	0	1	:	:	:	:	:	:	:	:	Number of frames-2[7:0]	-
		0	1	:	:	:	:	:	:	:	:	Number of frames-3[7:0]	-
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-
		0	0	0	0	1	0	0	0	1	1		23н
	MAZIK LLIT (LLITMIK / LLITMI)	0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	W2K LUT (LUTWK / LUTW) (61-byte command,	0	1	:	:	:	:	:	:	:	:	Number of frames-0[7:0]	-
17	structure of bytes 2~7 repeated 10	0	1	:	:	:	:	:	:	:	:	Number of frames-1[7:0]	-
	times)	0	1	:	:	:	:	:	:	:	:	Number of frames-2[7:0]	-
	,	0	1	:	:	:	:	:	:	:	:	Number of frames-3[7:0]	-
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-
		0	0	0	0	1	0	0	1	0	0		<b>24</b> H
	KOK LLIT /LLITKK /LLITK)	0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	K2K LUT (LUTKK / LUTK) (61-byte command,	0	1	:	:	:	:	:	:	:	:	Number of frames-0[7:0]	-
18	structure of bytes 2~7 repeated 10	0	1	:	:	:	:	:	:	:	:	Number of frames-1[7:0]	-
	times)	0	1	:	:	:	:	:	:	:	:	Number of frames-2[7:0]	-
	,	0	1	:	:	:	:	:	:	:	:	Number of frames-3[7:0]	-
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-
		0	0	0	0	1	0	0	1	0	1		<b>25</b> H
	Border LUT	0	1	#	#	#	#	#	#	#	#	Level select-0~3[1:0]	-
	(43-byte command,	0	1	:	:	:	:	:	:	:	-	Number of frames-0[7:0]	-
19	structure of bytes 2~7 repeated 7	0	1	:	:	:	:	:	:	:	:	Number of frames-1[7:0]	-
	times)	0	1	:	:	:	:	:	:	:	:	Number of frames-2[7:0]	-
		0	1	:	:	:	:	:	:	:	:	Number of frames-3[7:0]	-
		0	1	#	#	#	#	#	#	#	#	Times to repeat[7:0]	-
		0	0	0	0	1	0	1	0	1	0		2Ан
20	LUT option (LUTOPT)	0	1	#	#			-				STATE_XON[9:8]	00н
		0	1	#	#	#	#	#	#	#	#	STATE_XON[7:0]	00н
		0	0	0	0	1	0	1	0	1	1		2Вн
21	KW LUT option (KWOPT)	0	1							#	#	ATRED, NORED	00н
	KW LOT OPTION (KWOPT)		1	#	#			-				KWE[9:8]	00н
			1	#	#	#	#	#	#	#	#	KWE[7:0]	00н
22	PLL control (PLL)		0	0	0	1	1	0	0	0	0		30н
	, , , , , , , , , , , , , , , , , , ,	0	1	_				#	#	#	#	FRS[3:0]	04н
	Temperature Sensor Calibration	0	0	0	1	0	0	0	0	0	0		40н
23	(TSC)		1	#	#	#	#	#	#	#	#	D[10:3] / TS[7:0]	00н
	(,		1	#	#	#		-				D[2:0] / -	00н
24	Temperature Sensor Selection		0	0	1	0	0	0	0	0	1		41н
	(TSE)	0	1	#				#	#	#	#	TSE,TO[3:0]	00н

#	Command	W/R	C/D	<b>D7</b>	D6	D5	D4	D3	D2	D1	D0	Registers	Default
		0	0	0	1	0	0	0	0	1	0	1.09.0.0	<b>42</b> H
		0	1	#	#	#	#	#	#	#	#	WATTR[7:0]	00н
25	Temperature Sensor Write (TSW)	0	1	#	#	#	#	#	#	#	#	WMSB[7:0]	00н
		0	1	#	#	#	#	#	#	#	#	WLSB[7:0]	00н
		0	0	0	1	0	0	0	0	1	1	- 1 - 1	43н
26	Temperature Sensor Read (TSR)	1	1	#	#	#	#	#	#	#	#	RMSB[7:0]	00н
	·	1	1	#	#	#	#	#	#	#	#	RLSB[7:0]	00н
07	D	0	0	0	1	0	0	0	1	0	0		44н
27	Panel Break Check (PBC)	1	1	-							#	PSTA	00н
		0	0	0	1	0	1	0	0	0	0		<b>50</b> H
28	VCOM and data interval setting (CDI)	0	1	#		#	#			#	#	BDZ, BDV[1:0], DDX[1:0]	31н
	(CDI)	0	1	-				#	#	#	#	CDI[3:0]	07H
29	Lower Power Detection (LPD)	0	0	0	1	0	1	0	0	0	1		<b>51</b> H
29	Lower Power Detection (LPD)	1	1	-							#	LPD	01н
30	End Voltage Setting (EVS)	0	0	0	1	0	1	0	0	1	0		<b>52</b> H
30	End voltage Setting (Evs)	0	1	ı	1	ŀ		#	1	#	#	VCEND, BDEND[1:0]	02н
31	TCON setting (TCON)	0	0	0	1	1	0	0	0	0	0		60н
31	TCON Setting (TCON)	0	1	#	#	#	#	#	#	#	#	S2G[3:0], G2S[3:0]	22н
		0	0	0	1	1	0	0	0	0	1		61н
32	Resolution setting (TRES)	0	1	#	#	#	#	#	0	0	0	HRES[7:3]	F0H
02	rtesolution setting (TREO)	0	1	-						#	#	VRES[9:0]	02н
		0	1	#	#	#	#	#	#	#	#	V1\20[0.0]	00н
		0	0	0	1	1	0	0	1	0	1		65н
33	Gate/Source Start setting (GSST)	0	1	#	#	#	#	#	0	0	0	HST[7:3]	00н
	Cator Course Clair Sching (CCC)	0	1	-							#	VST[8:0]	00н
		0	1	#	#	#	#	#	#	#	#	101[0.0]	00н
		0	0	0	1	1	1	0	0	0	0		<b>70</b> H
34	Revision (REV)	1	1	#	#	#	#	#	#	#	#	LUT_REV[7:0]	FFH
		1	1	_				#	#	#	#	CHIP_REV[3:0]	0Сн
25	Cat Status (FLC)	0	0	0	1	1	1	0	0	0	1		71н
35	Get Status (FLG)	1	1	-	#	#	#	#	#	#	#	PTL_FLAG ,I <sup>2</sup> C_ERR, I <sup>2</sup> C_BUSYN, DATA_FLAG, PON, POF, BUSY_N	13н
26	Auto Macquirement (COM (AM)()	0	0	1	0	0	0	0	0	0	0		80н
36	Auto Measurement VCOM (AMV)	0	1			#	#	#	#	#	#	AMVT[1:0], XON,AMVS, AMV, AMVE	10н
27	Dood VCOM Value (AA)	0	0	1	0	0	0	0	0	0	1		81н
37	Read VCOM Value (VV)	1	1			#	#	#	#	#	#	VV[5:0]	00н
38	VCOM DC Setting (VDCS)	0	0	1	0	0	0	0	0	1	0		82н
30	VCON_DC Setting (VDCS)	0	1	-	-	#	#	#	#	#	#	VDCS[5:0]	00н
		0	0	1	0	0	1	0	0	0	0		90н
		0	1	#	#	#	#	#	0	0	0	HRST[7:3]	00н
		0	1	#	#	#	#	#	1	1	1	HRED[7:3]	EFH
39	Partial Window (PTL)	0	1								#	VRST[8:0]	00н
39	Fartial Willdow (FTL)	0	1	#	#	#	#	#	#	#	#	VK31[6.0]	00н
			1								#	VRED[8:0]	01н
			1	#	#	#	#	#	#	#	#	VNED[0.0]	FFH
			1	_				_			#	PT_SCAN	01н
40	Partial In (PTIN)	0	0	1	0	0	1	0	0	0	1		91н
41	Partial Out (PTOUT)	0	0	1	0	0	1	0	0	1	0		<b>92</b> H
42	Program Mode (PGM)	0	0	1	0	1	0	0	0	0	0		<b>А0</b> н
43	Active Programming (APG)	0	0	1	0	1	0	0	0	0	1		А1н



#	Command	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	Registers	Default
		0	0	1	0	1	0	0	0	1	0		А2н
		1	1	-								Read Dummy	N/A
44	Read OTP (ROTP)	1	1	#	#	#	#	#	#	#	#	Data of Address = 000h	N/A
		1	1	:	:	:	:	:	:	:	:	:	N/A
		1	1	#	#	#	#	#	#	#	#	Data of Address = n	N/A
45	Cascade Setting (CCSET)	0	0	1	1	1	0	0	0	0	0		Е0н
45	Cascade Setting (CCSE1)	0	1	-				-		#	#	TSFIX, CCEN	00н
46	Dower Saving (DMS)	0	0	1	1	1	0	0	0	1	1		Е3н
40	Power Saving (PWS)	0	1	#	#	#	#	#	#	#	#	VCOM_W[3:0], SD_W[3:0]	00н
47	LVD Voltage Select (LVSEL)	0	0	1	1	1	0	0	1	0	0		Е4н
47	LVD Voltage Select (LVSEL)	0	1	-						#	#	LVD_SEL[1:0]	03н
48	Force Temperature (TSSET)	0	0	1	1	1	0	0	1	0	1		Е5н
40	Force Temperature (TSSET)	0	1	#	#	#	#	#	#	#	#	TS_SET[7:0]	00н

Note: (1) All other register addresses are invalid or reserved by WF, and should NOT be used.

- (2) Any bits shown here as 0 must be written with a 0. All unused bits should also be set to zero. Device malfunction may occur if this is not done.
- (3) Commands are processed on the 'stop' condition of the interface.
- (4) Registers marked 'W/R' can be read, but the contents are written when the SPI command completes so the contents can be read and altered. The user can subsequently write the register to restore the contents following an SPI read.



#### **COMMAND DESCRIPTION**

W/R: 0: Write Cycle / 1: Read Cycle C/D: 0: Command / 1: Data D7-D0: -: Don't Care

#### (1) PANEL SETTING (PSR) (REGISTER: R00H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Setting the panel	0	0	0	0	0	0	0	0	0	0	00н
Setting the parter	0	1	-	-	REG	KW/R	UD	SHL	SHD_N	RST_N	0Гн

**REG:** LUT selection

0: LUT from OTP. (Default)

1: LUT from register.

KW/R: Black / White / Red

0: Pixel with Black/White/Red, KWR mode. (Default)

1: Pixel with Black/White, KW mode.

**UD:** Gate Scan Direction

0: Scan down. First line to Last line:  $Gn-1 \rightarrow Gn-2 \rightarrow Gn-3 \rightarrow ... \rightarrow G0$ 1: Scan up. (Default) First line to Last line:  $G0 \rightarrow G1 \rightarrow G2 \rightarrow ... \rightarrow Gn-1$ 

SHL: Source Shift Direction

0: Shift left. First data to Last data:  $Sn-1 \rightarrow Sn-2 \rightarrow Sn-3 \rightarrow ... \rightarrow S0$ 1: Shift right. (Default) First data to Last data:  $Sn-1 \rightarrow Sn-2 \rightarrow Sn-3 \rightarrow ... \rightarrow Sn-1$ 

SHD\_N: Booster Switch

0: Booster OFF

1: Booster ON (Default)

When SHD\_N becomes LOW, charge pump will be turned OFF, register and SRAM data will keep until VDD OFF. And Source/Gate/Border/VCOM will be released to floating.

RST\_N: Soft Reset

0: Reset. Booster OFF, Register data are set to their default values, all drivers will be reset, and all functions will be disabled. Source/Gate/Border/VCOM will be released to floating.

1: No effect (Default).



## (2) POWER SETTING (PWR) (R01H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	0	0	0	0	0	1	01н
	0	1	-	-	-	-	-	VSR_EN	VS_EN	VG_EN	07н
Selecting Internal/External	0	1	-	-	-	-	VCOM_HV	V	/G_LVL[2:0	0]	00н
Power	0	1	-	-			VDH_L	VL[5:0]			26н
	0	1	-	-			VDL_L	VL[5:0]			26н
	0	1	-	-			VDHR_I	LVL[5:0]			03н

VSR\_EN: Source LV power selection

0 : External source power from VDHR pins

1 : Internal DC/DC function for generating VDHR. (Default)

VS\_EN: Source power selection

0 : External source power from VDH/VDL pins
1 : Internal DC/DC function for generating VDH/VDL. (Default)

VG\_EN: Gate power selection

0 : External gate power from VGH/VGL pins
1 : Internal DC/DC function for generating VGH/VGL. (Default)

VCOM\_HV: VCOM Voltage Level

0: VCOMH=VDH+VCOM\_DC, VCOML=VDL+VCOM\_DC. (Default)

1: VCOMH=VGH, VCOML=VGL

VG\_LVL[2:0]: VGH / VGL Voltage Level selection.

VG_LVL[2:0]	VGH/VGL Voltage Level
000	VGH=9V, VGL= -9V
001	VGH=10V, VGL= -10V
010	VGH=11V, VGL= -11V
011	VGH=12V, VGL= -12V
100	VGH=17V, VGL= -17V
101	VGH=18V, VGL= -18V
110	VGH=19V, VGL= -19V
111 (Default)	VGH=20V, VGL= -20V

#### **VDH\_LVL[5:0]:** Internal VDH power selection for KW pixel.(**Default value: 100110b**)

VDH_LVL	Voltage	VDH_LVL	Voltage	VDH_LVL	Voltage	VDH_LVL	Voltage
000000	2.4 V	010001	5.8 V	100010	9.2 V	110011	12.6 V
000001	2.6 V	010010	6.0 V	100011	9.4 V	110100	12.8 V
000010	2.8 V	010011	6.2 V	100100	9.6 V	110101	13.0 V
000011	3.0 V	010100	6.4 V	100101	9.8 V	110110	13.2 V
000100	3.2 V	010101	6.6 V	100110	10.0 V	110111	13.4 V
000101	3.4 V	010110	6.8 V	100111	10.2 V	111000	13.6 V
000110	3.6 V	010111	7.0 V	101000	10.4 V	111001	13.8 V
000111	3.8 V	011000	7.2 V	101001	10.6 V	111010	14.0 V
001000	4.0 V	011001	7.4 V	101010	10.8 V	111011	14.2 V
001001	4.2 V	011010	7.6 V	101011	11.0 V	111100	14.4 V
001010	4.4 V	011011	7.8 V	101100	11.2 V	111101	14.6 V
001011	4.6 V	011100	8.0 V	101101	11.4 V	111110	14.8 V
001100	4.8 V	011101	8.2 V	101110	11.6 V	111111	15.0 V
001101	5.0 V	011110	8.4 V	101111	11.8 V		
001110	5.2 V	011111	8.6 V	110000	12.0 V		
001111	5.4 V	100000	8.8 V	110001	12.2 V		
010000	5.6 V	100001	9.0 V	110010	12.4 V		



VDL\_LVL[5:0]: Internal VDL power selection for KW pixel. (Default value: 100110b)

VDL_LVL	Voltage	VDL_LVL	Voltage	VDL_LVL	Voltage	VDL_LVL	Voltage
000000	-2.4 V	010001	-5.8 V	100010	-9.2 V	110011	-12.6 V
000001	-2.6 V	010010	-6.0 V	100011	-9.4 V	110100	-12.8 V
000010	-2.8 V	010011	-6.2 V	100100	-9.6 V	110101	-13.0 V
000011	-3.0 V	010100	-6.4 V	100101	-9.8 V	110110	-13.2 V
000100	-3.2 V	010101	-6.6 V	100110	-10.0 V	110111	-13.4 V
000101	-3.4 V	010110	-6.8 V	100111	-10.2 V	111000	-13.6 V
000110	-3.6 V	010111	-7.0 V	101000	-10.4 V	111001	-13.8 V
000111	-3.8 V	011000	-7.2 V	101001	-10.6 V	111010	-14.0 V
001000	-4.0 V	011001	-7.4 V	101010	-10.8 V	111011	-14.2 V
001001	-4.2 V	011010	-7.6 V	101011	-11.0 V	111100	-14.4 V
001010	-4.4 V	011011	-7.8 V	101100	-11.2 V	111101	-14.6 V
001011	-4.6 V	011100	-8.0 V	101101	-11.4 V	111110	-14.8 V
001100	-4.8 V	011101	-8.2 V	101110	-11.6 V	111111	-15.0 V
001101	-5.0 V	011110	-8.4 V	101111	-11.8 V		
001110	-5.2 V	011111	-8.6 V	110000	-12.0 V		
001111	-5.4 V	100000	-8.8 V	110001	-12.2 V		
010000	-5.6 V	100001	-9.0 V	110010	-12.4 V		

VDHR\_LVL[5:0]: Internal VDHR power selection for Red pixel. (Default value: 000011b)

VDHR_LVL	Voltage	VDHR_LVL	Voltage	VDHR_LVL	Voltage	VDHR_LVL	Voltage
000000	2.4 V	010001	5.8 V	100010	9.2 V	110011	12.6 V
000001	2.6 V	010010	6.0 V	100011	9.4 V	110100	12.8 V
000010	2.8 V	010011	6.2 V	100100	9.6 V	110101	13.0 V
000011	3.0 V	010100	6.4 V	100101	9.8 V	110110	13.2 V
000100	3.2 V	010101	6.6 V	100110	10.0 V	110111	13.4 V
000101	3.4 V	010110	6.8 V	100111	10.2 V	111000	13.6 V
000110	3.6 V	010111	7.0 V	101000	10.4 V	111001	13.8 V
000111	3.8 V	011000	7.2 V	101001	10.6 V	111010	14.0 V
001000	4.0 V	011001	7.4 V	101010	10.8 V	111011	14.2 V
001001	4.2 V	011010	7.6 V	101011	11.0 V	111100	14.4 V
001010	4.4 V	011011	7.8 V	101100	11.2 V	111101	14.6 V
001011	4.6 V	011100	8.0 V	101101	11.4 V	111110	14.8 V
001100	4.8 V	011101	8.2 V	101110	11.6 V	111111	15.0 V
001101	5.0 V	011110	8.4 V	101111	11.8 V		
001110	5.2 V	011111	8.6 V	110000	12.0 V		
001111	5.4 V	100000	8.8 V	110001	12.2 V		
010000	5.6 V	100001	9.0 V	110010	12.4 V		

## (3) Power OFF (POF) (R02H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Tuming OFF the power	0	0	0	0	0	0	0	0	1	0	02н

After the Power OFF command, the driver will be powered OFF. Refer to the POWER MANAGEMENT section for the sequence.

This command will turn off booster, controller, source driver, gate driver, VCOM, and temperature sensor, but register data will be kept until VDD turned OFF or Deep Sleep Mode. Source/Gate/Border/VCOM will be released to floating.

## (4) POWER OFF SEQUENCE SETTING (PFS) (R03H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Cotting Dawer OFF converse	0	0	0	0	0	0	0	0	1	1	03н
Setting Power OFF sequence	0	1	-	-	T VDS	OFF[1:0]	-	-	-	-	00н

**T\_VDS\_OFF[1:0]:** Source to gate power off interval time.

**00b: 1 frame (Default)** 01b: 2 frames 10b: 3 frames 11b: 4 frame



#### (5) Power ON (PON) (REGISTER: R04H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Turning ON the power	0	0	0	0	0	0	0	1	0	0	04

After the Power ON command, the driver will be powered ON. Refer to the POWER MANAGEMENT section for the sequence.

This command will turn on booster, controller, regulators, and temperature sensor will be activated for one-time sensing before enabling booster. When all voltages are ready, the BUSY N signal will return to high.

#### (6) Power ON Measure (PMES) (R05H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	0	0	0	1	0	1	05

This command enables the internal bandgap, which will be cleared by the next POF.

#### (7) BOOSTER SOFT START (BTST) (R06H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	0	0	0	1	1	0	06н
Starting data transmission	0	1	BT_PI	HA[7:6]	BT_PHA[5:3]			BT_PHA[2:0]			17н
Starting data transmission	0	1	BT_Pl	HB[7:6]	В	T_PHB[5:	3]	В	0]	17н	
	0	1	-	- 1		T_PHC[5:	3]	В	T_PHC[2:0	0]	17н

BT\_PHA[7:6]: Soft start period of phase A.

**00b: 10mS** 01b: 20mS 10b: 30mS 11b: 40mS

BT\_PHA[5:3]: Driving strength of phase A

000b: strength 1 001b: strength 2 **010b: strength 3** 011b: strength 4

100b: strength 5 101b: strength 6 110b: strength 7 111b: strength 8 (strongest)

BT\_PHA[2:0]: Minimum OFF time setting of GDR in phase A

 000b: 0.27uS
 001b: 0.34uS
 010b: 0.40uS
 011b: 0.54uS

 100b: 0.80uS
 101b: 1.54uS
 110b: 3.34uS
 111b: 6.58uS

BT\_PHB[7:6]: Soft start period of phase B.

**00b: 10mS** 01b: 20mS 10b: 30mS 11b: 40mS

BT\_PHB[5:3]: Driving strength of phase B

000b: strength 1 001b: strength 2 **010b: strength 3** 011b: strength 4

100b: strength 5 101b: strength 6 110b: strength 7 111b: strength 8 (strongest)

BT\_PHB[2:0]: Minimum OFF time setting of GDR in phase B

 000b: 0.27uS
 001b: 0.34uS
 010b: 0.40uS
 011b: 0.54uS

 100b: 0.80uS
 101b: 1.54uS
 110b: 3.34uS
 111b: 6.58uS

BT\_PHC[5:3]: Driving strength of phase C

000b: strength 1 001b: strength 2 **010b: strength 3** 011b: strength 4

100b: strength 5 101b: strength 6 110b: strength 7 111b: strength 8 (strongest)

BT\_PHC[2:0]: Minimum OFF time setting of GDR in phase C

 000b: 0.27uS
 001b: 0.34uS
 010b: 0.40uS
 011b: 0.54uS

 100b: 0.80uS
 101b: 1.54uS
 110b: 3.34uS
 111b: 6.58uS



### (8) DEEP SLEEP (DSLP) (R07H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Deep Sleep	0	0	0	0	0	0	0	1	1	1	07н
Беер Зіеер	0	1	1	0	1	0	0	1	0	1	A5⊦

After this command is transmitted, the chip will enter Deep Sleep Mode to save power. Deep Sleep Mode will return to Standby Mode by hardware reset. The only one parameter is a check code, the command will be executed if check code = 0xA5.

#### (9) DATA START TRANSMISSION 1 (DTM1) (R10H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	0	1	0	0	0	0	10н
Starting data transmission	0	1	Pixel1	Pixel2	Pixel3	Pixel4	Pixel5	Pixel6	Pixel7	Pixel8	]
Starting data transmission	0	1	:	:	:	:	:	:	:	:	
	0	1	Pixel(n-7)	Pixel(n-6)	Pixel(n-5)	Pixel(n-4)	Pixel(n-3)	Pixel(n-2)	Pixel(n-1)	Pixel(n)	

This command starts transmitting data and write them into SRAM.

In KW mode, this command writes "OLD" data to SRAM.

In KWR mode, this command writes "K/W" data to SRAM.

In Program mode, this command writes "OTP" data to SRAM for programming.

#### (10) DATA STOP (DSP) (R11H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Stopping data transmission	0	0	0	0	0	1	0	0	0	1	11⊦
Stopping data transmission	1	1	data_flag	•	-	-	-	-	-	-	00H

Check the completeness of data. If data is complete, start to refresh display.

Data\_flag: Data flag of receiving user data.

- 0: Driver didn't receive all the data.
- 1: Driver has already received all the one-frame data (DTM1 and DTM2).

After "Data Start" (R10h) or "Data Stop" (R11h) commands and when data\_flag=1, the refreshing of panel starts and BUSY\_N signal will become "0".

#### (11) DISPLAY REFRESH (DRF) (R12H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Refreshing the display	0	0	0	0	0	1	0	0	1	0	12

While user sent this command, driver will refresh display (data/VCOM) according to SRAM data and LUT.

After Display Refresh command, BUSY\_N signal will become "0" and the refreshing of panel starts.



## (12) DATA START TRANSMISSION 2 (DTM2) (R13H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	0	1	0	0	1	1	13н
Ctarting data transposicais a	0	1	Pixel1	Pixel2	Pixel3	Pixel4	Pixel5	Pixel6	Pixel7	Pixel8	]
Starting data transmission	0	1	:	•	•	:	:	:	:	:	
	0	1	Pixel(n-7)	Pixel(n-6)	Pixel(n-5)	Pixel(n-4)	Pixel(n-3)	Pixel(n-2)	Pixel(n-1)	Pixel(n)	]

This command starts transmitting data and write them into SRAM.

In KW mode, this command writes "NEW" data to SRAM.

In KWR mode, this command writes "RED" data to SRAM.

## (13) AUTO SEQUENCE (AUTO) (R17H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Auto Saguenas	0	0	0	0	0	1	0	1	1	1	17н
Auto Sequence	0	1	1	0	1	0	0	1	0	1	А5н

The command can enable the internal sequence to execute several commands continuously. The successive execution can minimize idle time to avoid unnecessary power consumption and reduce the complexity of host's control procedure. The sequence contains several operations, including PON, DRF, POF, DSLP.

AUTO  $(0x17) + Code(0xA5) = (PON \rightarrow DRF \rightarrow POF)$ 

AUTO  $(0x17) + Code(0xA7) = (PON \rightarrow DRF \rightarrow POF \rightarrow DSLP)$ 



# (14) VCOM LUT (LUTC) (R20H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0			
	0	0	0	0	1	0	0	0	0	0	20н		
	0	1	LEVEL SELECT-0 LEVEL SELECT-1 LEVEL SELECT-2 LE					LEVEL S	ELECT-3	]			
Build Look-up Table for VCOM	0	1		NUMBER OF FRAMES-0									
(61-byte command, structure of bytes 2~7	0	1	NUMBER OF FRAMES-1										
repeated 10 times)	0	1			NU	JMBER OF	FRAMES	6-2			]		
ropodiod to unice)	0	1	NUMBER OF FRAMES-3							]			
	0	1	TIMES TO REPEAT										

This command stores VCOM Look-Up Table with 10 groups of data. Each group contains information for one state and is stored with 6 bytes (byte 2~7, 8~13, 14~19, 20~25, ...), while the sixth byte indicates how many times that phase will repeat.



## (15) W2W LUT (LUTWW) (R21H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0			
	0	0	0	0	1	0	0	0	0	1	21н		
Build	0	1	LEVEL S	ELECT-0	LEVEL S	ELECT-1	LEVEL S	ELECT-2	LEVEL S	ELECT-3			
White Look-up Table for W2W	0	1	NUMBER OF FRAMES-0										
(43-byte command,	0	1		NUMBER OF FRAMES-1									
structure of bytes 2~7	0	1			N	JMBER O	FRAMES	S-2					
repeated 7 times)	0	1	NUMBER OF FRAMES-3										
	0 1 TIMES TO REPEAT							TIMES TO REPEAT					

This command stores White-to-White Look-Up Table with 7 groups of data. Each group contains information for one state and is stored with 6 bytes (byte  $2\sim7$ ,  $8\sim13$ ,  $14\sim19$ ,  $20\sim25$ , ...), while the sixth byte indicates how many times that phase will repeat.



## (16) K2W LUT (LUTKW / LUTR) (R22H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	1	0	0	0	1	0	22н
Build	0	1	LEVEL S	ELECT-0	LEVEL S	ELECT-1	LEVEL S	ELECT-2	LEVEL S	ELECT-3	
Look-up Table for K2W or Red	0	1	NUMBER OF FRAMES-0								
(61-byte command,	0	1	NUMBER OF FRAMES-1								
structure of bytes 2~7	0	1			NI	JMBER O	FRAMES	S-2			
repeated 10 times)	0	1		NUMBER OF FRAMES-3							
	0	1	TIMES TO REPEAT								

This command stores White-to-White Look-Up Table with 10 groups of data. Each group contains information for one state and is stored with 6 bytes (byte 2~7, 8~13, 14~19, 20~25, ...), while the sixth byte indicates how many times that phase will repeat.

## (17) W2K LUT (LUTWK / LUTW) (R23H)

This command builds Look-up Table for White-to-Black. Please refer to W2W LUT (LUTWW) for similar definition details. Regardless of KW/R=0 or KW/R=1, LUTWB/LUTW is used.

## (18) K2K LUT (LUTKK / LUTK) (R24H)

This command builds Look-up Table for Black-to-Black. Please refer to W2W LUT (LUTWW) for similar definition details. Regardless of KW/R=0 or KW/R=1, LUTKK/LUTK is used.



#### (19) BORDER LUT (LUTBD) (R25H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	1	0	0	1	0	1	25н
	Build 0 1				EVEL SELECT-0 LEVEL SELECT-1 LEVEL SELECT-2 LEVEL SELE						
Build	0	1	NUMBER OF FRAMES-0								
Look-up Table for Border (43-byte command,	0	1	1 NUMBER OF					S-1			
Bytes 2~7 repeated 7 times)	0	1			N	JMBER OI	FFRAMES	S-2			
Bytes 2 / repeated / times)	0	1	NUMBER OF FRAMES-3					]			
	0	1		TIMES TO REPEAT						ļ	

This command stores White-to-White Look-Up Table with 7 groups of data. Each group contains information for one state and is stored with 6 bytes (byte 2~7, 8~13, 14~19, 20~25, ...), while the sixth byte indicates how many times that phase will repeat.

#### Bytes 2, 8, 14, 20, 26, 32, 38:

Level selection.

00b: GND 01b: VDH 10b: VDL 11b: VDHR

#### Bytes 3~6, 9~12, 15~18, 21~24, 27~30, 33~36, 39~42:

Number of Frames

0000 0000b: 0 frame

: :

1111 1111b: 255 frames

#### Bytes 7, 13, 19, 25, 31, 37, 43:

Times to Repeat

0000 0000b: 0 time

: :

1111 1111b: 255 times

Only 7 LUTBD groups are used in KW mode or KWR mode.

## (20) LUT OPTION (LUTOPT) (R2AH)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	1	0	1	0	1	0	2Ar
LUT Option	0	1	STATE_	XON[9:8]	-	-	-	-	-	-	00н
	0	1				STATE	XON[7:0]				00н

This command sets XON control enable.

#### STATE\_XON[9:0]:

All Gate ON (Each bit controls one state, STATE\_XON [0] for state-1, STATE\_XON [1] for state-2 .....)

00 0000 0000b: no All-Gate-ON

00 0000 0001b: State-1 All-Gate-ON

00 0000 0011b: State-1 and State2 All-Gate-ON

: :



## (21) KW LUT OPTION (KWOPT) (R2BH)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	0	1	0	1	0	1	1	2Вн
IOM LLIT Ontion	0	1	-	-	-	-	-	-	ATRED	NORED	00н
KW LUT Option	0	1	KWE	[9:8]	•	-	-	-	•	•	00н
	0	1				KWE	[7:0]				00н

This command sets KW LUT mechanism option in KWR mode's LUT and only valid in K/W/R mode.

## {ATRED, NORED}: KW LUT or KWR LUT selection control

ATRED	NORED	Description
0	0	KWR LUT always
0	1	KW LUT only
1	0	Auto detect by red data
1	1	KW LUT only

## KWE[9:0]:

KW LUT enable control bits. Each bit controls one state, KWE[0] for state-1, KWE[1] for state-2 .....

At least 1 Enable Control bit should be set when KW LUT only is selected in KWR mode.

00 0000 0001b: KW LUT enable in State-1

00 0000 0011b: KW LUT enable in State-1 and State2

00 0000 1011b: KW LUT enable in State-1, State2 and State-4

# (22) PLL CONTROL (PLL) (R30H)


Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Controlling PLL	0	0	0	0	1	1	0	0	0	0	30н
Controlling FLL	0	1	-	-	-	-		FRS	[3:0]		04н

The command controls the PLL clock frequency. The PLL structure must support the following frame rates:

FMR[3:0]: Frame rate setting

FRS	Frame rate
0000	10Hz
0001	20Hz
0010	30Hz
0011	40Hz
0100	50Hz
0101	60Hz
0110	70Hz
0111	80Hz

FRS	Frame rate
1000	90Hz
1001	100Hz
1010	110Hz
1011	120Hz
1100	130Hz
1101	140Hz
1110	150Hz
1111	200Hz





# WF8102c\_A<sub>0.1</sub>

All-in-one driver IC w/ Timing Controller

## (23) TEMPERATURE SENSOR CALIBRATION (TSC) (R40H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	1	0	0	0	0	0	0	40⊦
Sensing Temperature	1	1	D10/TS7	D9/TS6	D8/TS5	D7/TS4	D6 / TS3	D5 / TS2	D4 / TS1	D3 / TS0	00⊦
	1	1	D2	D1	D0	-	-	-	-	-	00H

This command enables internal or external temperature sensor, and reads the result.

**TS[7:0]:** When TSE (R41h) is set to 0, this command reads internal temperature sensor value.

**D[10:0]:** When TSE (R41h) is set to 1, this command reads external LM75 temperature sensor value.

)]:	vvnen ISE (	R41n) is set to
	TS[7:0]/D[10:3]	Temp. (°C)
	1110_0111	-25
	1110_1000	-24
	1110_1001	-23
	1110_1010	-22
	1110_1011	-21
	1110_1100	-20
	1110_1101	-19
	1110_1110	-18
	1110_1111	-17
	1111_0000	-16
	1111_0001	-15
	1111_0010	-14
	1111_0011	-13
	1111_0100	-12
	1111_0101	-11
	1111_0110	-10
	1111_0111	-9
	1111_1000	-8
	1111_1001	-7
	1111_1010	-6
	1111_1011	-5
	1111_1100	-4
	1111_1101	-3 -2
	1111_1110	-2
	1111_1111	-1

	- (00)
TS[7:0]/D[10:3]	Temp. (°C)
0000_0000	0
0000_0001	1
0000_0010	2
0000_0011	3
0000_0100	4
0000_0101	5
0000_0110	6
0000_0111	7
0000_1000	8
0000_1001	9
0000_1010	10
0000_1011	11
0000_1100	12
0000_1101	13
0000_1110	14
0000_1111	15
0001 0000	16
0001 0001	17
0001_0010	18
0001_0011	19
0001_0100	20
0001_0101	21
0001 0110	22
0001_0111	23
0001_1000	24

TS[7:0]/D[10:3]	Temp. (°C)
0001_1001	25
0001_1010	26
0001_1011	27
0001_1100	28
0001_1101	29
0001_1110	30
0001_1111	31
0010_0000	32
0010_0001	33
0010_0010	34
0010_0011	35
0010_0100	36
0010_0101	37
0010_0110	38
0010_0111	39
0010_1000	40
0010_1001	41
0010_1010	42
0010_1011	43
0010_1100	44
0010_1101	45
0010_1110	46
0010_1111	47
0011_0000	48
0011_0001	49

## (24) TEMPERATURE SENSOR ENABLE (TSE) (R41H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Enable Temperature Sensor	0	0	0	1	0	0	0	0	0	1	41⊦
/Offset	0	1	TSE	-	-	-		TO	[3:0]		00H

This command selects Internal or External temperature sensor.

**TSE:** Internal temperature sensor switch

0: Enable (default)

1: Disable; using external sensor.

TO[3:0]: Temperature offset.

TO[3:0]	Calibration
0000 b	+0 (Default)
0001	+1
0010	+2
0011	+3
0100	+4
0101	+5
0110	+6
0111	+7

TO[3:0]	Calibration
1000	-8
1001	-7
1010	-6
1011	-5
1100	-4
1101	-3
1110	-2
1111	-1



#### (25) TEMPERATURE SENSOR WRITE (TSW) (R42H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	1	0	0	0	0	1	0	42н
Write External Temperature	0	1	WATTR[7:0]								00н
Sensor	Sensor 0 1 WMSB[7:0]							00н			
	0	1	WLSB[7:0]								00н

This command writes the temperature sensed by the temperature sensor.

WATTR[7:6]: I<sup>2</sup>C Write Byte Number

00b: 1 byte (head byte only)

01b: 2 bytes (head byte + pointer)

10b : 3 bytes (head byte + pointer + 1<sup>st</sup> parameter) 11b : 4 bytes (head byte + pointer + 1<sup>st</sup> parameter + 2<sup>nd</sup> parameter)

WATTR[5:3]: User-defined address bits (A2, A1, A0)

WATTR[2:0]: Pointer setting

WMSB[7:0]: MSByte of write-data to external temperature sensor

WLSB[7:0]: LSByte of write-data to external temperature sensor

#### (26) TEMPERATURE SENSOR READ (TSR) (R43H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Deed Feterral Terran control	0	0	0	1	0	0	0	0	1	1	43н
Read External Temperature Sensor	1	1	RMSB[7:0]								00н
Sensor	1	1				RLS	3[7:0]				00н

This command reads the temperature sensed by the temperature sensor.

RMSB[7:0]: MSByte read data from external temperature sensor

RLSB[7:0]: LSByte read data from external temperature sensor

## (27) PANEL GLASS CHECK (PBC)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Check Panel Glass	0	0	0	1	0	0	0	1	0	0	44H
Crieck Farier Glass	1	1	-	-	-	-	-	-	-	PSTA	00н

This command is used to enable panel check, and to disable after reading result.

PSTA: 0: Panel check fail (panel broken) 1: Panel check pass



## (28) VCOM AND DATA INTERVAL SETTING (CDI) (R50H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Set Interval between	0	0	0	1	0	1	0	0	0	0	50h
VCOM and Data	0	1	BDZ	-	BDV	[1:0]	N2OCP	-	DDX	[1:0]	31h
V COIVI AND DATA	0	1	-	-	-	-		CDI	[3:0]		07H

This command indicates the interval of VCOM and data output. When setting the vertical back porch, the total blanking will be kept (20 Hsync).

BDZ: Border Hi-Z control

0: Border output Hi-Z disabled (default)

1: Border output Hi-Z enabled

BDV[1:0]: Border LUT selection

KWR mode (KW/R=0)

DDX[0]	BDV[1:0]	LUT				
	00	LUTBD				
0	01	LUTR				
U	10	LUTW				
	11	LUTK				
	00	LUTK				
1	01	LUTW				
(Default)	10	LUTR				
	11	LUTBD				

#### KW mode (KW/R=1)

DDX[0]	BDV[1:0]	LUT
	00	LUTBD
0	01	LUTKW (1 → 0)
U	10	LUTWK (0 → 1)
	11	LUTKK $(0 \rightarrow 0)$
1 (Default)	00	LUTKK (0 → 0)
	01	LUTWK (1 → 0)
	10	LUTKW (0 → 1)
	11	LUTBD

**N2OCP:** Copy frame data from NEW data to OLD data enable control after display refresh with NEW/OLD in KW mode.

0: Copy NEW data to OLD data disabled (default)

1: Copy NEW data to OLD data enabled



DDX[1:0]: Data polality.

Under KWR mode (KW/R=0):

DDX[1] is for RED data. DDX[0] is for K/W data,

DDX[1:0]	Data {Red, K/W}	LUT
	00	LUTW
00	01	LUTK
00	10	LUTR
	11	LUTR
	00	LUTK
01	01	LUTW
(Default)	10	LUTR
	11	LUTR

DDX[1:0]	Data {Red, K/W}	LUT
	00	LUTR
10	01	LUTR
10	10	LUTW
	11	LUTK
11	00	LUTR
	01	LUTR
	10	LUTK
	11	LUTW

Under KW mode (KW/R=1):

DDX[1]=0 is for KW mode with NEW/OLD, DDX[1]=1 is for KW mode without NEW/OLD.


DDX[1:0]	Data {NEW, OLD}	LUT
	00	LUTWW $(0 \rightarrow 0)$
00	01	LUTKW $(1 \rightarrow 0)$
00	10	LUTWK (0 → 1)
	11	LUTKK (1 → 1)
01 (Default)	00	LUTKK $(0 \rightarrow 0)$
	01	LUTWK (1 → 0)
	10	LUTKW (0 → 1)
	11	LUTWW (1 → 1)

DDX[1:0]	Data (NEW)	LU	JT
10	0	LUTKW	(1 → 0)
	1	LUTWK	(0 → 1)
11 -	0	LUTWK	(1 → 0)
	1	LUTKW	(0 → 1)

CDI[3:0]: VCOM and data interval

CDI[3:0]	VCOM and Data Interval
0000 b	17 hsync
0001	16
0010	15
0011	14
0100	13
0101	12
0110	11
0111	10 (Default)

CDI[3:0]	VCOM and Data Interval
1000	9
1001	8
1010	7
1011	6
1100	5
1101	4
1110	3
1111	2





#### (29) Low Power Detection (LPD) (R51H)


Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Detect Low Power	0	0	0	1	0	1	0	0	0	1	51h
Detect Low Fower	1	1	•	•	•	-	-	-	-	LPD	011

This command indicates the input power condition. Host can read this flag to learn the battery condition.

LPD: Internal Low Power Detection Flag

0: Low power input (VDD < 2.5V, 2.4V, 2.3V, or 2.2V, selected by  $LVD\_SEL[1:0]$  in command LVSEL)

1: Normal status (default)



#### (30) END VOLTAGE SETTING (EVS) (R52H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
End Voltage Cetting	0	0	0	1	0	1	0	0	1	0	52h
End Voltage Setting	0	1	-	-	-	-	VCEND	-	BDEN	D[1:0]	02h

This command selects source end voltage and border end voltage after LUTs are finished.

VCEND: VCOM end voltage selection

**0b: VCOM\_DC** 1b: floating

BDEND[1:0]: Border end voltage selection

00b: 0V 01b: 0V **10b: VCOM\_DC** 11b: floating

# (31) TCON SETTING (TCON) (R60H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Set Gate/Source Non-overlap	0	0	0	1	1	0	0	0	0	0	60h
Period	0	1		S2G	[3:0]			G2S	[3:0]		22h


This command defines non-overlap period of Gate and Source.

S2G[3:0] or G2S[3:0]: Source to Gate / Gate to Source Non-overlap period

S2G[3:0] or G2S[3:0]	Period
0000 b	4
0001	8
0010	12 (Default)
0011	16
0100	20
0101	24
0110	28
0111	32

S2G[3:0] or G2S[3:0]	Period
1000 b	36
1001	40
1010	44
1011	48
1100	52
1101	56
1110	60
1111	64

Period Unit = 667 nS.





#### (32) RESOLUTION SETTING (TRES) (R61H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	1	1	0	0	0	0	1	61h
Set Display Resolution	0	1			HRES[7:3]			0	0	0	F0h
Set Display Resolution	0	1	-	-	-	•	-	-	VRES[9]	VRES[8]	02h
	0	1				VRE	S[7:0]				00h

This command defines resolution setting.

HRES[7:3]: Horizontal Display Resolution (Value range: 01h ~ 1Eh)

**VRES[9:0]:** Vertical Display Resolution (Value range: 01h ~ 200h)

Active channel calculation, assuming HST[7:0]=0, VST[8:0]=0:

Gate: First active gate = G0;

Last active gate = VRES[9:0] – 1

Source: First active source = S0;

Last active source = HRES[7:3]\*8 - 1

Example: 128 (source) x 272 (gate), assuming HST[7:0]=0, VST[8:0]=0

Gate: First active gate = G0,

Last active gate = G271; (VRES[8:0] = 272, 272 - 1 = 271)

Source: First active source = S0,

Last active source = S127; (HRES[7:3]=16, 16\*8 - 1 = 127)

#### (33) GATE/SOURCE START SETTING (GSST) (R65H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	1	1	0	0	1	0	1	65h
Set Gate/Source Start	0	1			HST[7:3]			0	0	0	00h
Set Gate/Source Start	0	1	-	-	-	-	-	-	-	VST[8]	00h
	0	1				VST	[7:0]				00h

This command defines resolution start gate/source position.

HST[7:3]: Horizontal Display Start Position (Source). (Value range: 00h ~ 1Dh)

**VST[8:0]:** Vertical Display Start Position (Gate). (Value range: 000h ~ 1FFh)

Example: For 128(Source) x 240(Gate)

HST[7:3] = 4 (HST[7:0] = 4\*8 = 32),

VST[8:0] = 32

Gate: First active gate = G32 (VST[8:0] = 32),

Last active gate = G271 (VRES[8:0] = 240, VST[8:0] = 32, 240-1+32=271)

Source: First active source = S32 (HST[7:0]= 32),

Last active source = S239 (HRES[8:0] = 128, HST[7:0] = 32, 128-1+32=239)



#### (34) REVISION (REV) (R70H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Chip Revision	0	0	0	1	1	1	0	0	0	0	70h
Chip Revision	1	1				LUT	REV				FFh

The LUT\_REV is read from OTP address = 0x001 or 0xC01.

#### (35) GET STATUS (FLG) (R71H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	0	1	1	1	0	0	0	1	71h
Read Flags	1	1	-	PTL_ Flag	I <sup>2</sup> C_ERR	I <sup>2</sup> C_ BUSYN	Data_ Flag	PON	POF	BUSY_N	13h

This command reads the IC status.

PTL\_Flag: Partial display status (high: partial mode)

I<sup>2</sup>C\_ERR: I<sup>2</sup>C master error status

I<sup>2</sup>C\_BUSYN: I<sup>2</sup>C master busy status (low active)

Data\_Flag: Driver has already received all the one frame data

**PON:** Power ON status **POF:** Power OFF status

**BUSY\_N:** Driver busy status (low active)

#### (36) AUTO MEASURE VCOM (AMV) (R80H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Automatically measure VCOM	0	0	1	0	0	0	0	0	0	0	80h
Automatically measure VCOM	0	1	-	-	AMV	T[1:0]	XON	AMVS	AMV	AMVE	10h

This command reads the IC status.

AMVT[1:0]: Auto Measure VCOM Time

00b: 3s **01b: 5s (default)** 

10b: 8s 11b: 10s

XON: All Gate ON of AMV

0: Gate normally scan during Auto Measure VCOM period. (default)

1: All Gate ON during Auto Measure VCOM period.

AMVS: Source output of AMV

0: Source output 0V during Auto Measure VCOM period. (default)

1: Source output VDHR during Auto Measure VCOM period.

AMV: Analog signal

0: Get VCOM value with the VV command (R81h) (default)

1: Get VCOM value in analog signal. (External analog to digital converter)

AMVE: Auto Measure VCOM Enable (/Disable)

0: No effect (default)

1: Trigger auto VCOM sensing.



## (37) VCOM VALUE (VV) (R81H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Automatically measure VCOM	0	0	1	0	0	0	0	0	0	1	81h
Automatically measure vCOM	1	1	-	-			VV[	5:0]			00h

This command gets the VCOM value.

VV[5:0]: VCOM Value Output

VOOIVI Value	Carpar				
VV [5:0]	VCOM Voltage (V)	VV [5:0]	VCOM Voltage (V)	VV [5:0]	VCOM Voltage (V)
00 0000b	-0.10	01 0100b	-1.10	10 1000b	-2.10
00 0001b	-0.15	01 0101b	-1.15	10 1001b	-2.15
00 0010b	-0.20	01 0110b	-1.20	10 1010b	-2.20
00 0011b	-0.25	01 0111b	-1.25	10 1011b	-2.25
00 0100b	-0.30	01 1000b	-1.30	10 1100b	-2.30
00 0101b	-0.35	01 1001b	-1.35	10 1101b	-2.35
00 0110b	-0.40	01 1010b	-1.40	10 1110b	-2.40
00 0111b	-0.45	01 1011b	-1.45	10 1111b	-2.45
00 1000b	-0.50	01 1100b	-1.50	11 0000b	-2.50
00 1001b	-0.55	01 1101b	-1.55	11 0001b	-2.55
00 1010b	-0.60	01 1110b	-1.60	11 0010b	-2.60
00 1011b	-0.65	01 1111b	-1.65	11 0011b	-2.65
00 1100b	-0.70	10 0000b	-1.70	11 0100b	-2.70
00 1101b	-0.75	10 0001b	-1.75	11 0101b	-2.75
00 1110b	-0.80	10 0010b	-1.80	11 0110b	-2.80
00 1111b	-0.85	10 0011b	-1.85	11 0111b	-2.85
01 0000b	-0.90	10 0100b	-1.90	11 1000b	-2.90
01 0001b	-0.95	10 0101b	-1.95	11 1001b	-2.95
01 0010b	-1.00	10 0110b	-2.00	11 1010b	-3.00
01 0011b	-1.05	10 0111b	-2.05	11 1011b	-3.05

# (38) VCOM\_DC SETTING (VDCS) (R82H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Set VCOM DC	0	0	1	0	0	0	0	0	1	0	82h
Set VCOM_DC	0	1	-	-			VDC	S[5:0]			00h

This command sets VCOM\_DC value

VDCS[5:0]: VCOM\_DC Setting

VDCS [5:0]	VCOM Voltage (V)	VDCS [5:0]	VCOM Voltage (V)	VDCS [5:0]	VCOM Voltage (V)
00 0000b	-0.10	01 0100b	-1.10	10 1000b	-2.10
00 0001b	-0.15	01 0101b	-1.15	10 1001b	-2.15
00 0010b	-0.20	01 0110b	-1.20	10 1010b	-2.20
00 0011b	-0.25	01 0111b	-1.25	10 1011b	-2.25
00 0100b	-0.30	01 1000b	-1.30	10 1100b	-2.30
00 0101b	-0.35	01 1001b	-1.35	10 1101b	-2.35
00 0110b	-0.40	01 1010b	-1.40	10 1110b	-2.40
00 0111b	-0.45	01 1011b	-1.45	10 1111b	-2.45
00 1000b	-0.50	01 1100b	-1.50	11 0000b	-2.50
00 1001b	-0.55	01 1101b	-1.55	11 0001b	-2.55
00 1010b	-0.60	01 1110b	-1.60	11 0010b	-2.60
00 1011b	-0.65	01 1111b	-1.65	11 0011b	-2.65
00 1100b	-0.70	10 0000b	-1.70	11 0100b	-2.70
00 1101b	-0.75	10 0001b	-1.75	11 0101b	-2.75
00 1110b	-0.80	10 0010b	-1.80	11 0110b	-2.80
00 1111b	-0.85	10 0011b	-1.85	11 0111b	-2.85
01 0000b	-0.90	10 0100b	-1.90	11 1000b	-2.90
01 0001b	-0.95	10 0101b	-1.95	11 1001b	-2.95
01 0010b	-1.00	10 0110b	-2.00	11 1010b	-3.00
01 0011b	-1.05	10 0111b	-2.05	others	-3.00



#### (39) PARTIAL WINDOW (PTL) (R90H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
	0	0	1	0	0	1	0	0	0	0	90h
	0	1			HRST[7:3]			0	0	0	00h
	0	1			HRED[7:3]			1	1	1	Efh
Set Partial Window	0	1	-	-	-		-	-	-	VRST[8]	00h
Set Partial Willdow	0	1				VRS	T[7:0]				00h
	0	1	-	-	-	-	-	-	-	VRED[8]	01h
	0	1				VREI	D[7:0]				FFh
	0	1	-	-	-	-	-	-	-	PT_SCAN	01h

This command sets partial window.

HRST[7:3]: Horizontal start channel bank. (Value range: 00h~1Dh)

HRED[7:3]: Horizontal end channel bank. (Value range: 00h~1Dh). HRED must be greater than HRST.

VRST[8:0]: Vertical start line. (Value range: 000h~1FFh)

VRED[8:0]: Vertical end line. (Value range: 000h~1FFh). VRED must be greater than VRST.

**PT\_SCAN:** 0: Gates scan only inside of the partial window.

1: Gates scan both inside and outside of the partial window. (default)

#### (40) PARTIAL IN (PTIN) (R91H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Partial In	0	0	1	0	0	1	0	0	0	1	91h

This command makes the display enter partial mode.

## (41) PARTIAL OUT (PTOUT) (R92H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Partial Out	0	0	1	0	0	1	0	0	1	0	92h

This command makes the display exit partial mode and enter normal mode.

## (42) PROGRAM MODE (PGM) (RA0H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Enter Program Mode	0	0	1	0	1	0	0	0	0	0	A0h

After this command is issued, the chip would enter the program mode.

After the programming procedure completed, a hardware reset is necessary for leaving program mode.

#### (43) ACTIVE PROGRAM (APG) (RA1H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0
Active Program OTP	0	0	1	0	1	0	0	0	0	1

After this command is transmitted, the programming state machine would be activated.


The BUSY N flag would fall to 0 until the programming is completed.

## (44) READ OTP DATA (ROTP) (RA2H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0				
	0	0	1	0	1	0	0	0	1	0	A2h			
	1	1		Dummy										
	1	1	The data of address 0x000 in the OTP											
Read OTP data for check	1	1	The data of address 0x001 in the OTP											
	1	1	:											
	1	1	The data of address (n-1) in the OTP											
	1	1	The data of address (n) in the OTP											

The command is used for reading the content of OTP for checking the data of programming.

The value of (n) is depending on the amount of programmed data, the max address = 0x17FF.



The sequence of programming OTP.

## (45) CASCADE SETTING (CCSET) (RE0H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Set Cascade Option	0	0	1	1	1	0	0	0	0	0	E0h
	0	1	-	-	-	-	-	-	TSFIX	CCEN	00h

This command is used for cascade.

**TSFIX:** Let the value of slave's temperature is same as the master's.

0: Temperature value is defined by internal temperature sensor / external LM75. (default)

1: Temperature value is defined by TS\_SET[7:0] registers.

**CCEN:** Output clock enable/disable.

0: Output 0V at CL pin. (default)


1: Output clock at CL pin to slave chip.

## (46) POWER SAVING (PWS) (RE3H)


Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Power Saving for VCOM &	0	0	1	1	1	0	0	0	1	1	E3h
Source	0	1		VCOM	W[3:0]		SD_W[3:0]				

This command is set for saving power during refreshing period. If the output voltage of VCOM / Source is from negative to positive or from positive to negative, the power saving mechanism will be activated. The active period width is defined by the following two parameters.

VCOM\_W[3:0]: VCOM power saving width (Unit: line period)



#### **SD\_W[3:0]:** Source power saving width (Unit: 660nS)





# (47) LVD VOLTAGE SELECT (LVSEL) (RE4H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Soloot LVD Voltage	0	0	1	1	1	0	0	1	0	0	E4h
Select LVD Voltage	0	1	-	-	-	-	-	-	LVD_S	EL[1:0]	03h

# LVD\_SEL[1:0]: Low Power Voltage selection

LVD_SEL[1:0]	LVD value
00	< 2.2 V
01	< 2.3 V
10	< 2.4 V
11	< 2.5 V (default)

# (48) FORCE TEMPERATURE (TSSET) (RE5H)

Action	W/R	C/D	D7	D6	D5	D4	D3	D2	D1	D0	
Force Temperature Value for	0	0	1	1	1	0	0	1	0	1	E5h
Cascade	0	1				TS_SE	ET[7:0]				00h

This command is used for cascade to fix the temperature value of master and slave chip.

#### **HOST INTERFACES**

WF8102 provides 3-wire/4-wire serial interface for command and display data transferred from the MCU. The serial interface supports 8-bit mode. Data can be input/output by clocks while the chip is active (CSB =LOW). While input, data are written in order from MSB at the clock rising edge. When too many parameters are input, the chip accepts only defined parameters, and ignores undefined ones.

BS	Interface	CSB	DC	SCL	SDA
High	3-wire SPI	Available	Fix to GND	Available	Available
Low	4-wire SPI	Available	Available	Available	Available

#### 3 wire SPI format

Data / Command is recognized with the first bit transferred. Data are transferred in the unit of 9 bits. To prevent malfunction due to noise, it is recommended to set the CSB signal to HIGH every 9 bits. (The serial counter is reset at the rising edge of the CSB signal.)




Figure: 3-wire SPI write operation

The MSB bit of data will be output at SDA pin after the 1<sup>st</sup> SCL falling edge, if the 1<sup>st</sup> input data at SDA is high. Only in the case of OTP data read, the 1<sup>st</sup> packet of output data are dummy data.




Figure: 3-wire SPI read operation

#### 4 wire SPI format

Data / Command is recognized with DC pin. Data are transferred in the unit of 8 bits. To prevent malfunction due to noise, it is recommended to set the CSB signal to HIGH every 8 bits. (The serial counter is reset at the rising edge of the CSB signal.)




Figure: 4-wire SPI write operation

The MSB bit of data will be output at SDA pin after the CSB falling edge, if DC pin is High. Only in the case of OTP data read, the 1<sup>st</sup> packet of output data are dummy data.





Figure: 4-wire SPI read operation

## **POWER MANAGEMENT**

## **Power ON/OFF Sequence**


- 1. Temperature sensor will be activated automatically for one-time sensing before enabling booster.
- 2. After refreshing display, VCOM will be set to floating automatically.
- 3. After RST\_N rising, the waiting time for internal initial processing, greater than 1mS, is necessary. Any commands transmitted to chip during this time will be ignored.



## **Data Transmission Waveform**


Example 1: After 3 cases, the VCOM driver will send 2 frame VCOM DC and then floating; and source drivers output 0V.

- 1. All 7 LUT states (KW mode) or 10 LUT states (KWR mode) complete and VCEND=0.
- 2. Meet the state whose Times to Repeat =0 and VCEND=0
- 3. Meet the state whose all Number of Frames =0 and VCEND=0



**Example2:** After 4 cases, the VCOM driver will send 2 frame VCOM\_DC and then floating; and source drivers output 0V.

- 1. While level selection in LUT (LUTC only) is "1111\_1111b", all frame number are not '0' and repeat times are not '0', the driver will float VCOM.
- 2. All 7 LUT states (KW mode) or 10 LUT states (KWR mode) complete and VCEND=1.
- 3. Meet the state whose Times to Repeat =0 and VCEND=1.
- 4. Meet the state whose all Number of Frames =0 and VCEND=1.






## **Display Refresh Waveform**


Example 1: After 3 cases, the VCOM driver will send 2 frame VCOM\_DC and then floating; and source drivers output 0V.

- 1. All 7 LUT states (KW mode) or 10 LUT states (KWR mode) complete and VCEND=0.
- 2. Meet the state whose Times to Repeat =0 and VCEND=0
- 3. Meet the state whose all Number of Frames =0 and VCEND=0



**Example2:** After 4 cases, the VCOM driver will send 2 frame VCOM\_DC and then floating; and source drivers output 0V.

- 1. While level selection in LUT (LUTC only) is "1111\_1111b", all frame number are not '0' and repeat times are not '0', the driver will float VCOM.
- 2. All 7 LUT states (KW mode) or 10 LUT states (KWR mode) complete and VCEND=1.
- 3. Meet the state whose Times to Repeat =0 and VCEND=1.
- 4. Meet the state whose all Number of Frames =0 and VCEND=1.



# **BUSY N Signal**

Commands, except reading command, are restricted by refreshing display (DRF / DSP) as listed in the following table.

BUSY\_N is used to represent the status of internal action. Commands activating internal operation or calculation will cause BUSY\_N falling to LOW. After actions completed, BUSY\_N will return to HIGH.

Command	Refresh Restriction	BUSY_N flag
PSR	X	No action
PWR	X	No action
POF	X	Flag
PFS	X	No action
PON	X	Flag
PMES	X	Flag
BTST	X	No action
DSLP	X	Flag
AUTO	X	Flag
DTM1	X	No action
DSP	X	Flag
DRF	X	Flag
DTM2	X	No action
LUTC	X	No action
LUTWW	X	No action
LUTWB/LUTW	X	No action
LUTBW/LUTR	X	No action
LUTBB/LUTB	X	No action
LUTOPT	X	No action
KWOPT	X	No action
PLL	X	No action
TSC	X	Flag
TSE	X	No action
TSW	X	No action
TSR	X	No action
PBC	X	No action
CDI	X	No action
LPD	X	Flag
EVS	X	No action
TCON	X	No action
TRES	X	
GSST	X	No action
REV		No action
	V 	No action
FLG	V X	No action
AMV		Flag
VDCC	V	No action
VDCS	X	No action
PTL	X	No action
PTIN	X	No action
PTOUT	X	No action
PGM	X	No action
APG	X	Flag
ROTP	X	No action
CCSET	X	No action
PWS	X	No action
LVSEL	X	No action
TSSET	X	No action

V: Accepted, X: Ignored

## **OTP ADDRESS MAPPING**

The size of the internal One Time Programmable (OTP) memory is 6K bytes, and the address is from 0x000 to 0x17FF. The unprogrammed bit is logic 1. Only the bit at logic 1 can be programmed to logic 0, but the bit at logic 0 cant be converted to logic 1

There are 2 areas (0x0BDD~0x0BFF, 0x17DD~0x17FF) reserved for WF only. Write all 0xFF of data to skip the 2 areas. The recommended voltage of VPP during programming is 7.75V. In conditions other than programming, let VPP float or be connected to GND. The maximum current of VPP during programming is 5mA.

There are 2 banks in the internal OTP, and each bank has 3K bytes storage memory. The formats of each bank are the same, and the selection of bank is controlled by Check Code (0x0000 and 0x0C00). The 2 banks are used for two times programming.

Table 1: OTP Address Map

	Bank0		Bank1
Address	Content	Address	Content
0x0000	Check Code (0xA5)	0x0C00	Check Code (0xA5)
0x0001	LUT Version	0x0C01	LUT Version
0x0002	Temperature Boundary 0 (TB0)	0x0C02	Temperature Boundary 0 (TB0)
0x0003	Temperature Boundary 1 (TB1)	0x0C03	Temperature Boundary 1 (TB1)
0x0004	Temperature Boundary 2 (TB2)	0x0C04	Temperature Boundary 2 (TB2)
0x0005	Temperature Boundary 3 (TB3)	0x0C05	Temperature Boundary 3 (TB3)
0x0006	Temperature Boundary 4 (TB4)	0x0C06	Temperature Boundary 4 (TB4)
0x0007	Temperature Boundary 5 (TB5)	0x0C07	Temperature Boundary 5 (TB5)
0x0008	Temperature Boundary 6 (TB6)	0x0C08	Temperature Boundary 6 (TB6)
0x0009	Temperature Boundary 7 (TB7)	0x0C09	Temperature Boundary 7 (TB7)
0x000A	Temperature Boundary 8 (TB8)	0x0C0A	Temperature Boundary 8 (TB8)
0x000B	Temperature Boundary 9 (TB9)	0x0C0B	Temperature Boundary 9 (TB9)
0x000C	Temperature Boundary 10 (TB10)	0x0C0C	Temperature Boundary 10 (TB10)
0x000D~0x001E	Command Defatult Setting (Note 1)	0x0C0D~0x0C1E	Command Defatult Setting (Note 1)
0x001F~0x0048	Border LUT	0x0C1F~0x0C48	Border LUT
0x0049~0x013F	TR0 (Note 2)	0x0C49~0x0D3F	TR0 (Note 2)
0x0140~0x0236	TR1 (Note 2)	0x0D40~0x0E36	TR1 (Note 2)
0x0237~0x032D	TR2 (Note 2)	0x0E37~0x0F2D	TR2 (Note 2)
0x032E~0x0424	TR3 (Note 2)	0x0F2E~0x1024	TR3 (Note 2)
0x0425~0x051B	TR4 (Note 2)	0x1025~0x111B	TR4 (Note 2)
0x051C~0x0612	TR5 (Note 2)	0x111C~0x1212	TR5 (Note 2)
0x0613~0x0709	TR6 (Note 2)	0x1213~0x1309	TR6 (Note 2)
0x070A~0x0800	TR7 (Note 2)	0x130A~0x1400	TR7 (Note 2)
0x0801~0x08F7	TR8 (Note 2)	0x1401~0x14F7	TR8 (Note 2)
0x08F8~0x09EE	TR9 (Note 2)	0x14F8~0x15EE	TR9 (Note 2)
0x09EF~0x0AE5	TR10 (Note 2)	0x15EF~0x16E5	TR10 (Note 2)
0x0AE6~0x0BDC	TR11 (Note 2)	0x16E6~0x17DC	TR11 (Note 2)
0x0BDD~0x0BFF	Reserved	0x17DD~0x17FF	Reserved



## Note:

- (1) See section "COMMAND DEFAULT SETTING" for more detail.
- (2) See section "LUT FORMAT IN OTP" for more detail.



## **TEMPERATURE RANGE**

The temperature selection mechanism consists of a less-than-or-equal-to operator and 11 temperature boundary settings (TBx) to determine 12 temperature ranges. The sequence of mechanism is from TB0 to TB10, as shown below. If less than 12 tempeature ranges are used, the last TBx must be set to 0x7F to end the mechanism.

Procedure Order	Comparison Condition	Action & Segment Selection
1-0. Read 0x0000	Content = 0xA5 ?	Yes: Jump to Procedure 2 (Bank0), No: Jump to Procedure 1-1
1-1. Read 0x0C00	Content = 0xA5 ?	Yes: Jump to Procedure 2 (Bank1), No: Stop Refresh
2. Read 0x0002 / 0x0C02	Real Temperature ≦ TB0	Use TR0's table & setting, exit
3. Read 0x0003 / 0x0C03	Real Temperature ≤ TB1	Use TR1's table & setting, exit
4. Read 0x0004 / 0x0C04	Real Temperature ≤ TB2	Use TR2's table & setting, exit
5. Read 0x0005 / 0x0C05	Real Temperature ≤ TB3	Use TR3's table & setting, exit
6. Read 0x0006 / 0x0C06	Real Temperature ≤ TB4	Use TR4's table & setting, exit
7. Read 0x0007 / 0x0C07	Real Temperature ≤ TB5	Use TR5's table & setting, exit
8. Read 0x0008 / 0x0C08	Real Temperature ≤ TB6	Use TR6's table & setting, exit
9. Read 0x0009 / 0x0C09	Real Temperature ≤ TB7	Use TR7's table & setting, exit
10. Read 0x000A / 0x0C0A	Real Temperature ≤ TB8	Use TR8's table & setting, exit
11. Read 0x000B / 0x0C0B	Real Temperature ≤ TB9	Use TR9's table & setting, exit
12. Read 0x000C / 0x0C0C	Real Temperature ≤ TB10	Use TR10's table & setting, exit
13. Other	Real Temperature > TB10	Use TR11's table & setting, finish

Note: TRx's content is defined in "LUT FORMAT IN OTP" section.

# Example:

If temperature = -20 °C, TR0 is selected.

If temperature = -10 °C, TR1 is selected.


If temperature = 0 °C, TR2 is selected.

If temperature = 20 °C, TR4 is selected.

If temperature = 40 °C, TR5 is selected.

If temperature > 40  $^{\circ}$ C, TR5 is selected.

OTP Address	Content	
002h	0xF1	(-15 °C)
003h	0xFB	(-5 °C)
004h	0x00	( 0 °C)
005h	0x0A	(10 °C)
006h	0x1E	(30 °C)
007h	0x7F	-



Temperature Selection Mechanism



## **COMMAND DEFAULT SETTING**

This function can modify the default value of command registers by the OTP content between address 0x000D~0x001E (or 0x0C0D~0x0C1E). The data of address 0x000D (or 0x0C0D) is the enable key of the function. Changing default value function is used to reduce the initial code length executed by the microcontroller.

Address (Hex)	<b>D7</b>	D6	D5	D4	D3	D2	D1	D0	Command	Registers	Original
0x000D	#	#	#	#	#	#	#	#	Check Code	0xA5 (Enable Key)	
0x000E			#	#	#	#			PSR	REG, KW/R, UD, SHL	0x0F
0x000F			#	#	-				PFS	T_VDS_OFF[1:0]	0x00
0x0010	#	#	#	#	#	#	#	#		BT_PHA[7:0]	0x17
0x0011	#	#	#	#	#	#	#	#	BTST	BT_PHB[7:0]	0x17
0x0012			#	#	#	#	#	#		BT_PHC[5:0]	0x17
0x0013				-	-		#	#	KWOPT	ATRED, NORED	0x00
0x0014	#		#	#	#		#	#	CDI	BDZ, BDV[1:0], N2OCP, DDX[1:0]	0x31
0x0015				-	#	#	#	#	CDI	CDI[3:0]	0x07
0x0016	#	#	#	#	#	#	#	#	TCON	S2G[3:0], G2S[3:0]	0x22
0x0017	#	#	#	#	#	0	0	0		HRES[7:3]	0xF0
0x0018				-	-		#	#	TRES	VRES[9:0]	0x02
0x0019	#	#	#	#	#	#	#	#		VKES[8.0]	0x00
0x001A	#	#	#	#	#	0	0	0		HST[7:3]	0x00
0x001B				-	-			#	GSST	VCTI0-01	0x00
0x001C	#	#	#	#	#	#	#	#		VST[8:0]	0x00
0x001D	#	#	#	#	#	#	#	#	PWS	VCOM_W[3:0], SD_W[3:0]	0x00
0x001E				-			#	#	LVSEL	LVD_SEL[1:0]	0x03

## **LUT FORMAT IN OTP**

There are 12 TRs (temperature range) in a bank. Each TR has independent frame rate, voltage, XON settings, KW option enable setting and LUTs. The fomat of LUT is different in different mode. In KWR mode, there are only 4 LUTs including LUTC, LUTR, LUTW and LUTB in TRs. LUTC, LUTR, LUTW and LUTB have 10 states. In KW mode, there are 5 LUTs including LUT, LUTWW, LUTBW, LUTWB and LUTBB in TRs. All LUTs have 7 states. Besides, there is 1 common border LUT, regardless of temperature range, in KWR mode or KW mode.

#### **Common Border LUT Table**


Camanan Dandan	KWR Mode or KW Mode							
Common Border LUT Table	Address (Bank0 / Bank1)	Content						
	0x001F ~ 0x0048 / 0x0C1F ~ 0x0C48	LUTBD						

#### Separate VCOM LUT and Source LUT (Example: Bank0 / TR0)

		KWR Mode (KW/R=0)		KW Mode (KW/R=1)
	Address	Content	Address	Content
	0x0049	Frame Rate[3:0], VCOM_HV, VG Voltage[2:0]	0x0049	Frame Rate[3:0],VCOM_HV,VG Voltage[2:0]
	0x004A	0b, VCEND, VDH Voltage[5:0]	0x004A	0b, VCEND, VDH Voltage[5:0]
	0x004B	BDEND[1:0], VDL Voltage [5:0]	0x004B	BDEND[1:0], VDL Voltage [5:0]
	0x004C	XON[9:8], VDHR Voltage [5:0]	0x004C	XON[9:8], VDHR Voltage [5:0]
	0x004D	XON [7:0]	0x004D	XON [7:0]
	0x004E	KWE[9:8], VCOM_DC[5:0]	0x004E	00b, VCOM_DC[5:0]
	0x004F	KWE[7:0]	0x004F	LUTC
	0x0050   0x008B	LUTC (10 states)	0x0078	(7 states)
TR0		(10 states)	0x0079	LUTWW
110	0x008C		0x00A2	(7 states)
	0x008C   0x00C7	LUTR	0x00A3	LUTKW
		(10 states)	0x00CC	(7 states)
			0x00CD	LUTWK
	0x00C8	LUTW (10 states)	0x00F6	(7 states)
	0x0103	(10 states)	0x00F7	LUTKK
	0x0104	LUTK	0x0120	(7 states)
	 0x013F	(10 states)	0x0121	Reserved
			0x013F	

## **DEEP SLEEP MODE**

After deep sleep command (R07H) is transmitted, IL0324 enter "Deep Sleep Mode", and leaves by RST\_N falling. In "Deep Sleep Mode", the control signals are recommended tied to 0v to avoid IO leakage current. And the die must be keep away from light which causes photoelectric effect to make internal nodes unstable.



## PANEL BREAK CHECK

The panel break check (PBC) function is accomplished by testing the connection of the ITO along panel edge. If the panel is broken, the loop ITO may be cut off. The connection check is judged by signal transmission from CHKGO to CHKGI.

Figure: Panel break check layout example






Figure: Panel Break Check (PBC) Sequence

## **CASCADE APPLICATION CIRCUIT**

All commands sent to **Master** must be also sent to **Slave** except for data writing (DTM1 and DTM2). The display data must be separated to two parts, one is for **Master** and another is for **Slave**. They are transmitted to **Master** and **Slave** individually by using CSB1 and CSB2.



#### **BOOSTER APPLICATION CIRCUIT**



#### **Recommended Device**

1. Switch MOS NMOS: Vishay Si1308EDL  $(V_{DS} > 20V, I_D > 500mA, V_{GS}(th) < 1.5V, Ciss < 200pF, Rbs(on) < 400m\Omega)$ 

2. Schottky Diode: OnSemi MBR0530 ( $V_R > 20V$ ,  $I_F > 500mA$ ,  $I_R < 1mA @ V_R=15V$ ,  $T_A=100$ °C)

## **Recommended Resistor**

Item	Pins	Resistance
Powers	VDD, VDDA, VDDIO, GND, GNDA, VDM	< 10 Ω
Boosters	VGL, VGH, GDR, RESE	< 10 Ω
Regulators	VDH, VDL, VDHR, VCOM, VDDD, VDDDO	< 10 Ω
Logics	MS, BS, CSB, SCL, SDA, GDR, etc.	< 50 Ω
OTP	VPP	< 20 Ω



## **ABSOLUTE MAXIMUM RATINGS**

Signal	Item	Min	Max.	Unit
Vdd, Vddio, Vdda	Logic Supply voltage	-0.3	+6.0	V
VPP	OTP programming voltage	-0.3	+8.0	V
Vı	Digital input range	-0.3	VDDIO+0.3	V
VGH-VGL	Supply range	-	+44.0	V
Source				
VDH	Analog supply voltage – positive	+16		V
VDL	Analog supply voltage negative	-16		V
VDHR	Analog supply voltage – positive	+-	16	V
Gate				
VGH	Analog supply voltage – positive	-0.3	+22	V
VGL	Analog supply voltage negative	-22	0.3	V
IVGH	Input rush current for VGH	(TBD)	(TBD)	mA
IVGL	Input rush current for VGL	(TBD)	(TBD)	mA
Тѕтс	STG Storage temperature range		+125	°C

#### Warning:

If ICs are stressed beyond those listed above "absolute maximum ratings", they may be permanently destroyed. These are stress ratings only, and functional operation of the device at these or any other condition beyond those indicated under "recommended operating conditions" is not implied. Exposure to absolute maximum rated conditions for extended periods may affect device reliability.

# **DC CHARACTERISTICS**

Symbol	Parameter	Conditions	MIN.	TYP.	MAX.	Unit
VDDIO	IO supply voltage		2.3	3.3	3.6	V
VDD	Supply voltage		2.3	3.3	3.6	V
VDDA	DCDC driver supply voltage		2.3	3.3	3.6	V
VIL	LOW Level input voltage	Digital input pins	0	-	0.3xVdd	V
VIH	HIGH Level input voltage	Digital input pins	0.7xVDDIO	-	VDDIO	V
Vон	HIGH Level output voltage	Digital input pins, loн=400∪A	VDDIO-0.4			V
Vol	LOW Level Output voltage	Digital input pins, lo∟=-400∪A	0		0.4	V
lin	Input leakage current	Digital input pins except pull-up, pull-down pin	-1	-	1	uA
Rın	Pull-up/down impedance			200		<b>K</b> ς
Тор	Operating temperature		-30		85	°C
dVGH	VGH Supply voltage dev		-400	0	+400	mV
VGH-VGL	Voltage Range of VGH - VGL				40	V
dVDH	Supply voltage dev		-200	0	+200	mV
dVDL	Supply voltage dev		-200	0	+200	mV
dVDHR	Supply voltage dev		-200	0	+200	mV
dVCOM	Supply voltage dev		-200	0	+200	mV
Ron	Driver Output Resistance	For source driver, Top=25°C, Vout = ±15V		16.0	38.4	<b>K</b> ς
13011		For gate driver, Top=25°C, Vout = ±20V		4.0	8	5

# VDD=VDDA=VDDIO=3.0V, TOP=25.0 °C

Symbol	Parameter	Conditions	MIN.	TYP.	MAX.	Unit
	Digital deep sleep current	VDDD OFF		0.3	0.5	uA
IVDD	Digital stand-by current	All stopped		8.2	10.0	uA
	Digital operating current				0.1	mA
	IO deep sleep current	VDDD OFF		0.1	0.3	uA
IVDDIO	IO stand-by current	Booster OFF		2.5	4.0	uA
	IO operating current	No load			0.1	mA
	DCDC deep sleep current	VDDD OFF		0.1	0.3	uA
	DCDC stand-by current	Booster OFF		15.5	20.0	uA
		Source output VDH/VDL,		-	4.0	
		Duty=0.5, Period =126us				
		VCOM DC			4.0	
IVDDA		No load				
	DCDC operating current	Source output VDH/VDL,				mA
		Duty=0.5, Period =126us,				
		VCOM DC			20.0	
		External cap: 415pF,				
		NMOS=340pF				

## **AC CHARACTERISTICS**




Figure: 3-wire Serial Interface Characteristics (Write mode)




Figure: 3-wire Serial Interface Characteristics (Read mode)

Symbol	Signal / Parameter	Conditions	Min.	Тур.	Max.	Unit
T <sub>CSS</sub>		Chip select setup time	60			ns
T <sub>CSH</sub>	CSB	Chip select hold time	65			ns
T <sub>SCC</sub>	COB	Chip select setup time	20			ns
$T_{CHW}$		Chip select setup time	40			ns
T <sub>SCYCW</sub>		Serial clock cycle (Write)	100			ns
T <sub>SHW</sub>		SCL "H" pulse width (Write)	35			ns
T <sub>SLW</sub>	SCL	SCL "L" pulse width (Write)	35			ns
T <sub>SCYCR</sub>	JOL	Serial clock cycle (Read)	150			ns
T <sub>SHR</sub>		SCL "H" pulse width (Read)	60			ns
$T_{SLR}$		SCL "L" pulse width (Read)	60			ns
$T_{SDS}$	SDA	Data setup time	30			ns
T <sub>SDH</sub>	(DIN)	Data hold time	30			ns
T <sub>ACC</sub>	SDA	Access time			50	ns
Тон	(DOUT)	Output disable time	15			ns




Figure: 4-wire Serial Interface Characteristics (Write mode)




Figure: 4-wire Serial Interface Characteristics (Read mode)

Symbol	Signal / Parameter	Conditions	Min.	Тур.	Max.	Unit
T <sub>CSS</sub>		Chip select setup time	60			ns
T <sub>CSH</sub>	CSB	Chip select hold time	65			ns
T <sub>SCC</sub>	CSB	Chip select setup time	20			ns
T <sub>CHW</sub>		Chip select setup time	40			ns
T <sub>SCYCW</sub>		Serial clock cycle (Write)	100			ns
T <sub>SHW</sub>		SCL "H" pulse width (Write)	35			ns
T <sub>SLW</sub>	SCL	SCL "L" pulse width (Write)	35			ns
T <sub>SCYCR</sub>	SCL	Serial clock cycle (Read)	150			ns
T <sub>SHR</sub>		SCL "H" pulse width (Read)	60			ns
T <sub>SLR</sub>		SCL "L" pulse width (Read)	60			ns
T <sub>DCS</sub>	DC	DC setup time	30			ns
T <sub>DCH</sub>	DC	DC hold time	30			ns
T <sub>SDS</sub>	SDA	Data setup time	30			ns
T <sub>SDH</sub>	(DIN)	Data hold time	30			ns
T <sub>ACC</sub>	SDA	Access time			50	ns
Тон	(DOUT)	Output disable time	15			ns

## **PHYSICAL DIMENSIONS**

Die Size: (11130 μΜ 6 40μΜ) x (1190 μΜ 6 40μΜ)

Die Thickness:  $300 \mu M 6 20 \mu M$ 

> Die TTV:  $(D_{MAX}-D_{MIN})$  within die  $\leq 2 \mu M$

15 μΜ 6 3μΜ Bump Height:


 $(H_{MAX}-H_{MIN})$  within die  $\leq 2 \mu M$ 

Bump Size:  $16 \mu M \times 75 \mu M 6 2 \mu M$ 


1200 µM<sup>2</sup> Bump Area: Bump Pitch: 14 µM Bump Space: 1 μΜ 6 3μΜ Hardness: 65 Hv 6 15Hv


/ 5g/Mil<sup>2</sup> Coordinate origin: Chip center Pad center Pad reference:

Shear:




Bump Height Coplanarity within Die






# **ALIGNMENT MARK INFORMATION**


#### Location:



D-Left Mark D-Right Mark

# **Shapes and Points:**





# **Point Coordinates:**

	D-Left Mark		D-Righ	nt Mark
Point	Х	Υ	Х	Υ
C(X)	-5440	-320	5440	-320
1	-5450	-290	5430	-290
2	-5430	-290	5450	-290
3	-5430	-310	5450	-310
4	-5410	-310	5470	-310
5	-5410	-330	5470	-330
6	-5430	-330	5450	-330
7	-5430	-350	5450	-350
8	-5450	-350	5430	-350
9	-5450	-330	5430	-330
10	-5470	-330	5410	-330
11	-5470	-310	5410	-310
12	-5450	-310	5430	-310
13	-5470	-290	5460	-290
14	-5460	-290	5470	-290
15	-5460	-300	5470	-300
16	-5470	-300	5460	-300



# **PAD COORDINATES**

#	Pad	Х	Υ	W	Н
1	NC	-5474	-503	28	70
2	VCOM	-5428	-503	28	70
3	VCOM	-5382	-503	28	70
4	VCOM	-5336	-503	28	70
5	VCOM	-5290	-503	28	70
6	VCOM	-5244	-503	28	70
7	VCOM	-5198	-503	28	70
8	VCOM	-5152	-503	28	70
9	VCOM	-5106	-503	28	70
10	VDM	-5060	-503	28	70
11	VDM	-5014	-503	28	70
12	VGL	-4968	-503	28	70
13	VGL	-4922	-503	28	70
14	VGL	-4876	-503	28	70
15	VGL	-4830	-503	28	70
16	VGL	- <del>4</del> 630	-503	28	70
17	VGL	-4738		28	70
18	VGL	- <del>4</del> 736	-503 -503	28	70
19	VGL	-4646	-503	28	70
20	VGL	-4600	-503	28	70
21	VGL	-4554	-503	28	70
22	VGL	-4508	-503	28	70
23	GNDA	-4462	-503	28	70
24	VDL	-4416	-503	28	70
25	VDL	-4370	-503	28	70
26	VDL	-4324	-503	28	70
27	VDL	-4278	-503	28	70
28	VDL	-4232	-503	28	70
29	VDL	-4186	-503	28	70
30	VDL	-4140	-503	28	70
31	VDL	-4094	-503	28	70
32	VDL	-4048	-503	28	70
33	GNDA	-4002	-503	28	70
34	VGH	-3956	-503	28	70
35	VGH	-3910	-503	28	70
36	VGH	-3864	-503	28	70
37	VGH	-3818	-503	28	70
38	VGH	-3772	-503	28	70
39	VGH	-3726	-503	28	70
40	VGH	-3680	-503	28	70
41	VGH	-3634	-503	28	70
42	VGH	-3588	-503	28	70
43	VGH	-3542	-503	28	70
44	VGH	-3496	-503	28	70
45	GNDA	-3450	-503	28	70
46	VDH	-3404	-503	28	70
47	VDH	-3358	-503	28	70
48	VDH	-3312	-503	28	70
49	VDH	-3266	-503	28	70
50	VDH	-3220	-503	28	70
51	VDH	-3174	-503	28	70
52	VDH	-3128	-503	28	70
53	VDH	-3082	-503	28	70
54	VDH	-3036	-503	28	70
55	GNDA	-2990	-503	28	70
56	VPP	-2944	-503	28	70
50	VIT	-2344	-505	۷0	70

#	Pad	Х	Υ	W	Н
57	VPP	-2898	-503	28	70
58	VPP	-2852	-503	28	70
59	VPP	-2806	-503	28	70
60	VPP	-2760	-503	28	70
61	VPP	-2714	-503	28	70
62	VPP	-2668	-503	28	70
63	VDDDO			28	70
64	VDDDO	-2622 -2576	-503 -503	28	70
65	VDDDO	-2570	-503	28	70
66	VDDDO	-2484	-503	28	70
67	VDDDO	-2438	-503	28	70
68	VDDDI	-2436	-503	28	70
69	VDDDI	-2346	-503	28	70
70	VDDDI	-2340	-503	28	70
71		-2300	-503	28	
72	VDDDI VDDDI	-2208	-503	28	70 70
	VDM			28	70
73		-2162	-503		
74	VDM	-2116	-503 -503	28	70
75 70	GNDA	-2070		28	70
76	GNDA GNDA	-2024	-503	28 28	70
77		-1978	-503		70
78	GNDA	-1932	-503	28	70
79	GNDA	-1886	-503	28	70
80	GNDA	-1840	-503	28	70
81	GNDA	-1794	-503	28	70
82	GNDA	-1748	-503	28	70
83	GNDA	-1702	-503	28	70
84	GNDA	-1656	-503	28	70
85	GND	-1610	-503	28	70
86	GND	-1564	-503	28	70
87	GND	-1518	-503	28	70
88	GND	-1472	-503	28	70
89	GND	-1426	-503	28	70
90	GND	-1380	-503	28	70
91	GND	-1334	-503	28	70
92	GND	-1288	-503	28	70
93	GND	-1242	-503	28	70
94	GND	-1196	-503	28	70
95	GND	-1150	-503	28	70
96	GND	-1104	-503	28	70
97	VDDA	-1058	-503	28	70
98	VDDA	-1012	-503	28	70
99	VDDA	-966	-503	28	70
100	VDDA	-920	-503	28	70
101	VDDA	-874	-503	28	70
102	VDDA	-828	-503	28	70
103	VDDA	-782	-503	28	70
104	VDDA	-736	-503	28	70
105	VDDA	-690	-503	28	70
106	VDDA	-644	-503	28	70
107	VDD	-598	-503	28	70
108	VDD	-552	-503	28	70
109	VDD	-506	-503	28	70
110	VDD	-460	-503	28	70
111	VDD	-414	-503	28	70
112	VDD	-368	-503	28	70



#	Pad	Х	Υ	W	Н
113	VDD	-322	-503	28	70
114	VDDIO	-276	-503	28	70
115	VDDIO	-230	-503	28	70
116	VDDIO	-184	-503	28	70
117	VDDIO	-138	-503	28	70
118	DUMMY	-92	-503	28	70
119	TEST1	-46	-503	28	70
120	TEST2	0	-503	28	70
121	TEST3	46	-503	28	70
122	VSYNC	92	-503	28	70
123	CL	138	-503	28	70
124	CDEO	184	-503	28	70
125	DUMMY	230	-503	28	70
126	DUMMY	276	-503	28	70
127	DUMMY	322	-503	28	70
128	CDAO	368	-503	28	70
129	DUMMY	414	-503	28	70
130	DUMMY	460	-503	28	70
131	CHKGI	506	-503	28	70
132	DUMMY	552	-503	28	70
133	DUMMY	598	-503	28	70
134	SDA	644	-503	28	70
135	DUMMY	690	-503	28	70
136	DUMMY	736	-503	28	70
137	SCL	782	-503	28	70
138	GND	828	-503	28	70
139	CSB	874	-503	28	70
140	VDDIO	920	-503	28	70
141	GND	966	-503	28	70
142	DC	1012	-503	28	70
143	VDDIO	1012	-503	28	70
144	RST N	1104	-503	28	70
145	DUMMY	1150	-503	28	70
146	DUMMY	1196	-503	28	70
147	DUMMY	1242	-503	28	70
148	BUSY N	1288	-503	28	70
149	DUMMY	1334	-503	28	70
150	GND	1380	-503	28	70
	-				
151 152	BS VDDIO	1426 1472	-503 -503	28 28	70 70
153	MS	1518	-503	28	70
154	GND	1564	-503		70
		1	-503	28 28	70
155 156	GND TSDA	1610 1656	-503 -503	28	70
157	TSDA	1702	-503	28	70
158	TSCL	1702	-503 -503	28	70
159 160	TSCL GND	1794 1840	-503	28 28	70 70
161	GND	1	-503	28	70
162	CHKGO	1886 1932	-503 -503	28	
163	GND	1932	-503	28	70 70
	GND	2024			
164 165	CDAI		-503	28 28	70 70
166	CDAI	2070	-503		
		2116	-503	28	70
167	DUMMY	2162	-503	28	70
168	DUMMY	2208	-503	28	70
169	DUMMY	2254	-503	28	70
170	CL	2300	-503	28	70
171	DUMMY	2346	-503	28	70

#	Pad	Х	Υ	W	Н
172	VSYNC	2392	-503	28	70
173	DUMMY	2438	-503	28	70
174	DUMMY	2484	-503	28	70
175	DUMMY	2530	-503	28	70
176	TEST4	2576	-503	28	70
177	TEST5	2622	-503	28	70
178	DUMMY	2668	-503	28	70
179	GND	2714	-503	28	70
180	DUMMY	2760	-503	28	70
181	TEST6	2806	-503	28	70
182	TEST7	2852	-503	28	70
183	GND	2898	-503	28	70
184	DUMMY	2944	-503	28	70
185	GND	2990	-503	28	70
186	TEST8	3036	-503	28	70
187	TEST9	3082	-503	28	70
188	DUMMY	3128	-503	28	70
189	GND	3174	-503	28	70
190	TEST10	3220	-503	28	70
191	DUMMY	3266	-503	28	70
192	TEST11	3312	-503	28	70
193	DUMMY	3358	-503	28	70
194	DUMMY	3404	-503	28	70
195	TEST12	3450	-503	28	70
196	DUMMY	3496	-503	28	70
197	TEST13	3542	-503	28	70
198	DUMMY	3588	-503	28	70
199	DUMMY	3634	-503	28	70
200	VDHR	3680	-503	28	70
201	VDHR	3726	-503	28	70
202	VDHR	3772	-503	28	70
203	VDHR	3818	-503	28	70
204	VDHR	3864	-503	28	70
205	VDHR	3910	-503	28	70
206	VDHR	3956	-503	28	70
207	VDHR	4002	-503	28	70
208	DUMMY	4048	-503	28	70
209	DUMMY	4094	-503	28	70
210	DUMMY	4140	-503	28	70
211	DUMMY	4186	-503	28	70
212	DUMMY	4232	-503	28	70
213	DUMMY	4278	-503	28	70
214	GNDA	4324	-503	28	70
215	FB	4370	-503	28	70
216	FB	4416	-503	28	70
217	GNDA	4462	-503	28	70
218	RESE	4508	-503	28	70
219	RESE	4554	-503	28	70
220	GNDA	4600	-503	28	70
221	GDR	4646	-503	28	70
222	GDR	4692	-503	28	70
223	GDR	4738	-503	28	70
224	GDR	4784	-503	28	70
225	GDR	4830	-503	28	70
226	GDR	4876	-503	28	70
227	GDR	4922	-503	28	70
228	GDR	4968	-503	28	70
229	VDM	5014	-503	28	70
230	VDM	5060	-503	28	70
		•	•	•	



#	Pad	Х	Υ	W	Н
231	VCOM	5106	-503	28	70
232	VCOM	5152	-503	28	70
233	VCOM	5198	-503	28	70
234	VCOM	5244	-503	28	70
235	VCOM	5290	-503	28	70
236	VCOM	5336	-503	28	70
237	VCOM	5382	-503	28	70
238	VCOM	5428	-503	28	70
239	NC NC	5474	-503	28	70
240	NC	5453	518.5	16	75
241	GD<0>	5439	418.5	16	75
242	G<0>	5425	518.5	16	75
243	G<2>	5411	418.5	16	75
243	G<4>	5397	518.5	16	75
245	G<6>	5383	418.5	16	75
	_				
246	G<8>	5369	518.5	16	75 75
247	G<10>	5355	418.5	16	75 75
248	G<12>	5341	518.5	16	75 75
249	G<14>	5327	418.5	16	75 75
250	G<16>	5313	518.5	16	75
251	G<18>	5299	418.5	16	75
252	G<20>	5285	518.5	16	75
253	G<22>	5271	418.5	16	75
254	G<24>	5257	518.5	16	75
255	G<26>	5243	418.5	16	75
256	G<28>	5229	518.5	16	75
257	G<30>	5215	418.5	16	75
258	G<32>	5201	518.5	16	75
259	G<34>	5187	418.5	16	75
260	G<36>	5173	518.5	16	75
261	G<38>	5159	418.5	16	75
262	G<40>	5145	518.5	16	75
263	G<42>	5131	418.5	16	75
264	G<44>	5117	518.5	16	75
265	G<46>	5103	418.5	16	75
266	G<48>	5089	518.5	16	75
267	G<50>	5075	418.5	16	75
268	G<52>	5061	518.5	16	75
269	G<54>	5047	418.5	16	75
270	G<56>	5033	518.5	16	75
271	G<58>	5019	418.5	16	75
272	G<60>	5005	518.5	16	75
273	G<62>	4991	418.5	16	75
274	G<64>	4977	518.5	16	75
275	G<66>	4963	418.5	16	75
276	G<68>	4949	518.5	16	75
277	G<70>	4935	418.5	16	75
278	G<72>	4921	518.5	16	75
279	G<74>	4907	418.5	16	75
280	G<76>	4893	518.5	16	75
281	G<78>	4879	418.5	16	75
282	G<80>	4865	518.5	16	75
283	G<82>	4851	418.5	16	75
284	G<84>	4837	518.5	16	75
285	G<86>	4823	418.5	16	75
286	G<88>	4809	518.5	16	75
287	G<90>	4795	418.5	16	75
288	G<92>	4781	518.5	16	75
289	_				
209	G<94>	4767	418.5	16	75

#	Pad	Х	Υ	W	Н
290	G<96>	4753	518.5	16	75
291	G<98>	4739	418.5	16	75
292	G<100>	4725	518.5	16	75
293	G<102>	4711	418.5	16	75
294	G<104>	4697	518.5	16	75
295	G<106>	4683	418.5	16	75
296	G<108>	4669	518.5	16	75
297	G<110>	4655	418.5	16	75
298	G<112>	4641	518.5	16	75
299	G<114>	4627	418.5	16	75
300	G<116>	4613	518.5	16	75
301	G<118>	4599	418.5	16	75
302	G<120>	4585	518.5	16	75
303	G<122>	4571	418.5	16	75
304	G<124>	4557	518.5	16	75
305	G<126>	4543	418.5	16	75
306	G<128>	4529	518.5	16	75
307	G<130>	4515	418.5	16	75
308	G<132>	4501	518.5	16	75
309	G<134>	4487	418.5	16	75
310	G<136>	4473	518.5	16	75
311	G<138>	4459	418.5	16	75
312	G<140>	4445	518.5	16	75
313	G<142>	4431	418.5	16	75
314	G<144>	4417	518.5	16	75
315	G<146>	4403	418.5	16	75
316	G<148>	4389	518.5	16	75
317	G<150>	4375	418.5	16	75
318	G<152>	4361	518.5	16	75
319	G<154>	4347	418.5	16	75
320	G<156>	4333	518.5	16	75
321	G<158>	4319	418.5	16	75
322	G<160>	4305	518.5	16	75
323	G<162>	4291	418.5	16	75
324	G<164>	4277	518.5	16	75
325	G<166>	4263	418.5	16	75
326	G<168>	4249	518.5	16	75
327	G<170>	4235	418.5	16	75
328	G<172>	4221	518.5	16	75
329	G<174>	4207	418.5	16	75
330	G<176>	4193	518.5	16	75
331	G<178>	4179	418.5	16	75
332	G<180>	4165	518.5	16	75
333	G<182>	4151	418.5	16	75
334	G<184>	4137	518.5	16	75
335	G<186>	4123	418.5	16	75
336	G<188>	4109	518.5	16	75
337	G<190>	4095	418.5	16	75
338	G<192>	4081	518.5	16	75
339	G<194>	4067	418.5	16	75
340	G<196>	4053	518.5	16	75 75
341	G<198>	4039	418.5	16	75 75
342	G<200>	4025	518.5	16	75
343	G<202>	4011	418.5	16	75
344	G<204>	3997	518.5	16	75
345	G<206>	3983	418.5	16	75 75
346	G<208>	3969	518.5	16	75 75
347	G<210>	3955	418.5	16	75 75
348	G<212>	3941	518.5	16	75



#	Pad	Х	Υ	W	Н
349	G<214>	3927	418.5	16	75
350	G<216>	3913	518.5	16	75
351	G<218>	3899	418.5	16	75
352	G<220>	3885	518.5	16	75
353	G<222>	3871	418.5	16	75
354	G<224>	3857	518.5	16	75
355	G<226>	3843	418.5	16	75
356	G<228>	3829	518.5	16	75
357	G<230>	3815	418.5	16	75
358	G<232>	3801	518.5	16	75
359	G<234>	3787	418.5	16	75
360	G<236>	3773	518.5	16	75
361	G<238>	3759	418.5	16	75
362	G<240>	3745	518.5	16	75
363	G<242>	3731	418.5	16	75
364	G<244>	3717	518.5	16	75
365	G<246>	3703	418.5	16	75
366	G<248>	3689	518.5	16	75
367	G<250>	3675	418.5	16	75
368	G<252>	3661	518.5	16	75
369	G<254>	3647	418.5	16	75
370	G<256>	3633	518.5	16	75
371	G<258>	3619	418.5	16	75
372	G<260>	3605	518.5	16	75
373	G<262>	3591	418.5	16	75
374	G<264>	3577	518.5	16	75
375	G<266>	3563	418.5	16	75
376	G<268>	3549	518.5	16	75
377	G<270>	3535	418.5	16	75
378	G<272>	3521	518.5	16	75
379	G<274>	3507	418.5	16	75
380	G<276>	3493	518.5	16	75
381	G<278>	3479	418.5	16	75
382	G<280>	3465	518.5	16	75
383	G<282>	3451	418.5	16	75
384	G<284>	3437	518.5	16	75
385	G<286>	3423	418.5	16	75
386	G<288>	3409	518.5	16	75
387	G<290>	3395	418.5	16	75
388	G<292>	3381	518.5	16	75
389	G<294>	3367	418.5	16	75
390	G<296>	3353	518.5	16	75
391	G<298>	3339	418.5	16	75
392	G<300>	3325	518.5	16	75
393	G<302>	3311	418.5	16	75
394	G<304>	3297	518.5	16	75
395	G<306>	3283	418.5	16	75
396	G<308>	3269	518.5	16	75
397	G<310>	3255	418.5	16	75
398	G<312>	3241	518.5	16	75
399	G<314>	3227	418.5	16	75
400	G<316>	3213	518.5	16	75
401	G<318>	3199	418.5	16	75
402	G<320>	3185	518.5	16	75
403	G<322>	3171	418.5	16	75
404	G<324>	3157	518.5	16	75
405	G<326>	3143	418.5	16	75
406	G<328>	3129	518.5	16	75
407	G<330>	3115	418.5	16	75
<del>1</del> 07	G-330/	3113	710.0	10	75

#	Pad	X	Υ	W	Н
408	G<332>	3101	518.5	16	75
409	G<334>	3087	418.5	16	75
410	G<336>	3073	518.5	16	75
411	G<338>	3059	418.5	16	75
412	G<340>	3045	518.5	16	75
413	G<342>	3031	418.5	16	75
414	G<344>	3017	518.5	16	75
415	G<346>	3003	418.5	16	75
416	G<348>	2989	518.5	16	75
417	G<350>	2975	418.5	16	75
418	G<352>	2961	518.5	16	75
419	G<354>	2947	418.5	16	75
420	G<356>	2933	518.5	16	75
421	G<358>	2919	418.5	16	75
422	G<360>	2905	518.5	16	75
423	G<362>	2891	418.5	16	75
424	G<364>	2877	518.5	16	75
425	G<366>	2863	418.5	16	75
426	G<368>	2849	518.5	16	75
427	G<370>	2835	418.5	16	75
428	G<372>	2821	518.5	16	75
429	G<374>	2807	418.5	16	75
430	G<376>	2793	518.5	16	75
431	G<378>	2779	418.5	16	75
432	G<380>	2765	518.5	16	75
433	G<382>	2751	418.5	16	75
434	G<384>	2737	518.5	16	75
435	G<386>	2723	418.5	16	75
436	G<388>	2709	518.5	16	75
437	G<390>	2695	418.5	16	75
438	G<392>	2681	518.5	16	75
439	G<394>	2667	418.5	16	75
440	G<396>	2653	518.5	16	75
441 442	G<398>	2639	418.5	16	75 75
442	G<400> G<402>	2625 2611	518.5 418.5	16 16	75 75
444	G<404>	2597	518.5	16	75
445	G<406>	2583	418.5	16	75
446	G<408>	2569	518.5	16	75
447	G<410>	2555	418.5	16	75
448	G<412>	2541	518.5	16	75
449	G<414>	2527	418.5	16	75
450	G<416>	2513	518.5	16	75
451	G<418>	2499	418.5	16	75
452	G<420>	2485	518.5	16	75
453	G<422>	2471	418.5	16	75
454	G<424>	2457	518.5	16	75
455	G<426>	2443	418.5	16	75
456	G<428>	2429	518.5	16	75
457	G<430>	2415	418.5	16	75
458	G<432>	2401	518.5	16	75
459	G<434>	2387	418.5	16	75
460	G<436>	2373	518.5	16	75
461	G<438>	2359	418.5	16	75
462	G<440>	2345	518.5	16	75
463	G<442>	2331	418.5	16	75
464	G<444>	2317	518.5	16	75
465	G<446>	2303	418.5	16	75
466	G<448>	2289	518.5	16	75



#	Pad	Χ	Υ	W	Н
467	G<450>	2275	418.5	16	75
468	G<452>	2261	518.5	16	75
469	G<454>	2247	418.5	16	75
470	G<456>	2233	518.5	16	75
471	G<458>	2219	418.5	16	75
472	G<460>	2205	518.5	16	75
473	G<462>	2191	418.5	16	75
474	G<464>	2177	518.5	16	75
475	G<466>	2163	418.5	16	75
476	G<468>	2149	518.5	16	75
477	G<470>	2135	418.5	16	75
478	G<472>	2121	518.5	16	75
479	G<474>	2107	418.5	16	75
480	G<476>	2093	518.5	16	75
481	G<478>	2079	418.5	16	75
482	G<480>	2065	518.5	16	75
483	G<482>	2051	418.5	16	75
484	G<484>	2037	518.5	16	75
485	G<486>	2023	418.5	16	75
486	G<488>	2009	518.5	16	75
487	G<490>	1995	418.5	16	75
488	G<490>	1981	518.5	16	75
489	G<492>	1967	418.5	16	75 75
490	G<496>	1953	518.5	16	75
491	G<498>	1933	418.5	16	75
491	G<500>	1939	518.5	16	75
492		1925	418.5	16	75
493	G<502> G<504>	1897	518.5	16	75
_					
495	G<506>	1883	418.5	16	75 75
496	G<508>	1869	518.5	16	75 75
497	G<510>	1855	418.5	16	75 75
498	GD<2>	1841	518.5	16	75
499	NC NC	1827	418.5	16	75
500	NC NC	1729	518.5	16	75
501	NC NC	1715	418.5	16	75
502	NC VDD 405	1701	518.5	16	75
503	VBD<0>	1687	418.5	16	75
504	S<0>	1673	518.5	16	75
505	S<1>	1659	418.5	16	75
506	S<2>	1645	518.5	16	75
507	S<3>	1631	418.5	16	75 75
508	S<4>	1617	518.5	16	75
509	S<5>	1603	418.5	16	75 75
510	S<6>	1589	518.5	16	75
511	S<7>	1575	418.5	16	75 75
512	S<8>	1561	518.5	16	75 75
513 514	S<9>	1547	418.5	16	75 75
	S<10>	1533	518.5	16	75 75
515	S<11>	1519	418.5	16 16	75 75
516 517	S<12> S<13>	1505 1491	518.5 418.5	16 16	75 75
	S<13> S<14>	1491	518.5		
518 519	_			16 16	75 75
	S<15>	1463	418.5		
520	S<16>	1449	518.5	16	75 75
521	S<17>	1435	418.5	16	75 75
522	S<18>	1421	518.5	16	75 75
523	S<19>	1407	418.5	16	75 75
524	S<20>	1393	518.5	16	75
525	S<21>	1379	418.5	16	75

#	Pad	Х	Υ	W	Н
526	S<22>	1365	518.5	16	75
527	S<23>	1351	418.5	16	75
528	S<24>	1337	518.5	16	75
529	S<25>	1323	418.5	16	75
530	S<26>	1309	518.5	16	75
531	S<27>	1295	418.5	16	75
532	S<28>	1281	518.5	16	75
533	S<29>	1267	418.5	16	75
534	S<30>	1253	518.5	16	75
535	S<31>	1239	418.5	16	75
536	S<32>	1225	518.5	16	75
537	S<33>	1211	418.5	16	75
538	S<34>	1197	518.5	16	75
539	S<35>	1183	418.5	16	75
540	S<36>	1169	518.5	16	75
541	S<37>	1155	418.5	16	75
542	S<38>	1141	518.5	16	75
543	S<39>	1127	418.5	16	75
544	S<40>	1113	518.5	16	75
545	S<41>	1099	418.5	16	75
546	S<42>	1085	518.5	16	75
547	S<43>	1071	418.5	16	75
548	S<44>	1057	518.5	16	75
549	S<45>	1043	418.5	16	75
550	S<46>	1029	518.5	16	75
551	S<47>	1015	418.5	16	75
552	S<48>	1001	518.5	16	75
553	S<49>	987	418.5	16	75
554	S<50>	973	518.5	16	75
555	S<51>	959	418.5	16	75
556	S<52>	945	518.5	16	75
557	S<53>	931	418.5	16	75
558	S<54>	917	518.5	16	75
559	S<55>	903	418.5	16	75
560	S<56>	889	518.5	16	75
561	S<57>	875	418.5	16	75
562	S<58>	861	518.5	16	75
563	S<59>	847	418.5	16	75
564	S<60>	833	518.5	16	75
565	S<61>	819	418.5	16	75 75
566 567	S<62>	805	518.5	16	75
	S<63> S<64>	791	418.5 518.5	16	75 75
568 569	S<65>	777 763	418.5	16 16	75 75
570	_		518.5		
571	S<66> S<67>	749 735	418.5	16 16	75 75
572	S<68>	733	518.5	16	75
573	S<69>	707	418.5	16	75
574	S<70>	693	518.5	16	75
575	S<71>	679	418.5	16	75
576	S<72>	665	518.5	16	75
577	S<73>	651	418.5	16	75
578	S<74>	637	518.5	16	75
579	S<75>	623	418.5	16	75
580	S<76>	609	518.5	16	75
581	S<77>	595	418.5	16	75
582	S<78>	581	518.5	16	75
583	S<79>	567	418.5	16	75
584	S<80>	553	518.5	16	75
007	J .50°	- 555	0.0.0		, 0



#	Pad	Χ	Υ	W	Н
585	S<81>	539	418.5	16	75
586	S<82>	525	518.5	16	75
587	S<83>	511	418.5	16	75
588	S<84>	497	518.5	16	75
589	S<85>	483	418.5	16	75
590	S<86>	469	518.5	16	75
591	S<87>	455	418.5	16	75
592	S<88>	441	518.5	16	75
593	S<89>	427	418.5	16	75
594	S<90>	413	518.5	16	75
595	S<91>	399	418.5	16	75
596	S<92>	385	518.5	16	75
597	S<93>	371	418.5	16	75
598	S<94>	357	518.5	16	75
599	S<95>	343	418.5	16	75
600	S<96>	329	518.5	16	75
601	S<97>	315	418.5	16	75
602	S<98>	301	518.5	16	75
603	S<99>	287	418.5	16	75
604	S<100>	273	518.5	16	75
605	S<100>	259	418.5	16	75
606	S<101>	245	518.5	16	75
607	S<102>	231	418.5	16	75
608	S<103>	217	518.5	16	75
609	S<104>	203	418.5	16	75
610	S<105>	189	518.5	16	75
611	S<100>	175	418.5	16	75
612	S<107>	161	518.5	16	75
613	S<108>	147	418.5	16	75
614	S<109>	133	518.5	16	75
615	_		418.5	16	75
616	S<111> S<112>	119 105	518.5	16	75
617	S<112>	91	418.5	16	75
	S<114>				
618		77	518.5	16	75 75
619 620	S<115>	63 49	418.5 518.5	16	75 75
	S<116> S<117>	35	418.5	16 16	
621 622	S<117>	21	518.5	16	75 75
_					
623	S<119> S<120>	-7	418.5	16	75 75
624			518.5	16	
625	S<121>	-21	418.5	16 16	75 75
626	S<122>	-35	518.5		
627 628	S<123>	-49 -63	418.5	16 16	75 75
	S<124>	-63	518.5	16	75 75
629	S<125> S<126>	-77 -91	418.5	16	75 75
630			518.5	16 16	
631	S<127>	-105	418.5	16	75 75
632 633	S<128>	-119	518.5	16	75 75
	S<129>	-133	418.5	16 16	75 75
634	S<130>	-147 161	518.5	16	75 75
635	S<131>	-161	418.5	16	75 75
636	S<132>	-175	518.5	16	75 75
637	S<133>	-189	418.5	16	75 75
638	S<134>	-203	518.5	16	75
639	S<135>	-217	418.5	16	75
640	S<136>	-231	518.5	16	75
641	S<137>	-245	418.5	16	75
642	S<138>	-259	518.5	16	75
643	S<139>	-273	418.5	16	75

#	Dod	V	Υ	W	ш
	Pad	X			H 7.5
644	S<140>	-287	518.5	16	75
645	S<141>	-301	418.5	16	75
646	S<142>	-315	518.5	16	75
647	S<143>	-329	418.5	16	75
648	S<144>	-343	518.5	16	75
649	S<145>	-357	418.5	16	75
650	S<146>	-371	518.5	16	75
651	S<147>	-385	418.5	16	75
652	S<148>	-399	518.5	16	75
653	S<149>	-413	418.5	16	75
654	S<150>	-427	518.5	16	75
655	S<151>	-441	418.5	16	75
656	S<152>	-455	518.5	16	75
657	S<153>	-469	418.5	16	75
658	S<154>	-483	518.5	16	75
659	S<155>	-497	418.5	16	75
660	S<156>	-511	518.5	16	75
661	S<157>	-525	418.5	16	75
662	S<157>	-539	518.5	16	75
663	S<150>	-553	418.5	16	75
				16	75
664	S<160>	-567	518.5		
665	S<161>	-581	418.5	16	75 75
666	S<162>	-595	518.5	16	75
667	S<163>	-609	418.5	16	75
668	S<164>	-623	518.5	16	75
669	S<165>	-637	418.5	16	75
670	S<166>	-651	518.5	16	75
671	S<167>	-665	418.5	16	75
672	S<168>	-679	518.5	16	75
673	S<169>	-693	418.5	16	75
674	S<170>	-707	518.5	16	75
675	S<171>	-721	418.5	16	75
676	S<172>	-735	518.5	16	75
677	S<173>	-749	418.5	16	75
678	S<174>	-763	518.5	16	75
679	S<175>	-777	418.5	16	75
680	S<176>	-791	518.5	16	75
681	S<177>	-805	418.5	16	75
682	S<178>	-819	518.5	16	75
683	S<179>	-833	418.5	16	75
684	S<180>	-847	518.5	16	75
685	S<181>	-861	418.5	16	75
686	S<182>	-875	518.5	16	75
687	S<183>			16	75
	_	-889	418.5		
688	S<184>	-903	518.5	16	75
689	S<185>	-917	418.5	16	75 75
690	S<186>	-931	518.5	16	75 75
691	S<187>	-945	418.5	16	75
692	S<188>	-959	518.5	16	75
693	S<189>	-973	418.5	16	75
694	S<190>	-987	518.5	16	75
695	S<191>	-1001	418.5	16	75
696	S<192>	-1015	518.5	16	75
697	S<193>	-1029	418.5	16	75
698	S<194>	-1043	518.5	16	75
699	S<195>	-1057	418.5	16	75
700	S<196>	-1071	518.5	16	75
701	S<197>	-1085	418.5	16	75
702	S<198>	-1099	518.5	16	75



#	Pad	Х	Υ	W	Н
703	S<199>	-1113	418.5	16	75
704	S<200>	-1127	518.5	16	75
705	S<201>	-1141	418.5	16	75
706	S<202>	-1155	518.5	16	75
707	S<203>	-1169	418.5	16	75
708	S<204>	-1183	518.5	16	75
709	S<205>	-1197	418.5	16	75
710	S<206>	-1211	518.5	16	75
711	S<207>	-1225	418.5	16	75
712	S<208>	-1239	518.5	16	75
713	S<209>	-1253	418.5	16	75
714	S<210>	-1267	518.5	16	75
715	S<211>	-1281	418.5	16	75
716	S<211>	-1295	518.5	16	75
717	S<212>	-1309	418.5	16	75
718	S<214>	-1323	518.5	16	75 75
719	S<215>	-1337	418.5	16	75
720	S<216>	-1351	518.5	16	75 75
721 722	S<217> S<218>	-1365 1370	418.5 518.5	16	75 75
		-1379		16	
723	S<219>	-1393	418.5	16	75
724	S<220>	-1407	518.5	16	75
725	S<221>	-1421	418.5	16	75
726	S<222>	-1435	518.5	16	75
727	S<223>	-1449	418.5	16	75
728	S<224>	-1463	518.5	16	75
729	S<225>	-1477	418.5	16	75
730	S<226>	-1491	518.5	16	75
731	S<227>	-1505	418.5	16	75
732	S<228>	-1519	518.5	16	75
733	S<229>	-1533	418.5	16	75
734	S<230>	-1547	518.5	16	75
735	S<231>	-1561	418.5	16	75
736	S<232>	-1575	518.5	16	75
737	S<233>	-1589	418.5	16	75
738	S<234>	-1603	518.5	16	75
739	S<235>	-1617	418.5	16	75
740	S<236>	-1631	518.5	16	75
741	S<237>	-1645	418.5	16	75
742	S<238>	-1659	518.5	16	75
743	S<239>	-1673	418.5	16	75
744	VBD<1>	-1687	518.5	16	75
745	NC	-1701	418.5	16	75
746	NC	-1715	518.5	16	75
747	NC	-1729	418.5	16	75
748	NC	-1827	518.5	16	75
749	GD<3>	-1841	418.5	16	75
750	G<511>	-1855	518.5	16	75
751	G<509>	-1869	418.5	16	75
752	G<507>	-1883	518.5	16	75
753	G<505>	-1897	418.5	16	75
754	G<503>	-1911	518.5	16	75
755	G<501>	-1925	418.5	16	75
756	G<499>	-1939	518.5	16	75
757	G<497>	-1953	418.5	16	75
758	G<495>	-1967	518.5	16	75
759	G<493>	-1981	418.5	16	75
760	G<491>	-1995	518.5	16	75
761	G<489>	-2009	418.5	16	75

#         Fadu         A         T         W         R           762         G<487>         -2023         518.5         16         75           763         G<485>         -2037         418.5         16         75           764         G<483>         -2055         518.5         16         75           765         G<481>         -2065         418.5         16         75           766         G<477>         -2093         418.5         16         75           767         G<477>         -2203         418.5         16         75           768         G<477>         -2107         518.5         16         75           769         G<473         -2135         518.5         16         75           770         G<471         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           771         G<4669         -2149         418.5         16         75           772         G<465         -2217         418.5         16         75           775         G<465         -2219         518.5	#	Dod	V	Υ	W	ш
763         G<485>         -2037         418.5         16         75           764         G<483>         -2051         518.5         16         75           765         G<481>         -2065         418.5         16         75           766         G<477>         -2093         418.5         16         75           767         G<477>         -2093         418.5         16         75           768         G<475>         -2107         518.5         16         75           769         G<477>         -2135         518.5         16         75           770         G<467>         -2163         518.5         16         75           771         G<466>         -2149         418.5         16         75           771         G<466>         -2149         418.5         16         75           771         G<463>         -2191         518.5         16         75           773         G<463>         -2219         518.5         16         75           774         G<463>         -2219         518.5         16         75           775         G<461>         -2219         518.5		Pad	X			H 7.5
764         G<483>         -2051         518.5         16         75           765         G<481>         -2065         418.5         16         75           766         G<479>         -2079         518.5         16         75           767         G<477>         -2093         418.5         16         75           768         G<475>         -2107         518.5         16         75           769         G<473>         -2121         418.5         16         75           770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463					_	
765         G<481>         -2065         418.5         16         75           766         G<479>         -2079         518.5         16         75           767         G<477>         -2093         418.5         16         75           768         G<475>         -2107         518.5         16         75           769         G<471>         -2135         518.5         16         75           770         G<471         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           771         G<466>         -2177         418.5         16         75           773         G<465>         -2177         418.5         16         75           773         G<465>         -22191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<455>         -2217         518.5         16         75           777         G<455>         -2247         518.5         16         75           778         G<451>         -2275         518.5						
766         G<477>         -2079         518.5         16         75           767         G<477>         -2093         418.5         16         75           768         G<475>         -2107         518.5         16         75           769         G<473>         -2121         418.5         16         75           770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           773         G<463>         -2191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<459						
767         G<477>         -2093         418.5         16         75           768         G<475>         -2107         518.5         16         75           769         G<473>         -2121         418.5         16         75           770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463						
768         G<475>         -2107         518.5         16         75           769         G<473>         -2121         418.5         16         75           770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463>         -2191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<457>         -2233         418.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<445>         -2275         518.5         16         75           781         G         447         -2303						
769         G<477>         -2121         418.5         16         75           770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463>         -2191         518.5         16         75           776         G<459>         -2219         518.5         16         75           776         G<459>         -2219         518.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453						
770         G<471>         -2135         518.5         16         75           771         G<469>         -2149         418.5         16         75           772         G<4667>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<465>         -2219         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<457		G<475>		518.5	16	75
771         G<469>         -2149         418.5         16         75           772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463>         -2191         518.5         16         75           776         G<461>         -2205         418.5         16         75           776         G<457>         -2233         418.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<445>         -2289         418.5         16         75           781         G<449>         -2289         418.5         16         75           781         G<447>         -2303         518.5         16         75           782         G<447>         -2331         518.5         16         75           783         G<445>         -2331         518.5	769	G<473>	-2121	418.5	16	75
772         G<467>         -2163         518.5         16         75           773         G<465>         -2177         418.5         16         75           774         G<463>         -2191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<457>         -2233         418.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<447>         -22303         518.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<4445	770	G<471>	-2135	518.5	16	75
773         G<465>         -2177         418.5         16         75           774         G<463>         -2191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<459>         -2219         518.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           781         G<4447>         -2303         518.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<4443>         -2331         518.5         16         75           784         G<443>         -2359         518.5         16         75           785         G<441>         -2373         418		G<469>	-2149	418.5	16	75
774         G<463>         -2191         518.5         16         75           775         G<461>         -2205         418.5         16         75           776         G<459>         -2219         518.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           781         G<4449	772	G<467>		518.5	16	75
775         G<461>         -2205         418.5         16         75           776         G<459>         -2219         518.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<4449	773	G<465>	-2177	418.5	16	75
776         G<459>         -2219         518.5         16         75           777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437	774	G<463>	-2191	518.5	16	75
777         G<457>         -2233         418.5         16         75           778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<437>         -2373         418.5         16         75           786         G<437>         -2373         418.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2401         418.5         16         75           790         G<431	775	G<461>	-2205	418.5	16	75
778         G<455>         -2247         518.5         16         75           779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5	776	G<459>	-2219	518.5	16	75
779         G<453>         -2261         418.5         16         75           780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<421>         -2429         418.5         16         75           791         G<429>         -2429         418.5	777	G<457>	-2233	418.5	16	75
780         G<45 >         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           789         G<433>         -2415         518.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           793         G<425>         -2457         418.5	778	G<455>	-2247	518.5	16	75
780         G<451>         -2275         518.5         16         75           781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           786         G<437>         -2373         418.5         16         75           787         G<437>         -2387         518.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<421>         -2457         418.5	779	G<453>	-2261	418.5	16	75
781         G<449>         -2289         418.5         16         75           782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<435>         -2387         518.5         16         75           789         G<435		G<451>				
782         G<447>         -2303         518.5         16         75           783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429						
783         G<445>         -2317         418.5         16         75           784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423						
784         G<443>         -2331         518.5         16         75           785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<4225						
785         G<441>         -2345         418.5         16         75           786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2489         518.5         16         75           796         G<417>         -2513         418.5         16         75           799         G<413>         -2527         518.5						
786         G<439>         -2359         518.5         16         75           787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<417>         -2513         418.5         16         75           799         G<417>         -2527         518.5         16         75           800         G<417>         -2555         518.5						
787         G<437>         -2373         418.5         16         75           788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<417>         -2513         418.5         16         75           797         G<417>         -2527         518.5         16         75           799         G<413>         -2527         518.5         16         75           801         G<409>         -2569         418.5						
788         G<435>         -2387         518.5         16         75           789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<417>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           801         G<409>         -2583         518.5						_
789         G<433>         -2401         418.5         16         75           790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5					-	
790         G<431>         -2415         518.5         16         75           791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           795         G<419>         -2499         518.5         16         75           796         G<417>         -2513         418.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413						_
791         G<429>         -2429         418.5         16         75           792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<403>         -2611         518.5						
792         G<427>         -2443         518.5         16         75           793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           806         G<399>         -2639         518.5						
793         G<425>         -2457         418.5         16         75           794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5						
794         G<423>         -2471         518.5         16         75           795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<407>         -2583         518.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5						
795         G<421>         -2485         418.5         16         75           796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<407>         -2583         518.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           809         G<3933>         -2667         518.					_	
796         G<419>         -2499         518.5         16         75           797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5						
797         G<417>         -2513         418.5         16         75           798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<3933>         -2681         418.5         16         75           810         G<387>         -2793         518.						
798         G<415>         -2527         518.5         16         75           799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<3933>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<388>         -2709         418.						
799         G<413>         -2541         418.5         16         75           800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5						
800         G<411>         -2555         518.5         16         75           801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<388>         -2751         518.5						
801         G<409>         -2569         418.5         16         75           802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<3834>         -2751         518.						
802         G<407>         -2583         518.5         16         75           803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5						
803         G<405>         -2597         418.5         16         75           804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<377>         -2793         418.5						
804         G<403>         -2611         518.5         16         75           805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<377>         -2793         418.5         16         75           817         G<377>         -2793         418.5						
805         G<401>         -2625         418.5         16         75           806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<377>         -2793         418.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5		_				
806         G<399>         -2639         518.5         16         75           807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
807         G<397>         -2653         418.5         16         75           808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
808         G<395>         -2667         518.5         16         75           809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
809         G<393>         -2681         418.5         16         75           810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
810         G<391>         -2695         518.5         16         75           811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
811         G<389>         -2709         418.5         16         75           812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
812         G<387>         -2723         518.5         16         75           813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
813         G<385>         -2737         418.5         16         75           814         G<383>         -2751         518.5         16         75           815         G<381>         -2765         418.5         16         75           816         G<379>         -2779         518.5         16         75           817         G<377>         -2793         418.5         16         75           818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75						
814     G<383>     -2751     518.5     16     75       815     G<381>     -2765     418.5     16     75       816     G<379>     -2779     518.5     16     75       817     G<377>     -2793     418.5     16     75       818     G<375>     -2807     518.5     16     75       819     G<373>     -2821     418.5     16     75						
815     G<381>     -2765     418.5     16     75       816     G<379>     -2779     518.5     16     75       817     G<377>     -2793     418.5     16     75       818     G<375>     -2807     518.5     16     75       819     G<373>     -2821     418.5     16     75	813	G<385>				
816     G<379>     -2779     518.5     16     75       817     G<377>     -2793     418.5     16     75       818     G<375>     -2807     518.5     16     75       819     G<373>     -2821     418.5     16     75	814	G<383>	-2751	518.5	16	75
817     G<377>     -2793     418.5     16     75       818     G<375>     -2807     518.5     16     75       819     G<373>     -2821     418.5     16     75	815		-2765	418.5	16	
818         G<375>         -2807         518.5         16         75           819         G<373>         -2821         418.5         16         75	816	G<379>	-2779	518.5	16	75
819 G<373> -2821 418.5 16 75	817	G<377>	-2793	418.5	16	75
	818	G<375>	-2807	518.5	16	75
820 G<371> -2835 518.5 16 75	819	G<373>	-2821	418.5	16	75
	820	G<371>	-2835	518.5	16	75



#	Pad	Х	Υ	W	Н
821	G<369>	-2849	418.5	16	75
822	G<367>	-2863	518.5	16	75
823	G<365>	-2877	418.5	16	75
824	G<363>	-2891	518.5	16	75
825	G<361>	-2905	418.5	16	75
826	G<359>	-2919	518.5	16	75
827	G<357>	-2933	418.5	16	75
828	G<355>	-2947	518.5	16	75
829	G<353>	-2947	418.5	16	75
830	G<351>	-2975	518.5	16	75
831	G<349>	-2989	418.5	16	75
832	G<347>	-3003	518.5	16	75
833	G<345>	-3017	418.5	16	75
834	G<343>	-3017	518.5	16	75
835	G<341>	-3045	418.5	16	75
836	G<339>	-3059	518.5	16	75
837	G<337>	-3073	418.5	16	75
838	G<335>	-3087	518.5	16	75
839	G<333>	-3101	418.5	16	75
840	G<331>	-3115	518.5	16	75
841	G<329>	-3129	418.5	16	75
842	G<327>	-3143	518.5	16	75
843	G<325>	-3157	418.5	16	75
844	G<323>	-3171	518.5	16	75
845	G<321>	-3185	418.5	16	75
846	G<319>	-3199	518.5	16	75
847	G<317>	-3213	418.5	16	75
848	G<315>	-3227	518.5	16	75
849	G<313>	-3241	418.5	16	75
850	G<311>	-3255	518.5	16	75
851	G<309>	-3269	418.5	16	75
852	G<307>	-3283	518.5	16	75
853	G<305>	-3297	418.5	16	75
854	G<303>	-3311	518.5	16	75
855	G<301>	-3325	418.5	16	75
856	G<299>	-3339	518.5	16	75
857	G<297>	-3353	418.5	16	75
858	G<295>	-3367	518.5	16	75
859	G<293>	-3381	418.5	16	75
860	G<291>	-3395	518.5	16	75
861	G<289>	-3409	418.5	16	75
862	G<287>	-3423	518.5	16	75
863	G<285>	-3437	418.5	16	75
864	G<283>	-3451	518.5	16	75
865	G<281>	-3465	418.5	16	75
866	G<279>	-3479	518.5	16	75
867	G<277>	-3493	418.5	16	75
868	G<275>	-3507	518.5	16	75
869	G<273>	-3521	418.5	16	75
870	G<271>	-3535	518.5	16	75
871	G<269>	-3549	418.5	16	75
872	G<267>	-3563	518.5	16	75
873	G<265>	-3577	418.5	16	75
874	G<263>	-3591	518.5	16	75
875	G<261>	-3605	418.5	16	75
876	G<259>	-3619	518.5	16	75
877	G<257>	-3633	418.5	16	75
878	G<255>	-3647	518.5	16	75
879	G<253>	-3661	418.5	16	75
018	G-200/	-5001	710.0	10	73

#	Pad	Х	Υ	W	Н
880	G<251>	-3675	518.5	16	75
881	G<249>	-3689	418.5	16	75
882	G<247>	-3703	518.5	16	75
883	G<245>	-3717	418.5	16	75
884	G<243>	-3731	518.5	16	75
885	G<241>	-3745	418.5	16	75
886	G<239>	-3759	518.5	16	75
887	G<237>	-3773	418.5	16	75
888	G<235>	-3787	518.5	16	75
889	G<233>	-3801	418.5	16	75
890	G<231>	-3815	518.5	16	75
891	G<229>	-3829	418.5	16	75
892	G<227>	-3843	518.5	16	75
893	G<225>	-3857	418.5	16	75
894	G<223>	-3871	518.5	16	75
895	G<221>	-3885	418.5	16	75
896	G<219>	-3899	518.5	16	75
897	G<217>	-3913	418.5	16	75
898	G<215>	-3927	518.5	16	75
899	G<213>	-3941	418.5	16	75
900	G<211>	-3955	518.5	16	75
901	G<209>	-3969	418.5	16	75
902	G<207>	-3983	518.5	16	75
903	G<205>	-3997	418.5	16	75
904	G<203>	-4011	518.5	16	75
905	G<201>	-4025	418.5	16	75
906	G<199>	-4039	518.5	16	75
907	G<197>	-4053	418.5	16	75
908	G<195>	-4067	518.5	16	75
909	G<193>	-4081	418.5	16	75
910	G<191>	-4095	518.5	16	75
911	G<189>	-4109	418.5	16	75
912	G<187>	-4123	518.5	16	75
913	G<185>	-4137	418.5	16	75
914	G<183>	-4151	518.5	16	75
915	G<181>	-4165	418.5	16	75
916	G<179>	-4179	518.5	16	75
917	G<177>	-4193	418.5	16	75
918	G<175>	-4207	518.5	16	75
919	G<173>	-4221	418.5	16	75
920	G<171>	-4235	518.5	16	75
921	G<169>	-4249	418.5	16	75
922	G<167>	-4263	518.5	16	75
923	G<165>	-4277	418.5	16	75
924	G<163>	-4291	518.5	16	75
925	G<161>	-4305	418.5	16	75
926	G<159>	-4319	518.5	16	75
927	G<157>	-4333	418.5	16	75
928	G<155>	-4347	518.5	16	75
929	G<153>	-4361	418.5	16	75
930	G<151>	-4375	518.5	16	75
931	G<149>	-4389	418.5	16	75
932	G<147>	-4403	518.5	16	75
933	G<145>	-4417	418.5	16	75
934	G<143>	-4431	518.5	16	75
935	G<141>	-4445	418.5	16	75
936	G<139>	-4459	518.5	16	75
937	G<137>	-4473	418.5	16	75
938	G<135>	-4487	518.5	16	75




#	Pad	Х	Υ	W	Н
939	G<133>	-4501	418.5	16	75
940	G<131>	-4515	518.5	16	75
941	G<129>	-4529	418.5	16	75
942	G<127>	-4543	518.5	16	75
943	G<125>	-4557	418.5	16	75
944	G<123>	-4571	518.5	16	75
945	G<121>	-4585	418.5	16	75
946	G<119>	-4599	518.5	16	75
947	G<117>	-4613	418.5	16	75
948	G<115>	-4627	518.5	16	75
949	G<113>	-4641	418.5	16	75
950	G<111>	-4655	518.5	16	75
951	G<109>	-4669	418.5	16	75
952	G<107>	-4683	518.5	16	75
953	G<105>	-4697	418.5	16	75
954	G<103>	-4711	518.5	16	75
955	G<101>	-4725	418.5	16	75
956	G<99>	-4739	518.5	16	75
957	G<97>	-4753	418.5	16	75
958	G<95>	-4767	518.5	16	75
959	G<93>	-4781	418.5	16	75
960	G<91>	-4795	518.5	16	75
961	G<89>	-4809	418.5	16	75
962	G<87>	-4823	518.5	16	75
963	G<85>	-4837	418.5	16	75
964	G<83>	-4851	518.5	16	75
965	G<81>	-4865	418.5	16	75
966	G<79>	-4879	518.5	16	75
967	G<77>	-4893	418.5	16	75
968	G<75>	-4907	518.5	16	75
969	G<73>	-4921	418.5	16	75
970	G<71>	-4935	518.5	16	75
971	G<69>	-4949	418.5	16	75
972	G<67>	-4963	518.5	16	75
973	G<65>	-4977	418.5	16	75
974	G<63>	-4991	518.5	16	75

#	Pad	Х	Υ	W	Н
975	G<61>	-5005	418.5	16	75
976	G<59>	-5019	518.5	16	75
977	G<57>	-5033	418.5	16	75
978	G<55>	-5047	518.5	16	75
979	G<53>	-5061	418.5	16	75
980	G<51>	-5075	518.5	16	75
981	G<49>	-5089	418.5	16	75
982	G<47>	-5103	518.5	16	75
983	G<45>	-5117	418.5	16	75
984	G<43>	-5131	518.5	16	75
985	G<41>	-5145	418.5	16	75
986	G<39>	-5159	518.5	16	75
987	G<37>	-5173	418.5	16	75
988	G<35>	-5187	518.5	16	75
989	G<33>	-5201	418.5	16	75
990	G<31>	-5215	518.5	16	75
991	G<29>	-5229	418.5	16	75
992	G<27>	-5243	518.5	16	75
993	G<25>	-5257	418.5	16	75
994	G<23>	-5271	518.5	16	75
995	G<21>	-5285	418.5	16	75
996	G<19>	-5299	518.5	16	75
997	G<17>	-5313	418.5	16	75
998	G<15>	-5327	518.5	16	75
999	G<13>	-5341	418.5	16	75
1000	G<11>	-5355	518.5	16	75
1001	G<9>	-5369	418.5	16	75
1002	G<7>	-5383	518.5	16	75
1003	G<5>	-5397	418.5	16	75
1004	G<3>	-5411	518.5	16	75
1005	G<1>	-5425	418.5	16	75
1006	GD<1>	-5439	518.5	16	75
1007	NC	-5453	418.5	16	75



## **Output Pad Location**









## **TRAY INFORMATION**

