

A Mini Project Report
On
Flavour Finder : Restaurant Ratings & Reviews



Submitted By

Ms.Katuri Kesa Sri Lakshmi	23B95A4707
Mr. Gandiboina Yashwanth	22B91A4719
Mr. Bonala Praveen Raj Mohan	22B91A4708
Mr.Penna Chirudeep	22B91A4738

**DEPARTMENT OF COMPUTER SCIENCE ENGINEERING
S. R. K. R ENGINEERING COLLEGE (A)
(Affiliated to JNTU, KAKINADA) BHIMAVARAM-
534204
(2024-2025)**

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

S. R. K. R ENGINEERING COLLEGE BHIMAVARAM



CERTIFICATE

This is to certify that this is a bonafide work on “*Flavour Finder : Restaurant Ratings&Reviews*” for and has been submitted by Ms. Katuri Kesa Sri Lakshmi (23B95A4707), Mr. Gandiboina Yashwanth (22B91A4719), Mr. Bonala Praveen Raj Mohan (22B91A4708), Mr. Penna Chirudeep(22B91A4738), as a *Web Application Development Using Full Stack* laboratory report, in partial fulfilment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering(IOT, Cyber Security including Block Chain Technology), during the academic year 2024-2025. The candidate worked right under my Supervision and guidance.

Lecturers In-Charge

K .D.V.PAVAN KUMAR VARMA

K. DURGA BHAVANI

Assistant professor,

Department of CSE,

S.R.K.R. Engineering College,

Bhimavaram.

Head of the Department

Dr. B.H.V.S.R.K.RAJU

Head of the Department,

Department of CSE,

S.R.K.R. Engineering College,

Bhimavaram.

ACKNOWLEDGEMENT

I take immense pleasure in thanking **K.V.MURALI KRISHNAM RAJU**, beloved principal of S.R.K.R Engineering College, Bhimavaram, and **Dr. B.H.V.S.R.K.RAJU**, esteemed Head of the Department (C.S.E), for having permitted me to carry out this Web Application Development Using Full Stack mini project work. I wish to express my deep sense of gratitude especially to my project Guide, **Sri. K D V PAVAN KUMAR VARMA**, Assistant Professor, **Smt. K DURGA BHAVANI**, Assistant Professor, for their guidance and useful suggestions, which helped me in completing the project work, on time. Finally, yet importantly, I would like to express my heartfelt thanks to my beloved parents, faculty, my friends/classmates for their help, and my wishes for the successful completion of this project.

Ms.Katuri Kesa Sri Lakshmi	23B95A4707
Mr. Gandiboina Yashwanth	22B91A4719
Mr. Bonala Praveen Raj Mohan	22B91A4708
Mr.Penna Chirudeep	22B91A4738

TABLE OF CONTENTS

SNO	CONTENTS	PAGE NO
1	ABSTRACT	1
2	MODULES	2
3	SOFTWARE REQUIREMENTS	3
4	HARDWARE REQUIREMENTS	3
5	TECHNICAL STACK	4
6	SAMPLE CODE	5-70
7	SCREENSHOTS	71-80

ABSTRACT

The objective of this project is to develop an interactive web application that allows users to explore and submit ratings and reviews for restaurants across various cities. Utilizing HTML, CSS, and JavaScript, the platform aims to create a user-friendly interface where visitors can search for restaurants, view detailed ratings and reviews, and contribute their own feedback. The project emphasizes dynamic content rendering, user engagement, and responsive design, ensuring an optimal experience across devices.

At the heart of the application lies a user-friendly interface that allows visitors to search for restaurants based on a variety of criteria, such as location, cuisine type, price range, and user ratings. In addition to simply browsing restaurant listings, users will be able to view detailed profiles for each establishment, including aggregated ratings, user-submitted reviews, menus, and even photos. This rich, dynamic content will be generated and displayed in real time, ensuring that users always see the latest information available.

MODULES

- Home page
- Cities pages
- Menu's Pages
- Reviews
- Restaurant pages

SOFTWARE REQUIREMENTS

1. Text Editor: Visual Studio Code, Notepad
2. Front End: HTML,CSS
3. Internet Browser: Google Chrome/Mozilla Firefox/Internet Browser.

HARDWARE REQUIREMENTS

1. Processor-Intel Core I5
2. RAM-8GB

TECHNICAL STACK

HTML (Hyper Text Markup Language) is the standard language used to create and structure content on the web. It forms the backbone of web development, defining the structure and layout of web pages. HTML uses a system of tags and attributes to organize content into elements such as headings, paragraphs, images, links, lists, and more. Each element is enclosed in angle brackets(e.g.,<h1>,<p>,<a>) that specify its type and purpose.

HTML is a simple yet powerful language that defines the content's structure without worrying about its appearance. It acts as the foundation, allowing developers to integrate styles using CSS (Cascading Style Sheets) and interactivity with JavaScript. As a result, HTML plays a crucial role in building websites, making it possible to create user-friendly and accessible content for a wide audience across various devices and platforms.

CSS (Cascading Style Sheets) is a style sheet language used to describe the presentation of a web page written in HTML. It controls the look and feel of a website by defining the styles for various HTML elements, such as colors, fonts, layouts, spacing, and animations. CSS separates content from design, allowing developers to create visually appealing web pages while keeping the HTML structure clean and focused on content. CSS uses selectors and properties to apply styles. Selectors (e.g., `class`, `#id`, or `element`) target specific HTML elements, while properties (e.g., `color`, `font-size`, `margin`) define the desired style. One of the key features of CSS is its ability to create responsive designs, adapting the layout to different screen sizes and devices using media queries. By utilizing CSS, developers can enhance the user experience, ensure visual consistency across the website, and bring the design vision to life.

JAVA SCRIPT is a versatile programming language that adds interactivity, logic, and dynamic features to web pages. Unlike HTML and CSS, which define the structure and style of a webpage, JavaScript brings it to life by enabling real-time updates, form validation, animations, and interactive content. It is a client-side language, meaning it runs directly in the user's browser, enhancing the responsiveness and user experience of the website without needing a page reload. JavaScript can manipulate HTML elements and CSS styles through the Document Object Model (DOM), allowing developers to create features like image sliders, dynamic forms, and responsive navigation menus. It supports modern development techniques like asynchronous programming with promises and fetch API for data retrieval, making it a fundamental part of building interactive, data-driven web applications. JavaScript's popularity is bolstered by extensive frameworks and libraries (e.g., React, Angular, Vue.js), making it a core technology for front-end web development.

SAMPLE CODE

1. INDEX.HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flavour Finder:Restaurant Ratings&Reviews</title>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Sofia">
<script>
function navigateToPage() { const selectElement =
document.getElementById("cities"); const selectedPage =
selectElement.value; if (selectedPage) {
window.location.href = selectedPage;
} else { alert("Please select a page to
navigate to."); }
}
</script>
<style> body
{
font-family: "Sofia", sans-serif;
background-image: url(https://static.vecteezy.com/system/resources/previews/032/492/759/large_2x/restaurant-eatery-
with-wooden-furniture-graphic-novel-anime-manga-wallpaper-free-photo.jpg);
background-repeat: no-repeat; background-size: cover; overflow-x:
hidden;
}
.logo{ display: flex; justify-content:
center; width: 100%; background-
color: rgb(236, 196, 143);
}
.logo h1{ color:
rgb(197, 29, 29); text-
align: center;
}
header{
display: flex; align-
items: center;
justify-content: space-between;
width:100%;
}
main{
height: auto;
width: 100%;
backdrop-filter: blur(1px);
margin-left: 35%; margin-
top: 0;
}
select{
height: 35px; padding-
right: 25px; margin-top:
20px;
background-color: rgb(255, 228, 192); margin-left: 20px; font-weight: bold; font-style:italic; font-size: larger; font-
family:'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif
}
button{
background-color:rgb(196,24,25);
```

```

        color:white; font-
        size: 50%; height:
        40px;
        width: 10%; font-
        size: larger;
    }
    </style>
</head>
<body >
<header>
<div class="logo">
    <h1>Flavour Finder : Restaurant Ratings&Reviews</h1>
</div>
</header>

<main>
    <label for="cities" style="text-align:center ;color: rgb(213, 206, 236);font-size: 250%">Please enter Your City:</label>
    <select id="cities" required>
        <option value="" disabled selected>Select your city</option>
        <option value="amaravathi.html">Amaravathi</option>
        <option value="bhimavaram.html">Bhimavaram</option>
        <option value="CHITOOR.html">Chitoor</option>
        <option value="CHIRALA.html">Chirala</option>
        <option value="eluru.html">Eluru</option>
        <option value="guntur.html">Guntur</option>
        <option value="HINDUPURAM.HTML">Hindhupuram</option>
        <option value="KADAPA.HTML">Kadapa</option>
        <option value="KAKINADA.HTML">Kakinada</option>
        <option value="Machilipatnam.html">Machilipatnam</option>
        <option value="ex.HTML">Nellore</option>
        <option value="Palakollu.html">Palakollu</option>
        <option value="rajamundry.html">Rajahmundry</option>
        <option value="tenali.html">Tenali</option>
        <option value="tirupathi.html">Tirupati</option>
        <option value="srikakulam.html">Srikakulam</option>
        <option value="vijayawada.html">Vijayawada</option>
        <option value="vizag.html">Vizag</option>
        <option value="yanam.html">Yanam</option>
    </select>
    <button onclick="navigateToPage()">search</button></h2> </main>
</body>
</html>

```

2. CITIES :

1. AMARAVATHI :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style> body
  {
    font-family: sans-serif; display: flex;
    flex-direction: column; align-items:
    center; background-image:
    url(background.jpeg); background-
    repeat: no-repeat; background-size:
    cover;
  } h1
  {
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
  }
  .container { display: grid; grid-template-
  columns: repeat(4, 1fr); grid-
  template-rows: repeat(3, 1fr); gap:
  10px; width: 80%; max-width:
  1200px; height: auto;
  }
  .restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-
    decoration: none;
    color: inherit;
    padding: 10px;
  }
  .restaurant-frame:hover {
    transform: scale(1.05);
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
  }
  .restaurant-frame img {
    width: 100%;
    height: 150px; object-
    fit: cover;
  }
  .restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
  }
```

```

    }
.rating { display: flex;
  justify-content:
  center; margin: 5px 0;
}
.star { color:rgb(209, 67,
  27); margin: 0 1px;
}
.reviews { font-
  size: 0.9rem;
  color: #555;
}
</style>
</head>
<body>
<h1>RESTAURANTS IN AMARAVATHI</h1>
<div class="container">
<a href="MENU2.HTML" class="restaurant-frame">

<h2>BHEEMASENA FAMILY RESTUARANT</h2>
<div class="rating">
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>NELLORE RUCHULU</h2>
<div class="rating">
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>V SQUARE RESTAURANT</h2>
<div class="rating">
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

```

```


<h2>NEW EAGLE RESTAURANT</h2>
<div class="rating">
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">★</span>
  <span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
  
  <h2>CRAZY PURE VEGETARIAN RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
  </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
  
  <h2>HOSANNA SWAGATH RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
  </div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
  
  <h2>KING'S CUISINE RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
  </div>
</a>
<a href="MENU.html" class="restaurant-frame">
  
  <h2>KOC FAMILY RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>

```

```

<span class="star">★</span>
</div>
</a>
</div>
</body>
</html>

2. BHIMAVARAM :
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body
    {
        font-family: sans-serif; display: flex;
        flex-direction: column; align-items:
        center; background-image:
        url(background.jpeg); background-
        repeat: no-repeat; background-size:
        cover;
    } h1
    {
        font-size: 2rem; color: rgba(244, 143, 165,
        0.995); text-shadow: 2px 2px 4px rgba(0,
        0, 0, 0.5); margin-top: 20px; font-style:
        italic; font-family: sans-serif;
    }
    .container {
        display: grid;
        grid-template-columns: repeat(4, 1fr);
        grid-template-rows: repeat(3, 1fr);
        gap: 10px; width: 80%; max-width:
        1200px; height: auto;
    }
    .restaurant-frame { display:
        flex; flex-direction: column;
        align-items: center; text-
        align: center; border: 2px
        solid #0f0707; border-
        radius: 5px; overflow:
        hidden; background-color:
        #eadada; transition:
        transform 0.2s; text-
        decoration: none;
        color: inherit;
        padding: 10px;
    }
    .restaurant-frame:hover {
        transform: scale(1.05);
        box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
    }
    .restaurant-frame img {
        width: 100%; height:

```

```

    150px;    object-fit:
    cover;
}
.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
}
.rating { display: flex;
    justify-content:
    center; margin: 5px 0;
}
.star { color:rgb(209, 67,
    27); margin: 0 1px;
}
.reviews { font-
    size: 0.9rem;
    color: #555;
}
</style>
</head>
<body>
<h1>RESTAURANTS IN BHIMAVARAM</h1>
<div class="container">
<a href="MENU.html" class="restaurant-frame">
    
        <h2>SUPRABATH FAMILY RESTUARENT</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
    </a>
<a href="MENU4.HTML" class="restaurant-frame">
    
        <h2>CHANDRIKA GRAND</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
    </a>
<a href="MENU3.HTML" class="restaurant-frame">
    
        <h2>AJANTHA GUMAGUMALU</h2>

```

```

<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
    <span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
    
    <h2>SRI ABHIRUCHI RESTUARENT</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">☆</span>
    </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
    
    <h2>NAIDU GARI KUNDA BRIYANI</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
    
    <h2>SPICY VENUE</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">☆</span>
    </div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
    
    <h2>MV ROYAL SPICY</h2>
    <div class="rating">

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span><!DOCTYPE html>
</div>
</a>
</body>
</html>

3. CHIRALA :
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body { font-family:
        sans-serif; display: flex;
        flex-direction: column;
        align-items: center;
        background-image: url(background.jpeg);
        background-repeat: no-repeat; background-
        size: cover;
    } h1 { font-size:
        2rem;
        color: rgba(244, 143, 165, 0.995); text-
        shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
        margin-top: 20px; font-style: italic; font-
        family: sans-serif;
    }
    .container { display: grid; grid-
        template-columns: repeat(4, 1fr);
        grid-template-rows: repeat(3, 1fr);
        gap: 10px; width: 80%; max-width:
        1200px; height: auto;
    }
    .restaurant-frame {
        display: flex; flex-
        direction: column;
        align-items: center;
        text-align: center;
        border: 2px solid
        #0f0707; border-
        radius: 5px; overflow:
        hidden; background-
        color: #eadada;
        transition: transform
        0.2s; text-decoration:
        none;
        color: inherit;
        padding: 10px;
    }
    .restaurant-frame:hover {
        transform: scale(1.05);
        box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
    }

```

```

.restaurant-frame img {
  width: 100%; height:
  150px;    object-fit:
  cover;
}
.restaurant-frame h2 {
  font-size: 1.2rem;
  color: #930404;
  margin: 10px 0;
}
.rating { display: flex;
  justify-content:
  center; margin: 5px 0;
}
.star { color:rgb(209, 67,
  27); margin: 0 1px;
}
.reviews { font-
  size: 0.9rem;
  color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN CHIRALA</h1>

<div class="container">

<h2>AMOGHA FAMILY RESTAURANT</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>MISSAMMA FAMILY RESTAURANT</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>Mr.MOGILI</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>BIRYANI DARBAR</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>NAWAB KITCHEN</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>FAMILY & FRIENDS RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>BUJJI BIRYANI RESTUARENT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
  
    <h2>ATHIDHI GRAND FAMILY RESTUARENT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
</div>
</body> </html>

```

4. CHITOOR :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style> body { font-family:
    sans-serif; display: flex;
    flex-direction: column;
    align-items: center;
    background-image: url(background.jpeg);
    background-repeat: no-repeat; background-
    size: cover;
  } h1 { font-size:
    2rem;
    color: rgba(244, 143, 165, 0.995);
    text-shadow: 2px 2px 4px rgba(0, 0, 0,
    0.5); margin-top: 20px; font-style: italic;
    font-family: sans-serif;
  }
  .container { display: grid; grid-template-
    columns: repeat(4, 1fr); grid-
    template-rows: repeat(3, 1fr); gap:
    10px; width: 80%; max-width:
    1200px; height: auto;
  }
  .restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-

```

```

decoration: none; color:
inherit; padding: 10px;
}
.restaurant-frame:hover { transform:
scale(1.05); box-shadow: 0 4px 10px
rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 {
font-size: 1.2rem;
color: #930404;
margin: 10px 0;
}
.rating { display: flex;
justify-content:
center; margin: 5px 0;
}
.star { color:rgb(209, 67,
27); margin: 0 1px;
}
.reviews { font-
size: 0.9rem;
color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN CHITOOR</h1>

<div class="container">

<h2>90'S CAFE</h2>

<div class="rating">

★

★

★

★

☆

</div>

<h2>369 FAMILY RESTAURANT</h2>

<div class="rating">

★

★

★

★

★

</div>

```

</a>
<a href="MENU2.HTML" class="restaurant-frame">
  
  <h2>SFC RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
  </div>
</a>
<a href="MENU.html" class="restaurant-frame">
  
  <h2>F' DINE RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
  </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
  
  <h2>FARSI FLAVOUR-THE PERSIAN CUISINE</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
  </div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
  
  <h2>MOM'S KITCHEN MINI RESTAURANT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
  </div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
  
  <h2>SASHA'S ZOOP CAFE</h2>
  <div class="rating">
    <span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">
  
  <h2>TRINI RESTUARENT</h2>
  <div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
  </div>
</a>
</div>
</body>
</html>

```

5. ELURU:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style> body { font-family:
    sans-serif; display: flex;
    flex-direction: column;
    align-items: center;
    background-image:
    url(background.jpeg);
    background-repeat: no-
    repeat; background-size:
    cover;
  } h1
  {
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
  }
  .container { display: grid; grid-template-
    columns: repeat(4, 1fr); grid-
    template-rows: repeat(3, 1fr); gap:
    10px; width: 80%; max-width:
    1200px; height: auto;
  }
  .restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-

```

```

radius: 5px; overflow:
hidden; background-color:
#eadada; transition:
transform 0.2s; text-
decoration: none;
color: inherit;
padding: 10px;
}
.restaurant-frame:hover {
    transform:
scale(1.05); box-shadow: 0 4px 10px
rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
    width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
}
.rating { display: flex;
justify-content:
center; margin: 5px 0;
}
.star { color:rgb(209, 67,
27); margin: 0 1px;
}
.reviews { font-
size: 0.9rem;
color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN ELURU</h1>

<div class="container">

 <h2>THE GRILL
THEORY</h2>

<div class="rating">

★
★
★
★
★

</div>

<h2>D COUNTRY RESTAURANT</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>MANA VOORI PULAO</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>HOTEL GREEN ZONE</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>PARADISE BIRYANI</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>PAKKA LOCAL RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>

```

```

</a>
<a href="MENU3.HTML" class="restaurant-frame">
  
    <h2>AKARSH PRIDE</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
  
    <h2>LITTLE CHEIF</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
</a>
</div>
</body></html>

```

6. GUNTUR :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style> body
  {
    font-family: sans-serif; display: flex;
    flex-direction: column; align-items:
    center; background-image:
    url(background.jpeg); background-
    repeat: no-repeat; background-size:
    cover;
  } h1
  {
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
  }
  .container { display: grid; grid-template-
  columns: repeat(4, 1fr); grid-
  template-rows: repeat(3, 1fr); gap:
  10px; width: 80%; max-width:
  1200px; height: auto;

```

```

}
.restaurant-frame { display:
  flex; flex-direction: column;
  align-items: center; text-
  align: center; border: 2px
  solid #0f0707; border-
  radius: 5px; overflow:
  hidden; background-color:
  #eadada; transition:
  transform 0.2s; text-
  decoration: none;
  color: inherit;
  padding: 10px;
}
.restaurant-frame:hover {
  transform: scale(1.05);
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
  width: 100%;
  height: 150px;
  object-fit:
  cover;
}
.restaurant-frame h2 {
  font-size: 1.2rem;
  color: #930404;
  margin: 10px 0;
}
.rating { display: flex;
  justify-content:
  center; margin: 5px 0;
}
.star { color:rgb(209, 67,
  27); margin: 0 1px;
}
.reviews { font-
  size: 0.9rem;
  color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN GUNTUR</h1>

<div class="container">

 <h2>Al BARAKA DINE-
IN MULTICUISINE RESTAURANT</h2>

<div class="rating">

★
★
★
★
★

```

    </div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
    
        <h2>VENKATESH RESTAURANT</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
        </div>
    </a>
<a href="MENU2.HTML" class="restaurant-frame">
    
        <h2>GINGER N GRALIC FAMILY RESTAURANT</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
        </div>
    </a>
<a href="MENU.html" class="restaurant-frame">
    
        <h2>AROMA RAIL COACH RESTAURANT</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
        </div>
    </a>
<a href="MENU3.HTML" class="restaurant-frame">
    
        <h2>AL AJAIB RESTAURANT</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
        </div>
    </a>
<a href="MENU3.HTML" class="restaurant-frame">
    
        <h2>SKAYS RESTAURANT</h2>
        <div class="rating">

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>FOOD CAPITAL FAMILY RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>SAMPRADAYA MULTICUISINE RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
</div>
</body>
</html>

```

7. HINDUPURAM :

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flavour Finder : Restaurant Ratings & Reviews</title>
<style> body { font-family:
    sans-serif; display: flex;
    flex-direction: column;
    align-items: center;
    background-image: url(background.jpeg);
    background-repeat: no-repeat; background-
    size: cover;
}
.container { display: grid; grid-
    template-columns: repeat(4, 1fr);
    grid-template-rows: repeat(3, 1fr);

```

```

gap: 10px; width: 80%; max-width:
1200px; height: auto;
}
.restaurant-frame { display:
flex; flex-direction: column;
align-items: center; text-
align: center; border: 2px
solid #0f0707; border-
radius: 5px; overflow:
hidden; background-color:
#eadada; transition:
transform 0.2s; text-
decoration: none;
color: inherit;
padding: 10px;
}
.restaurant-frame:hover {
 transform: scale(1.05);
 box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
 width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 {
 font-size: 1.2rem;
 color: #930404;
 margin: 10px 0;
}
.rating { display: flex;
 justify-content:
center; margin: 5px 0;
}
.star { color:rgb(209, 67,
27); margin: 0 1px;
}
.reviews { font-
size: 0.9rem;
color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN HINDUPURAM</h1>

<div class="container">

 <h2>Al BARAKA DINE-
IN MULTICUISINE RESTAURANT</h2>

<div class="rating">

★

★

★

★

```

<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>ROYAL TREAT A CLOUD KITCHEN</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>AHRAFI AE CHICKEN KABAB CENTER</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>Mr.EGG (HEALTHY & TASTY)</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>BOMBAYS CHATS</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

```

```


<h2>BIRYANI EXPRESS</h2>
<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
    
    <h2>PVS FAMILY RESTUARANT</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
</a>
<a href="MENU.html" class="restaurant-frame">
    
    <h2>NARSING CHOWHAN FOODIES</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
</a>
</div>
</body>
</html>

```

8. KADAPA :

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body { font-family: sans-serif; display: flex; flex-direction: column; align-items: center; background-image: url(background.jpeg); background-repeat: no-repeat; background-size: cover; }

```

```

} h1 { font-size:
2rem;
color: rgba(244, 143, 165, 0.995); text-
shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
margin-top: 20px; font-style: italic; font-
family: sans-serif;
}
.container {
display: grid;
grid-template-columns: repeat(4, 1fr);
grid-template-rows: repeat(3, 1fr);
gap: 10px; width: 80%; max-width:
1200px; height: auto;
}
.restaurant-frame { display:
flex; flex-direction: column;
align-items: center; text-
align: center; border: 2px
solid #0f0707; border-
radius: 5px; overflow:
hidden; background-color:
#eadada; transition:
transform 0.2s; text-
decoration: none;
color: inherit;
padding: 10px;
}
.restaurant-frame:hover {
transform: scale(1.05);
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 {
font-size: 1.2rem;
color: #930404;
margin: 10px 0;
}
.rating { display: flex;
justify-content:
center; margin: 5px 0;
}
.star { color:rgb(209, 67,
27); margin: 0 1px;
}
.reviews { font-
size: 0.9rem;
color: #555;
}
</style>
</head>
<body>
<h1>RESTAURANTS IN KADAPA</h1>

```

```

<div class="container">
<a href="MENU.html" class="restaurant-frame">

<h2>A2 RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>VIJAYA'S YUMMY FOOD</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>SIDDU'S FAMILY RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>FAMILY GARDEN RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>THE KING FAMILY AC RESTAURANT</h2>

```

```

<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
    
    <h2>TAAZA RUCHI RESTAURANT</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">☆</span>
    </div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">
    
    <h2>FIVE STAR CHICKEN RESTUARANT</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">☆</span>
    </div>
</a>
<a href="MENU.html" class="restaurant-frame">
    
    <h2>SATHEESH HOTEL</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">☆</span>
    </div>
    </a>
</div>
</body>
</html>

```

9. KAKINADA :

```

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style>
    body {
      font-family: sans-serif;
      display: flex;
      flex-direction: column;
      align-items: center;
      background-image: url(background.jpeg);
      background-repeat: no-repeat;
      background-size: cover;
    }

    h1 {
      font-size: 2rem;
      color: rgba(244, 143, 165, 0.995);
      text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
      margin-top: 20px;
      font-style: italic;
      font-family: sans-serif;
    }

    .container {
      display: grid;
      grid-template-columns: repeat(4, 1fr);
      grid-template-rows: repeat(3, 1fr);
      gap: 10px;
      width: 80%;
      max-width: 1200px;
      height: auto;
    }

    .restaurant-frame {
      display: flex;
      flex-direction: column;
      align-items: center;
      text-align: center;
      border: 2px solid #0f0707;
      border-radius: 5px;
      overflow: hidden;
      background-color: #eadada;
      transition: transform 0.2s;
      text-decoration: none;
      color: inherit;
      padding: 10px;
    }

    .restaurant-frame:hover {
      transform: scale(1.05);
      box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
    }

    .restaurant-frame img {
      width: 100%;
      height: 150px;
      object-fit: cover;
    }

    .restaurant-frame h2 {
      font-size: 1.2rem;
      color: #930404;
      margin: 10px 0;
    }

    .rating {
      display: flex;
      justify-content: center;
      margin: 5px 0;
    }

    .star {
      color: rgb(209, 67, 27);
      margin: 0 1px;
    }
  </style>

```

```

}
.reviews { font-
  size: 0.9rem;
  color: #555;
}

```

</style>

</head>

<body>

<h1>RESTAURANTS IN KAKINADA</h1>

<div class="container">

<h2>KAKINADA KODI PULAO</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>WORLD OF TORTILLAS</h2>

<div class="rating">

★

★

★

★

☆

</div>

<h2>REEVES ROYALE RESTUARANT</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>GRAND 72 RESTAURANT</h2>

<div class="rating">

★

★

★

★

```

<span class="star">★</span>
</div>
<div class="reviews">"Great value for money!"</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>MEnU PURE VEG RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>URBAN KITCHEN</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>AMBICA AQUARIUM RESTUARANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>RAINBOW MULTI-CUISINE RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
</div>
</body>
</html>

```

10. MACHILIPATNAM :

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flavour Finder : Restaurant Ratings & Reviews</title>
<style> body
{
    font-family: sans-serif; display: flex;
    flex-direction: column; align-items:
    center; background-image:
    url(background.jpeg); background-
    repeat: no-repeat; background-size:
    cover;
}
h1
{
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
}
.container { display: grid; grid-template-
    columns: repeat(4, 1fr); grid-
    template-rows: repeat(3, 1fr); gap:
    10px; width: 80%; max-width:
    1200px; height: auto;
}
.restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-
    decoration: none; color:
    inherit; padding: 10px;
}
.restaurant-frame:hover {
    transform: scale(1.05);
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
    width: 100%; height:
    150px; object-fit:
    cover;
}
.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
}
```

```

.rating { display: flex;
  justify-content:
  center; margin: 5px 0;
}
.star { color:rgb(209, 67,
  27); margin: 0 1px;
}
.reviews { font-
  size: 0.9rem;
  color: #555;
}
</style>
</head>
<body>
<h1>RESTAURANTS IN MACHILIPATNAM</h1>
<div class="container">
<a href="MENU.html" class="restaurant-frame">
  
    <h2>SHANMUKA BARBEQUE AND BIRYANI CENTRE</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
    </div>
  </a>
<a href="MENU2.HTML" class="restaurant-frame">
  
    <h2>RK FAMILY RESTAURANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
<a href="MENU3.HTML" class="restaurant-frame">
  
    <h2>GRILL HEAVEN RESTAURANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>

```

```

<a href="MENU4.HTML" class="restaurant-frame">
  
    <h2>FISH ANDHRA RESTAURANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
<a href="MENU3.HTML" class="restaurant-frame">
  
    <h2>HAPPIE BAY RESTAURANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
<a href="MENU.html" class="restaurant-frame">
  
    <h2>MANGAPATHI BIRYANI RESTAURANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
<a href="MENU2.HTML" class="restaurant-frame">
  
    <h2>VVS GRAND FUSION RESTUARANT</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
    </div>
  </a>
<a href="MENU4.HTML" class="restaurant-frame">
  
    <h2>SSB BIRYANI RESTUARANT</h2>
    <div class="rating">
      <span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
</div>
</body>
</html>

11. PALAKOLLU :
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style>
body{
    background-image: url(background.jpeg);
} body {
    font-family: sans-serif; display:
    flex; flex-direction: column; align-
    items: center; background-repeat:
    no-repeat; background-size: cover;
    background-position: center
    center; height: 100vh; margin: 0;
    position: relative;
} body::before {
    content: ""; position:
    absolute; top: 0; left:
    0; right: 0; bottom:
    0;
    background: rgba(0, 0, 0,
    0.5); z-index: -1; } h1 {
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
}
.container {
    display: grid;
    grid-template-columns: repeat(4, 1fr); grid-template-rows:
    repeat(3, 1fr); gap: 10px; width: 80%; max-width: 1200px;
    margin-top: 30px; height: auto;
}
.restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-

```

```

decoration: none; color:
inherit; padding: 10px;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover { transform:
scale(1.05); box-shadow: 0 4px 10px
rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 { font-size:
1.2rem; color: #930404;
margin: 10px 0; background-
color: transparent;
}
.rating { display: flex;
justify-content:
center; margin: 5px 0;
}
.star { color: rgb(209, 67,
27); margin: 0 1px; }
footer {
text-align: center;
padding: 20px;
background-color:
#333; color: #4793b1;
width: 100%; position:
fixed; bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Palakkad</h1>

<div class="container">

<h2>Aparna's Kitchen</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>JP Family Restaurant a/c</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>

</a>
<a href="MENU.html" class="restaurant-frame">
  
    <h2>Vasundhara Family Restaurant</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
    </a>
<a href="MENU4.HTML" class="restaurant-frame">
  
    <h2>Vaibhav Multicuisine Restaurant Palakkad</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
    </a>
<a href="MENU3.HTML" class="restaurant-frame">
  
    <h2>lakshmi Gayatri restaurant</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
    </a>
<a href="MENU.html" class="restaurant-frame">
  
    <h2>SHARAVANAA's DELIGHT the family kitchen</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
</div>
</body>
</html>

```

12. RAJAHMUNDRY :

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body{ background-image:
url(background.jpeg);
} body { font-family: sans-serif; display:
flex; flex-direction: column; align-
items: center; background-repeat: no-
repeat; background-size: cover;
background-position: center center;
height: 100vh; margin: 0; position:
relative;
body::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background
    d: rgba(0,
0, 0, 0.5);
    z-index: -1;
} h1 {
    font-size: 2rem; color: #e2ed63c3; text-
shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
margin-top: 20px; font-style: italic; font-
family: sans-serif;
}
.container { display: grid; grid-template-
columns: repeat(4, 1fr); grid-
template-rows: repeat(3, 1fr); gap:
10px; width: 80%; max-width:
1200px; margin-top: 30px; height:
auto;
}
.restaurant-frame {
    display: flex; flex-direction:
column; align-items: center;
text-align: center; border:
2px solid #0f0707; border-
radius: 5px; overflow:
hidden; background-color:

```

```

#eadada;      transition:
transform    0.2s;    text-
decoration: none;
color: inherit;
padding: 10px;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover {   transform:
scale(1.05); box-shadow: 0 4px 10px
rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 { font-size:
1.2rem; color: #930404;
margin: 10px 0; background-
color: transparent;
}
.rating { display: flex;
justify-content:
center; margin: 5px 0;
}
.star { color: rgb(209, 67,
27); margin: 0 1px;
}
footer { text-align:
center; padding: 20px;
background-color: #333;
color: #4793b1; width:
100%; position: fixed;
bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Rajahmundry</h1>

<div class="container">

<h2>Naidu Gari Kunda Biryani - Rajahmundry</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>Food Garden</h2>

```

<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
    <img alt="https://lh3.googleusercontent.com/p/AF1QipMk00RXg6nyK3bclp8utusWjt5ooZKwGjzBQtsf=s1360-w1360-h1020" data-bbox="85 235 925 265">
    >
        <h2>Varalakshmi Family Restaurant</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
    </a>
    <a href="MENU.html" class="restaurant-frame">
        <img alt="https://lh3.googleusercontent.com/p/AF1QipPFFRPTDQ9Hcr4oIT5t2P76F00Kdyb19zWzHw1j=s1360-w1360-h1020" data-bbox="85 445 925 475">
        <h2>EAT N PLAY</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
    </a>
    <a href="MENU2.HTML" class="restaurant-frame">
        <img alt="https://lh3.googleusercontent.com/p/AF1QipML3t3XSfJu3KCeGlxn0HZ-nwffaCr4lldOfz0=s1360-w1360-h1020" data-bbox="85 635 925 665">
        > <h2>Flavours Restaurant by Manjeera sarovar premier</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
    </a>
    <a href="MENU3.HTML" class="restaurant-frame">
        <img alt="https://lh3.googleusercontent.com/p/AF1QipMGquCvOVmGS4Ucg-B4Esan_GqBQzK63XqxMGi=s1360-w1360-h1020" data-bbox="85 815 925 845">
        <h2>Sitara Multicuisine Restaurant</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
  
    <h2>ZaZu World of Kitchens</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
</div>
</body> </html>

```

13. SRIKAKULAM :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style>
body{
  background-image: url(background.jpeg);
} body {
  font-family: sans-serif; display:
  flex; flex-direction: column; align-
  items: center; background-repeat:
  no-repeat; background-size: cover;
  background-position: center
  center; height: 100vh; margin: 0;
  position: relative;
} body::before {
  content: ""; position:
  absolute; top: 0; left:
  0; right: 0; bottom:
  0;
  background: rgba(0, 0, 0,
  0.5); z-index: -1; } h1 {
  font-size: 2rem; color: rgba(244, 143, 165,
  0.995); text-shadow: 2px 2px 4px rgba(0,
  0, 0, 0.5); margin-top: 20px; font-style:
  italic; font-family: sans-serif;
}
.container {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  grid-template-rows: repeat(3, 1fr);
  gap: 10px; width: 80%; max-width:

```

```

1200px; margin-top: 30px; height:
auto;
}
.restaurant-frame { display:
flex; flex-direction:
column; align-items:
center; text-align: center;
border: 2px solid
#0f0707; border-radius:
5px; overflow: hidden;
background-color:
#eadada; transition:
transform 0.2s; text-
decoration: none;
color: inherit;
padding: 10px;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover {
 transform: scale(1.05);
 box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
 width: 100%; height:
150px; object-fit:
cover;
}
.restaurant-frame h2 {
 font-size: 1.2rem;
 color: #930404;
 margin: 10px 0;
 background-color: transparent;
}
.rating { display: flex;
 justify-content:
center; margin: 5px 0;
}
.star { color: rgb(209, 67,
27); margin: 0 1px;
}
footer { text-align:
center; padding: 20px;
background-color: #333;
color: #4793b1; width:
100%; position: fixed;
bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Srikakulam</h1>

<div class="container">

<h2>KUSHI RESTAURANT AND DHABA</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>Usha Kasi South Indian Kitchen TAKE AWAY</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
<h2>CELEBRATIONS FINE DINE-IN</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>The Northern Circars</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>V Grand Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>

```

```

<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
    
        <h2>Mandi Croods</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
        </a>
<a href="MENU.html" class="restaurant-frame">
    
        <h2>Jalsa Restaurant</h2>
        <div class="rating">
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">★</span>
            <span class="star">☆</span>
        </div>
        </a>
    </div>
</body>
</html>

```

14. TENALI:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body { background-image:
url(background.jpeg);
} body { font-family: sans-serif; display:
flex; flex-direction: column; align-
items: center; background-repeat: no-
repeat; background-size: cover;
background-position: center center;
height: 100vh; margin: 0; position:
relative;
} body::before {
    content: "";
    position:
absolute;
    top: 0;
    left: 0;
    right: 0;
}

```

```

bottom: 0;
background-color: rgba(0, 0, 0, 0.5);
z-index: -1;
} h1 {
font-size: 2rem; color: rgba(244, 143, 165, 0.995); text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5); margin-top: 20px; font-style: italic; font-family: sans-serif;
}
.container { display: grid; grid-template-columns: repeat(4, 1fr); grid-template-rows: repeat(3, 1fr); gap: 10px; width: 80%; max-width: 1200px; margin-top: 30px; height: auto;
}
.restaurant-frame { display: flex; flex-direction: column; align-items: center; text-align: center; border: 2px solid #0f0707; border-radius: 5px; overflow: hidden; background-color: #eadada; transition: transform 0.2s; text-decoration: none; color: inherit; padding: 10px; box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover { transform: scale(1.05); box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
width: 100%; height: 150px; object-fit: cover;
}
.restaurant-frame h2 { font-size: 1.2rem; color: #930404; margin: 10px 0; background-color: transparent;
}
/* Rating styles */
.rating {
display: flex; justify-content: center; margin: 5px 0;
}
.star { color: rgb(209, 67, 27); margin: 0 1px;
}

```

```

} footer { text-align:
center; padding: 20px;
background-color: #333;
color: #4793b1; width:
100%; position: fixed;
bottom: 0;
}
</style>
</head>
<body>
<h1>Restaurants in Tenali</h1>
<div class="container">
<a href="MENU.html" class="restaurant-frame">

<h2>Naidu Gari Kunda Biryani - Tenali</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>Goutham Grand Hotel</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>New ARAB STREET</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>JAMMUGANIS FAMILY RESTAURANT</h2>

```

```

<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
    
    <h2>Chandu's Eat Grid Multi Cuisine Family Restaurant</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
    </a>
<a href="MENU2.HTML" class="restaurant-frame">
    
    <h2>The Zaitoon family restaurant and mandi</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
    </a>
<a href="MENU4.HTML" class="restaurant-frame">
    
    <h2>@srinivasa biryanis</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
        <span class="star">★</span>
    </div>
    </a>
</div>
</body>
</html>

```

15. IJAYAWADA :

```

<!DOCTYPE html>
<html lang="en">
    <head>

```

```

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flavour Finder : Restaurant Ratings & Reviews</title>
<style> body
{
    font-family: sans-serif; display: flex;
    flex-direction: column; align-items:
    center; background-image:
    url(background.jpeg); background-
    repeat: no-repeat; background-size:
    cover;
}
h1
{
    font-size: 2rem; color: rgba(244, 143, 165,
    0.995); text-shadow: 2px 2px 4px rgba(0,
    0, 0, 0.5); margin-top: 20px; font-style:
    italic; font-family: sans-serif;
}
.container { display: grid; grid-template-
    columns: repeat(4, 1fr); grid-
    template-rows: repeat(3, 1fr); gap:
    10px; width: 80%; max-width:
    1200px; height: auto;
}
.restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-
    decoration: none;
    color: inherit;
    padding: 10px;
}
.restaurant-frame:hover {
    transform: scale(1.05);
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
    width: 100%; height:
    150px; object-fit:
    cover;
}
.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
}
.rating { display: flex;
    justify-content:
    center; margin: 5px 0;
}

```

```

.star { color:rgb(209, 67,
27); margin: 0 1px;
}
.reviews { font-
size: 0.9rem;
color: #555;
}
</style>
</head>
<body>
<h1>RESTAURANTS IN VIJAYAWADA</h1>
<div class="container">
<a href="MENU3.HTML" class="restaurant-frame">

<h2>BARBIQUE NATION</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>PLATFORM TRAIN 65 THEME RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>BARCAAS ARABIC RESTAURANT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>SLIVER DUM BIRIYANI</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>KK RESTUARENT</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>FIVE ELEMENTS</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>ASIAN FOOD BOWL</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>UNITED FOOD PALACE</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
</div>
</body>

```

```

</html>
16. VISAKHAPATNAM :
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flavour Finder : Restaurant Ratings & Reviews</title>
  <style>
body{
  background-image: url(background.jpeg);
} body {
  font-family: sans-serif; display:
  flex; flex-direction: column; align-
  items: center; background-repeat:
  no-repeat; background-size: cover;
  background-position: center
  center; height: 100vh; margin: 0;
  position: relative;
} body::before {
  content: ""; position:
  absolute; top: 0; left:
  0; right: 0; bottom:
  0;
  background: rgba(0, 0, 0,
  0.5); z-index: -1; } h1 {
  font-size: 2rem; color: rgba(244, 143, 165,
  0.995); text-shadow: 2px 2px 4px rgba(0,
  0, 0, 0.5); margin-top: 20px; font-style:
  italic; font-family: sans-serif;
}
.container {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  grid-template-rows: repeat(3,
  1fr); gap: 10px; width: 80%;
  max-width: 1200px; margin-top:
  30px; height: auto;
}
.restaurant-frame { display:
  flex; flex-direction: column;
  align-items: center; text-
  align: center; border: 2px
  solid #0f0707; border-
  radius: 5px; overflow:
  hidden; background-color:
  #eadada; transition:
  transform 0.2s; text-
  decoration: none;
  color: inherit;
  padding: 10px;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}

```

```

.restaurant-frame:hover      {      transform:
  scale(1.05); box-shadow: 0 4px 10px
  rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
  width: 100%; height:
  150px; object-fit:
  cover;
}
.restaurant-frame h2 { font-size:
  1.2rem; color: #930404;
  margin: 10px 0; background-
  color: transparent;
}
.rating { display: flex;
  justify-content:
  center; margin: 5px 0;
}
.star { color: rgb(209, 67,
27); margin: 0 1px; }
footer {
  text-align: center;
  padding: 20px;
  background-color:
  #333; color: #4793b1;
  width: 100%; position:
  fixed; bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Visakhapatnam</h1>

<div class="container">

<h2>WelcomCafe Oceanic Restaurant</h2>

<div class="rating">

★

★

★

★

★

</div>

<h2>The Food Junction</h2>

<div class="rating">

★

★

★

★

```

<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>Rasa</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>Mekong Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>Aarna Multi Cuisine Restaurant(AARNA VIZAG)</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>Dine Destiny Fine Dining Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

```

```


<h2>The Eatery</h2>
<div class="rating">
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">★</span>
    <span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">
    
    <h2>Horizon Restaurant</h2>
    <div class="rating">
        <span class="star">★</span>
        <span class="star">★</span>
        <span>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flavour Finder : Restaurant Ratings & Reviews</title>
    <style> body{ background-image:
url(background.jpeg);
} body {
    font-
    family
    : sans-
    serif;
    displa
    y:
    flex;
    flex-
    directi
    on:
    colum
    n;
    align-
    items:
    center
    ;
    backg
    round-
    repeat
    : no-
    repeat
    ;
    backg
    round-
    size:
    cover;
    backg

```

```
round-
positi
on:
center
center
;
height
:
100vh
;
margi
n: 0;
positi
on:
relativ
e;
} body::before { content: "";
position: absolute; top: 0; left: 0;
right: 0; bottom: 0; background:
rgba(0, 0, 0, 0.5); z-index: -1; }
h1 {
font-size: 2rem; color: rgba(244, 143, 165,
0.995); text-shadow: 2px 2px 4px rgba(0,
0, 0, 0.5); margin-top: 20px; font-style:
italic; font-family: sans-serif;
}
.container { display: grid; grid-template-
columns: repeat(4, 1fr); grid-
template-rows: repeat(3, 1fr); gap:
10px; width: 80%; max-width:
1200px; margin-top: 30px; height:
auto;
}
.restaurant-frame { display:
flex; flex-direction: column;
align-items: center; text-
align: center; border: 2px
solid #0f0707; border-
radius: 5px; overflow:
hidden; background-color:
#eadada; transition:
transform 0.2s; text-
decoration: none;
color: inherit;
padding: 10px;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover {
transform: scale(1.05); box-
shadow: 0 4px 10px rgba(0,
0, 0, 0.2); }
.restaurant-frame img {
width: 100%; height:
150px; object-fit:
cover;
}
```

```

.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
    background-color: transparent;
}
.rating { display: flex;
    justify-content:
    center; margin: 5px 0;
}
.star { color: rgb(209, 67,
    27); margin: 0 1px;
} footer { text-align:
    center; padding: 20px;
    background-color: #333;
    color: #4793b1; width:
    100%; position: fixed;
    bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Visakhapatnam</h1>

<div class="container">



<h2>WelcomCafe Oceanic Restaurant</h2>

<div class="rating">

★ ★ ★ ★ ★

</div>




<h2>The Food Junction</h2>

<div class="rating">

★ ★ ★ ★ ★

</div>



>

<h2>Rasa</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>Mekong Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>Aarna Multi Cuisine Restaurant(AARNA VIZAG)</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>Dine Destiny Fine Dining Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU.html" class="restaurant-frame">

<h2>The Eatery</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>

```

```

<span class="star">☆</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>Horizon Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
</div>
</body>
</html>
class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
</div>
</body>
</html>

```

17. YANAM :

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flavour Finder : Restaurant Ratings & Reviews</title>
<style> body { background-image:
url(background.jpeg);
} body { font-family: sans-serif; display:
flex; flex-direction: column; align-
items: center; background-repeat: no-
repeat; background-size: cover;
background-position: center center;
height: 100vh;
margin: 0; position: relative; }
body::before { content: "";
position: absolute; top: 0; left: 0;
right: 0; bottom: 0; background:
rgba(0, 0, 0, 0.5); z-index: -1; }
h1 {
font-size: 2rem; color: rgba(244, 143, 165,
0.995); text-shadow: 2px 2px 4px rgba(0,
0, 0, 0.5); margin-top: 20px; font-style:
italic; font-family: sans-serif;
}
.container { display: grid; grid-template-
columns: repeat(4, 1fr); grid-
template-rows: repeat(3, 1fr); gap:

```

```

    10px; width: 80%; max-width:
    1200px; margin-top: 30px; height:
    auto;
}
.restaurant-frame { display:
    flex; flex-direction: column;
    align-items: center; text-
    align: center; border: 2px
    solid #0f0707; border-
    radius: 5px; overflow:
    hidden; background-color:
    #eadada; transition:
    transform 0.2s; text-
    decoration: none; color:
    inherit; padding: 10px;
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
.restaurant-frame:hover { transform:
    scale(1.05); box-shadow: 0 4px 10px
    rgba(0, 0, 0, 0.2);
}
.restaurant-frame img {
    width: 100%; height:
    150px; object-fit:
    cover;
}
.restaurant-frame h2 {
    font-size: 1.2rem;
    color: #930404;
    margin: 10px 0;
    background-color: transparent;
}
.rating { display: flex;
    justify-content:
    center; margin: 5px 0;
}
.star { color: rgb(209, 67,
    27); margin: 0 1px;
}
footer { text-align:
    center; padding: 20px;
    background-color: #333;
    color: #4793b1; width:
    100%; position: fixed;
    bottom: 0;
}

```

</style>

</head>

<body>

<h1>Restaurants in Yanam</h1>

<div class="container">

src="https://encrypted-

tbn0.gstatic.com/images?q=tbn:ANd9GcQsT_EAKJvB4GMsyOwaMUzB2N2jYWEy3a1QJtMXi

BTQ-sLNWvwi22jtbcAOFD4IGBsf07c&usqp=CAU" >

<h2>French Paradise</h2>

<div class="rating">

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU2.HTML" class="restaurant-frame">

<h2>Sri Devi rajula biryani yanam</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>

</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>Divya New Family Restaurant</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU3.HTML" class="restaurant-frame">

<h2>RAJU PALAV CENTRE</h2>
<div class="rating">
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">

<h2>Aloha Multi Cuisine Restaurant</h2>
<div class="rating">
<span class="star">★</span>

```

```

<span class="star">★</span>
<span class="star">★</span>
<span class="star">★</span>
<span class="star">☆</span>
</div>
</a>
<a href="MENU4.HTML" class="restaurant-frame">
  
    <h2>Eat India Dine And TakeAway food parcel service</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
<a href="MENU2.HTML" class="restaurant-frame">
  
    <h2>Vinayaka Restaurent</h2>
    <div class="rating">
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">★</span>
      <span class="star">☆</span>
    </div>
  </a>
</div>
</body> </html>

```

3. JAVA SCRIPT :

```

function navigateToPage() {
  const selectElement = document.getElementById("pageSelect");
  const selectedPage = selectElement.value;

  if (selectedPage) {
    window.location.href = selectedPage;
  } else { alert("Please select a page to
    navigate to.");
  }
}

```

4. STYLE: body {

```

font-family: Arial, sans-
serif; background-color:
#f4f4f9; margin: 0;
padding: 0;
}
.container { text-
align: center;

```

```

padding: 50px; }
h1 { color: #333;
}
.navigation { display:
  flex; justify-content:
  center; gap: 15px;
  margin-top: 20px;
} select, button {
padding: 10px; font-
size: 16px; border-
radius: 5px; border: 1px
solid #ccc;
}
button
{
  cursor: pointer; background-
  color: #4CAF50;
  color: white;
  border: none;
} button:hover
{
  background-color: #45a049;
}
select
{
  width: 200px;
}

```

5. MENU :

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Menu Card</title>
<style> body
{
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 0;
  background-image: url('https://img.freepik.com/premium-photo/blank-greeting-card-invitation_1022967-23804.jpg');
  background-size: cover; background-position: center;
  color: rgb(1, 1, 1);
}
.menu-container {
  margin: 20px auto;
  padding: 20px;
  max-width: 500px;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
  text-align: center;
  margin-top: 10%;
  margin-right: 30%;
}
.menu-title { font-size:
  2.5em; font-weight:

```

```
bold; margin-bottom:  
20px;  
}  
.reviews { margin-  
bottom: 20px;  
}  
.reviews h2 { margin-  
bottom: 10px;  
}  
.review { margin-bottom:  
10px;  
}  
.stars { color:  
gold; margin-  
left: 5px;  
}  
.menu-section { margin-  
bottom: 20px;  
}  
.menu-section h3 { border-bottom: 1px  
solid rgb(176, 84, 84); padding-bottom:  
5px; margin-bottom: 10px;  
}  
.menu-items {  
list-style: none;  
padding: 0;  
}  
.menu-items li {  
padding: 5px 0;  
display: flex;  
justify-content: space-between; font-size:  
1.1em;  
}  
.menu-items .price {  
color: gold; font-  
weight: bold;  
}  
.review-input {  
text-align: center;  
margin-top:  
20px;  
}  
.review-input input, .review-input button { padding: 10px; margin: 5px; border-  
radius: 5px; border: none;  
}  
.review-input button { background-  
color: gold;  
color: black;  
cursor: pointer;  
}  
</style>  
</head>  
<body>  
<div class="menu-container">  
<div class="reviews" id="reviews-section">
```

```

<h2>Customer Reviews</h2>
<div class="review">
<p>"Best Place For Parties." <span class="stars">★★★★★</span></p>
</div>
<div class="review">
<p>"Love this place and the food is just awesome." <span class="stars">★★★★★</span></p>
</div>
</div>
<div class="menu-section">
<div class="menu-title">Restaurant Menu</div>
<h3>Starters</h3>
<ul class="menu-items">
<li>Garlic Bread <span class="price">$4.99</span></li>
<li>Bruschetta <span class="price">$2.99</span></li>
<li>Caesar Salad <span class="price">$2.99</span></li>
</ul>
</div>
<div class="menu-section">
<h3>Non-Veg</h3>
<ul class="menu-items">
<li>Chicken Dum Briyani <span class="price">$4.99</span></li>
<li>Chicken Fry Piece Briyani<span class="price">$6.99</span></li>
<li>Mutton Briyani<span
class="price">$7.99</span></li> </ul> </div>
<div class="menu-section">
<h3>Veg</h3>
<ul class="menu-items">
<li>Mushroom Briyani<span class="price">$5.99</span></li>
<li>Paneer Briyani<span class="price">$3.99</span></li>
<li>Vegetable Briyani<span class="price">$2.99</span></li>
</ul>
</div>
<div class="menu-section">
<h3>Juices</h3>
<ul class="menu-items">
<li>Orange Juice <span class="price">$1.49</span></li>
<li>Apple Juice <span class="price">$1</span></li>
<li>Mixed Berry Smoothie <span class="price">$1.99</span></li>
</ul>
</div>
<div class="review-input">
<h3>Leave Your Review</h3>
<input type="text" id="new-review" placeholder="Your review">
<button onclick="addReview()">Submit</button>
</div>
</div>
<script> function
addReview() {
  const reviewText = document.getElementById('new-review').value;
  if (reviewText.trim() === "") {
    alert('Please enter a
review.); return; }

```


```
const reviewSection = document.getElementById('reviews-section');
const newReview = document.createElement('div');
newReview.classList.add('review');
newReview.innerHTML = `<p>${reviewText}</p><span class="stars">★★★★☆</span>`;
reviewSection.insertBefore(newReview, reviewSection.children[1]);
document.getElementById('new-review').value = "";
</script>
</body>
</html>
```

SCREENSHOTS

1. AMARAVATHI




2. BHIMAVARAM



3. CHIRALA




4. CHITOOR




5. ELURU



6. GUNTUR



7. HINDUPURAM



8. KADAPA




9. KAKINADA




10. MACHILIPATANAM




11. PALAKOLLU



12. RAJAHMUNDRY




13. SRIKAKULAM




14. VIJAYAWADA




15. VISAKHAPATNAM



16. TENALI



17. YANAM



MENU'S

The screenshot shows a restaurant menu page with the following details:

- Customer Reviews**:
 - "Amazing food!" ★★★★★
 - "Best dining experience ever!" ★★★★★
- Restaurant Menu**
 - Starters**
 - Crispy Corn \$2.99
 - Vegetable Cheese Omlet \$1.99
 - Chicken Spring Rolls \$2.99
 - Non-Veg**
 - Chicken Dum Briyani \$4.99
 - Prawns Briyani \$6.99
 - Mixed Briyani \$7.99
 - Veg**
 - Minty Paneer Briyani \$5.99
 - Paneer Mutter Briyani \$3.99
 - Coconut Rice \$4.99
 - Juices**
 - Ice Cream Faluda \$3.49
 - Thumps up \$1
 - Shirley Temple \$1.99
- Leave Your Review**: A form with "Your review" and "Submit" buttons.

At the bottom of the browser window, there is a toolbar with various icons and a status bar showing weather (22°C, Mostly clear), system status (ENG IN), and date/time (21-11-2024, 23:18).

Customer Reviews

"Best Place For Parties." ★★★★
"Love this place and the food is just awesome." ★★★★

Restaurant Menu

Starters

Garlic Bread	\$4.99
Bruschetta	\$2.99
Caesar Salad	\$2.99

Non-Veg

Chicken Dum Briyani	\$4.99
Chicken FryPiece Briyani	\$6.99
Mutton Briyani	\$7.99

Veg

Mushroom Briyani	\$5.99
Paneer Briyani	\$3.99
Vegetable Briyani	\$2.99

Juices

Orange Juice	\$1.49
Apple Juice	\$1
Mixed Berry Smoothie	\$1.99

Leave Your Review

Your review

22°C Mostly clear

Search

23:18 21-11-2024

Index

Flavour Finder : Restaurant Ratings

WELCOME

Please enter Your City:

Select your city

- Amaravathi
- Bhimavaram
- Chitoor
- Chirala
- Eluru
- Guntur
- Hindhupuram
- Kadapa
- Kakinada**
- Machilipatnam
- Nellore
- Palakollu

22 Nov 2024

