	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0
CVA						- 0.5 - 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-0.5 -1.0
CVA						- 0.5 - 0.0
Ó						0.5
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0 0.5
CVA						- 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 -1.0
CVA						- 0.5 - 0.0
		FNIO	A. H. A. L. in a a su		Lave while La V. Nich	-0.5 -1.0
_	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0
CVA						-0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0
CVA						- 0.5
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-0.5 -1.0
A						0.5
CVA						-0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0 -0.5
CVA						-0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0
CVA						- 0.5 - 0.0
J						-0.5 -1.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0
CVA						- 0.0 0.5
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0
CVA						- 0.5 - 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-0.5 -1.0
⋖						1.0
CVA						-0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0 0.5
CVA						- 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0
CVA						- 0.5 - 0.0
	Ground Taril	ENIO	Auto Liess	Latont II Not /	Invortible V N :	-0.5 -1.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0
CVA						-0.0 0.5
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 1.0
CVA						- 0.5 - 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-0.5 -1.0
CVA						-0.5
Ó						-0.5 -1.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0 -0.5
CVA						- 0.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	-1.0 -1.0
CVA						- 0.5 - 0.0
J						-0.5 -1.0
	Ground Truth	FNO	Auto-Linear	Latent U-Net (Large)	Invertible X-Net	1.0
CVA						- 0.0 0.5
						-1.0