



XSLT <xsl:if> Element

[< Previous](#)[Next >](#)

The <xsl:if> element is used to put a conditional test against the content of the XML file.

The <xsl:if> Element

To put a conditional if test against the content of the XML file, add an <xsl:if> element to the XSL document.

Syntax

```
<xsl:if test="expression">
  ...some output if the expression is true...
</xsl:if>
```

Where to Put the <xsl:if> Element

To add a conditional test, add the <xsl:if> element inside the <xsl:for-each> element in the XSL file:

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

<xsl:template match="/">
  <html>
  <body>
  <h2>My CD Collection</h2>
  <table border="1">
    <tr bgcolor="#9acd32">
      <th>Title</th>
      <th>Artist</th>
      <th>Price</th>
    </tr>
    <xsl:for-each select="catalog/cd">
      <xsl:if test="price > 10">
        <tr>
          <td><xsl:value-of select="title"/></td>
          <td><xsl:value-of select="artist"/></td>
```

```
        <td><xsl:value-of select="price"/></td>
    </tr>
</xsl:if>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>

</xsl:stylesheet>
```

[Try it Yourself »](#)

Note: The value of the required **test** attribute contains the expression to be evaluated.

The code above will only output the title and artist elements of the CDs that has a price that is higher than 10.

[< Previous](#)

[Log in to track progress](#)

[Next >](#)


**Build your
career today!**



Get **lifelong**
access to all our
courses
and **certifications**

Get Full Access

COLOR PICKER





Join our **Mini Bootcamp!**



*"W3Schools Bootcamp
is the best investment
then I have ever made"*
Student at W3Schools

 [Read more](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

[Report Error](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Get Certified

- [HTML Certificate](#)
- [CSS Certificate](#)
- [JavaScript Certificate](#)
- [Front End Certificate](#)
- [SQL Certificate](#)
- [Python Certificate](#)
- [PHP Certificate](#)
- [jQuery Certificate](#)
- [Java Certificate](#)
- [C++ Certificate](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

