



XSLT <xsl:for-each> Element

[< Previous](#)[Next >](#)

The <xsl:for-each> element allows you to do looping in XSLT.

The <xsl:for-each> Element

The XSL <xsl:for-each> element can be used to select every XML element of a specified node-set:

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

<xsl:template match="/">
  <html>
  <body>
    <h2>My CD Collection</h2>
    <table border="1">
      <tr bgcolor="#9acd32">
        <th>Title</th>
        <th>Artist</th>
      </tr>
      <xsl:for-each select="catalog/cd">
        <tr>
          <td><xsl:value-of select="title"/></td>
          <td><xsl:value-of select="artist"/></td>
        </tr>
      </xsl:for-each>
    </table>
  </body>
</html>
</xsl:template>

</xsl:stylesheet>
```

[Try it Yourself »](#)

Note: The value of the **select** attribute is an XPath expression. An XPath expression works like navigating a file system; where a forward slash (/) selects subdirectories.

Filtering the Output

We can also filter the output from the XML file by adding a criterion to the select attribute in the `<xsl:for-each>` element.

`<xsl:for-each select="catalog/cd[artist='Bob Dylan']">`

Legal filter operators are:

- `=` (equal)
- `!=` (not equal)
- `<` less than
- `>` greater than

Take a look at the adjusted XSL style sheet:

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

<xsl:template match="/">
  <html>
  <body>
  <h2>My CD Collection</h2>
  <table border="1">
    <tr bgcolor="#9acd32">
      <th>Title</th>
      <th>Artist</th>
    </tr>
    <xsl:for-each select="catalog/cd[artist='Bob Dylan']">
      <tr>
        <td><xsl:value-of select="title"/></td>
        <td><xsl:value-of select="artist"/></td>
      </tr>
    </xsl:for-each>
  </table>
  </body>
  </html>
</xsl:template>

</xsl:stylesheet>
```

[Try it Yourself »](#)

[◀ Previous](#)

[Log in to track progress](#)

[Next >](#)

Build your
career today!



Get **lifelong**
access to all our
courses
and **certifications**

[Get Full Access](#)

COLOR PICKER



Join
our **Mini**
Bootcamp!



*"W3Schools Bootcamp
is the best investment
then I have ever made"*
Student at W3Schools

[Read more](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

[Report Error](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)
- [XML Examples](#)
- [jQuery Examples](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Get Certified

- [HTML Certificate](#)
- [CSS Certificate](#)
- [JavaScript Certificate](#)
- [Front End Certificate](#)
- [SQL Certificate](#)
- [Python Certificate](#)
- [PHP Certificate](#)
- [jQuery Certificate](#)
- [Java Certificate](#)
- [C++ Certificate](#)
- [C# Certificate](#)
- [XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

