



1/ Tải database (*Hướng dẫn minh hoạ - lấy từ trên mạng)

Hướng dẫn sử dụng file script.sql


Bước 1: Mở SQL Server chọn **File > Open > File...**




Bước 2: Chọn file **script.sql** để mở trong SQL Server



Bước 3: Chúng ta cần tạo 1 Database giống với tên của Database cũ để chứa dữ liệu sắp nhập vào. VD: Trong trường hợp này chúng ta phải tạo Database tên **TruongGiangIT**





Bước 4: Chọn tất cả câu lệnh và nhấn **Execute**. Kết quả thành công sẽ hiện thông báo: *Command(s) completed successfully*. Mở Database **TruongGiangIT** ra sẽ thấy tất cả các bảng và dữ liệu chúng ta cần.



OK như vậy thì mình đã hướng dẫn các bạn mà lấy dữ liệu trong SQL Server từ máy này sang máy khác thành công qua 2 cách trên. Nếu thao tác có lỗi xảy ra, vui lòng để lại bình luận để mình hỗ trợ. *Chúc các bạn thành công!*

2/ Kết nối Database trên C#

(*Hướng dẫn minh họa - lấy từ trên mạng)



Modify Connection



Enter information to connect to the selected data source or click "Change" to choose a different data source and/or provider.

Data source:

Microsoft SQL Server (SqlClient)

Change...

Server name:

LAPTOP-KI3T\KI3T

Refresh

Log on to the server

Authentication: Windows Authentication

User name:

Password:

☐ Save my password

Connect to a database

☒ Select or enter a database name:

GrapeeDB

☐ Attach a database file:

Browse...



Logical name:


Advanced...

Test Connection

OK

Cancel





```
<?xml version="1.0" encoding="utf-8"?>
<!--
  For more information on how to configure your ASP.NET application, please visit
  https://go.microsoft.com/fwlink/?LinkId=169433
-->
<configuration>
  <appSettings>
    <add key="username" value="Admin"/>
    <add key="password" value="123"/>
    <add key="ValidationSettings:UnobtrusiveValidationMode" value="None"/>
  </appSettings>
  <connectionStrings>
    <add name="cs" connectionString="Data Source=LAPTOP-KI3T\KI3T;Initial Catalog=GrapeeDB;Integrated Security=True; MultipleActiveResultSets=true;"
      providerName="System.Data.SqlClient"/>
  </connectionStrings>
  <system.web>
    <compilation debug="true" targetFramework="4.7.2" />
    <httpRuntime targetFramework="4.7.2" />
  </system.web>
  <system.codedom>
```