

# Every Trade Provable. Every Loss Capped.

An autonomous 0DTE options agent on Alpaca. Max loss capped by construction, and every decision it makes is journaled.

LIVE ALPACA PAPER · 3 SESSIONS

**+79.1%**

\$100,000 → \$179,087

MAX LOSS

**= premium paid**

Single-leg long only


PAPER ACCOUNT

**PA38HG4D9653**

Opened fresh for this event at \$100,000

# A fresh \$100,000 account, 3 sessions, +79.1%

EQUITY · ALPACA PAPER PA38HG4D9653



REALISED BY SESSION

|        |           |                |
|--------|-----------|----------------|
| Aug 31 | -\$10,716 | 19 in / 16 out |
|--------|-----------|----------------|

|       |           |              |
|-------|-----------|--------------|
| Sep 1 | +\$14,353 | 5 in / 9 out |
|-------|-----------|--------------|


|       |           |                |
|-------|-----------|----------------|
| Sep 3 | +\$75,450 | 10 in / 18 out |
|-------|-----------|----------------|

NET

**+79.1% · \$179,087**

34 entries and 43 exits on SPY / QQQ / IWM, every one placed through the Alpaca CLI and booked at the real broker fill. Positions are flat at the close of every session - the agent never carries a 0DTE into expiry.

# One loop, six stages, no human in it



DEFINED BY CONSTRUCTION

**Max loss  
= premium**

Single-leg long only. The ceiling is set by the instrument, not by code that has to remember.

VALIDATED, NOT GUESSED

**264 sessions**

of real OPRA option bars and 4,544 alerts stand behind every control that ships.

FULLY AUTONOMOUS

**Docker,  
unattended**

One session per weekday in an isolated container. Nobody approves a trade.

# Risk is structural before it is procedural

**Single-leg long options only.** Maximum loss is the premium paid - enforced by the instrument, not by code that has to remember.

## ONE-LOT GUARD

Never a second open lot on a (symbol, direction) already held.

## ONE DIRECTION / UNDERLYING

No simultaneous call and put on the same symbol.

## ENTRY DEDUP · 30 MIN

Entry-anchored, so a persistent score cannot stack the same name.

## ADAPTIVE SIZING

Trimmed to the account's real options buying power - an expensive contract sizes down, never rejects.

## SESSION WINDOW


No entry after 15:00 ET. Hard flatten at 15:50 - a 0DTE never reaches expiry.

## ORPHAN SWEEP

Any option position the agent did not open is flattened at startup and at EOD.

Exits ladder in both directions: +40% scales out half and trails the runner by 40% of its peak gain · -20% sells half, -40% the rest · a 30-minute stop closes anything still under water · 15:50 flatten.

# An AI that is structurally incapable of adding risk



The scored sessions ran the deterministic gate; the Claude veto ships tested and runnable via `--decision-mode llm`.

# Built on Alpaca's CLI, not just the SDK

## ORDERS VIA THE ALPACA CLI

alpaca order submit, then poll to a terminal state. The agent books the real broker fill, not a quote - so cash P&L is buy-fill against sell-fill.

## PAPER ENDPOINT, PROVEN

Refuses to place anything unless `alpaca doctor` resolves paper-api.alpaca.markets. The env var alone isn't proof - a profile's live\_trade can route live.

## IDEMPOTENT SUBMITS

On an ambiguous failure it reconciles by --client-order-id via `alpaca order get-by-client-id` before ever resubmitting. No duplicate, no orphan.

## UNATTENDED AND AUDITABLE

Market data (5m bars, contract discovery, ATM quotes) via the Alpaca SDK. Isolated Docker container, one session per weekday, JSONL journal per scan.

Requirement: projects must use Alpaca's MCP server or its CLI tools. — every order in the book above went through the CLI.

# Most agents show the trades they took

## This one shows the ones it refused.

```
logs/decisions-2026-09-03.jsonl
```

```
{ "symbol": "QQQ",  
  "score": 0.68,  
  "would_have_direction": "put",  
  "noise_band": { "state": "inside" },  
  "gate": { "go": false,  
    "rationale": "score 0.68 < min 0.70" },  
  "order": null }
```

ONE RECORD PER SCAN

### Full reasoning

Score, every signal, band state, gate verdict, risk verdict, order.

WHY IT MATTERS

### Nothing is implicit

You can reconstruct every decision the agent made, and every one it declined to make.

logs/ in the repo carries 14 journal records across 2 session files - clone it and check any decision against the record.

Every trade provable. Every loss capped.

# A fresh \$100,000 account, 3 sessions, +79.1%.

- **Max loss capped by the instrument** not by code that has to remember
- **An AI that can only remove risk** structurally unable to add a trade
- **Every order through the Alpaca CLI** P&L is the real broker fill, not a quote
- **Every decision journaled** including the ones it refused to take



# AI logic · Risk gates · Alpaca infrastructure

Alpaca paper PA38HG4D9653 · single-leg long 0DTE on SPY / QQQ / IWM · **\$100,000 → \$179,087 (+79.1%) across 3 sessions, 34 entries / 43 exits**

## 1 · AI logic

- Scorer reduces Alpaca 5m bars to one number: VWAP position, opening-range break, RSI, EMA stack, relative volume - plus a proposed direction.
- Half-opening-range noise band: is the break larger than the symbol's own morning noise?
- Leader breadth: 5 of 8 mega-caps above their 20-day average as of the last completed session. Only ever removes the opposed side.
- A Claude layer argues bull and bear over the scored facts and returns strict JSON - and can only turn a go into a no-go.
- It can never resurrect a rejected trade, so the deterministic path is a strict subset of the AI path.
- A missing key or unparseable reply degrades to the deterministic gate and says so in the journal.

## 2 · Risk gates

- Single-leg long only: max loss is the premium paid, set by the instrument.
- One open lot per (symbol, direction); one direction per underlying.
- 30-minute entry-anchored dedup, so a persistent score cannot stack the same name.
- Sizing trimmed to the account's real options buying power - expensive contracts size down, never reject.
- No entry after 15:00 ET; hard flatten at 15:50, so a 0DTE never reaches expiry.
- Orphan sweep at startup and EOD for positions the agent did not open.
- Exits: +40% sells half and trails the runner; -20% half, -40% the rest; 30-min stop if under water.
- 174 network-free tests cover all of it.

## 3 · Alpaca infrastructure

- Every order through the Alpaca CLI, not the SDK: ``alpaca order submit``, then poll to a terminal state.
- So the agent books the real broker fill, not a quote - cash P&L is buy-fill against sell-fill.
- Refuses to place anything unless ``alpaca doctor`` resolves `paper-api.alpaca.markets`.
- An ambiguous submit is reconciled by `--client-order-id` before it will ever resubmit.
- Market data - bars, contract discovery, ATM quotes - via the Alpaca Market Data API.
- Runs unattended in an isolated Docker container, one session per weekday.
- Every scan appends one JSONL record with the full reasoning to logs/.