Table 4. Summary of ABP654, ustekinumab (EU) and ustekinumab (US) key PK parameters (PK parameter analysis set)

Treatment	C_{max} (ng/mL) GM (Geo CV [%])	C_{last} (ng/mL) GM (Geo CV [%])	T_{max} (h) Median (range)	AUC_{last} (h*ng/mL) GM (Geo CV [%])	AUC_{inf} (h*ng/mL) GM (Geo CV [%])	$t_{1/2}$ (h) Mean (SD)	AUC%Extrap (%) Mean (SD)
ABP 654	11500 (36.1)	561 (107.3)	145.592 (24.05, 313.15)	10200000 (39.2)	10900000 (40.8)	588.110 (133.6061)	5.95 (6.252)
Ustekinumab (US)	11300 (33.8)	516 (155.8)	190.567 (48.00, 647.38)	9870000 (37.6)	10500000 (37.6)	556.998 (168.9308)	5.66 (6.304)
Ustekinumab (EU)	12100 (32.8)	541 (121.4)	188.550 (48.00, 649.12)	10800000 (33.5)	11500000 (34.8)	579.246 (148.8189)	5.41 (4.174)

AUC = area under the concentration-time curve; AUC%Extrap = percentage of AUC_{inf} due to extrapolation from the last quantifiable concentration observed to infinity; AUC_{inf} = AUC from time 0 extrapolated to infinity; AUC_{last} = AUC from time 0 to the last quantifiable concentration; C_{last} = last measurable serum concentration, C_{max} = maximum observed serum concentration; EU = European Union; Geo CV = geometric coefficient of variation; GM = geometric mean; $t_{1/2}$ = terminal elimination half-life; T_{max} = time at which C_{max} is observed; US = United States

Note: Geometric mean and Geo CV are only calculated for values > 0.

For the comparisons of ABP 654 to ustekinumab (US), ABP 654 to ustekinumab (EU), and ustekinumab (US) to ustekinumab (EU), the point estimates and 90% CIs of the GMRs were fully contained within the prespecified margin of 0.8 to 1.25 for both the primary PK endpoints (AUC_{inf} and C_{max}) and the secondary PK endpoint of AUC_{last} for the PK parameter analysis set. Therefore, PK similarity was demonstrated between ABP 654 and ustekinumab (US), ABP 654 and ustekinumab (EU), and ustekinumab (US) and ustekinumab (EU).

Table 5. Summary of statistical assessment of PK parameters (ANCOVA with baseline weight) (PK parameter analysis set)

Treatment and Comparison	AUC_{inf} (hr*ng/mL) LS Geometric Mean [n]	C_{max} (ng/mL) LS Geometric Mean [n]	AUC_{last} (hr*ng/mL) LS Geometric Mean [n]
ABP 654	10783692.1 [76]	11419.0 [78]	10137829.7 [78]
Ustekinumab (US)	10651782.5 [76]	11384.9 [79]	9975870.4 [79]
Ustekinumab (EU)	11482547.0 [77]	12081.5 [80]	10752507.0 [80]
Ratio of LS Geometric Means (90% CI)			
ABP 654 vs ustekinumab (US)	1.0124 (0.9289, 1.1034)	1.0030 (0.9314, 1.0801)	1.0162 (0.9358, 1.1035)
ABP 654 vs ustekinumab (EU)	0.9391 (0.8620, 1.0232)	0.9452 (0.8779, 1.0175)	0.9428 (0.8685, 1.0235)
Ustekinumab (US) vs ustekinumab (EU)	0.9276 (0.8514, 1.0107)	0.9423 (0.8755, 1.0143)	0.9278 (0.8549, 1.0069)

ANCOVA = analysis of covariance; AUC_{inf} = area under the concentration-time curve from time 0 extrapolated to infinity; AUC_{last} = area under the concentration-time curve from time 0 to the last quantifiable concentration; C_{max} = maximum observed drug concentration; EU = European Union; LS = least squares; PK = pharmacokinetic; US = United States

Note: Geometric LS mean, ratio of geometric LS means and 90% CI were estimated based on the ANCOVA model with a fixed effect for treatment and adjusting for baseline weight.

The partial AUCs were within the prespecified range of 0.80-1.25 (see Table 6).