

Add the U.S. License Number.

The licensed manufacturer should appear as:
Manufactured by: Biocon Biologics Inc.,
245 Main St 2nd Floor, Cambridge, MA 02142, U.S.A.,
US License No. 2324
Product of India

The Applicant revised as recommended.

Lot number or other lot identification (container label)	Acceptable
Regulations: 21 CFR 610.60(a)(3), 21 CFR 610.60(c), 21 CFR 201.18, 21 CFR 201.100(b)(6), 21 CFR 201.10(h)(2)(i)(1)(iii)	☒ Yes ☐ No ☐ N/A

Expiration date (container label)	Acceptable
Regulations: 21 CFR 610.60(a)(4), 21 CFR 201.17	☒ Yes ☐ No ☐ N/A
<i>Recommended labeling practices references: USP General Chapters <7> Labeling, Guidance for Industry Safety Considerations for Container Labels and Carton Labeling Design to Minimize Medication Errors (May 2022)</i>	☒ Yes ☐ No ☐ N/A

Beyond Use Date (Multiple-dose containers) (container label)	Acceptable
<i>Recommended labeling practices: USP General Chapters: <659> Packaging and Storage Requirements and <7> Labeling</i>	☐ Yes ☐ No ☒ N/A

Product Strength (container label)	Acceptable
Regulations: 21 CFR 201.10(d)(1), 21 CFR 201.100(b)(4)	☒ Yes ☐ No ☐ N/A
<i>Recommended labeling practices (expression of strength for injectable drugs) references: Guidance for Industry Safety Considerations for Container Labels and Carton Labeling Design to Minimize Medication Errors (May 2022) USP General Chapters: <7> Labeling</i>	☒ Yes ☐ No ☐ N/A

Comment/Recommendation: Revise the strength presentation of the vials so that the (b) (4) is not included with the primary expression of strength.