

FOOD RESTAURANT

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Food Delivery Service</title>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
    body {
      font-family: 'Arial', sans-serif;
      background-color: #f9f9f9;
      color: #333;
      line-height: 1.6;
    }
    header {
      background: linear-gradient(90deg, #ff7e5f, #feb47b);
      color: white;
      padding: 20px 0;
      text-align: center;
    }
    header h1 {
      font-size: 2.5em;
      font-weight: bold;
      margin-bottom: 10px;
    }
  </style>

```

```
nav ul {
    list-style: none;
    display: flex;
    justify-content: center;
    margin-top: 10px;
}
nav ul li {
    margin: 0 15px;
}
nav ul li a {
    color: white;
    text-decoration: none;
    font-size: 1.2em;
    font-weight: bold;
    padding: 10px 20px;
    background: #333;
    border-radius: 50px;
    transition: background 0.3s;
}
nav ul li a:hover {
    background: #555;
}
/* Main Section */
section {
    padding: 50px 20px;
    margin: 20px auto;
    width: 85%;
    max-width: 1200px;
    background-color: white;
    box-shadow: 0px 0px 15px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
```

```
}

#restaurants {
    text-align: center;
}

#restaurants h2 {
    font-size: 2em;
    color: #ff7e5f;
    margin-bottom: 30px;
}

.restaurant {
    background: #ffecd2;
    padding: 30px;
    margin-bottom: 30px;
    border-radius: 10px;
    box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
    transition: transform 0.3s, box-shadow 0.3s;
}

.restaurant:hover {
    transform: translateY(-10px);
    box-shadow: 0px 15px 25px rgba(0, 0, 0, 0.1);
}

.restaurant h3 {
    font-size: 1.8em;
    color: #333;
}

.restaurant p {
    font-size: 1.1em;
    color: #666;
    margin: 10px 0 20px;
}

.restaurant button {
```

```
background-color: #ff7e5f;
color: white;
padding: 15px 30px;
border: none;
border-radius: 50px;
cursor: pointer;
font-size: 1.2em;
transition: background 0.3s;
}

.restaurant button:hover {
    background-color: #feb47b;
}

#menu h2 {
    font-size: 2em;
    color: #ff7e5f;
    text-align: center;
    margin-bottom: 30px;
}

.menu-list ul {
    list-style: none;
    padding: 0;
    text-align: center;
}

.menu-list ul li {
    padding: 10px 0;
    font-size: 1.3em;
    color: #333;
}

.menu-list button {
    margin-top: 20px;
    background-color: #333;
```

```
    color: white;

    padding: 15px 30px;

    border: none;

    border-radius: 50px;

    cursor: pointer;

    font-size: 1.2em;

    transition: background 0.3s;
}

.menu-list button:hover {
    background-color: #555;
}
```

```
#contact {
    text-align: center;

    margin-top: 50px;
}

#contact h2 {
    font-size: 2em;

    color: #ff7e5f;

    margin-bottom: 20px;
}
```

```
#contact p {
    font-size: 1.2em;

    color: #333;

    margin: 10px 0;
}
```

```
footer {
    background-color: #333;

    color: white;

    text-align: center;

    padding: 15px 0;
```

```
        margin-top: 50px;
    }
    footer p {
        font-size: 1em;
    }
</style>
</head>
<body>
    <header>
        <h1>Food Delivery Service</h1>
        <nav>
            <ul>
                <li><a href="#restaurants">Restaurants</a></li>
                <li><a href="#menu">Menu</a></li>
                <li><a href="#contact">Contact Us</a></li>
            </ul>
        </nav>
    </header>
    <section id="restaurants">
        <h2>Choose a Restaurant</h2>
        <div class="restaurant">
            <h3>Italian Bistro</h3>
            <p>Enjoy classic Italian dishes.</p>
            <button onclick="openMenu('italian')">Order Now</button>
        </div>
        <div class="restaurant">
            <h3>Indian Spice</h3>
            <p>Authentic Indian cuisine.</p>
            <button onclick="openMenu('indian')">Order Now</button>
        </div>
        <div class="restaurant">
```

<h3>Chinese Delight</h3>

<p>Delicious Chinese food.</p>

<button onclick="openMenu('chinese')">Order Now</button>

</div>

</section>

<section id="menu">

<h2>Menu</h2>

<div id="italian" class="menu-list" style="display:none;">

<h3>Italian Bistro Menu</h3>

Pizza - \$12

Pasta - \$10

Tiramisu - \$5

<button onclick="orderFood('Italian Bistro')">Place Order</button>

</div>

<div id="indian" class="menu-list" style="display:none;">

<h3>Indian Spice Menu</h3>

Butter Chicken - \$15

Paneer Tikka - \$12

Gulab Jamun - \$4

<button onclick="orderFood('Indian Spice')">Place Order</button>

</div>

<div id="chinese" class="menu-list" style="display:none;">

<h3>Chinese Delight Menu</h3>

Fried Rice - \$8

Spring Rolls - \$6

Sweet and Sour Pork - \$10

<button onclick="orderFood('Chinese Delight')">Place Order</button>

</div>

</section>

<section id="contact">

<h2>Contact Us</h2>

<p>Email: support@fooddelivery.com</p>

<p>Phone: 123-456-7890</p>

</section>

<footer>

<p>© 2024 Food Delivery Service. All rights reserved.</p>

</footer>

<script>

function openMenu(restaurant) {

document.querySelectorAll('.menu-list').forEach(menu => {

menu.style.display = 'none';

});

document.getElementById(restaurant).style.display = 'block';

}

function orderFood(restaurant) {

alert('Your order from ' + restaurant + ' has been placed successfully!');


}

</script>

</body>

</html>

O/P:



menu

Italian Bistro Menu

Pizza - \$12



Pasta - \$10



Tiramisu - \$5



Place Order

This page says

Your order from Italian Bistro has been placed successfully!

OK



Place Order

Contact Us

Email: support@fooddelivery.com

Phone: 123-456-7890