

Administrator Guide

System Administration, Security, and Analytics Config Manual

One Janitorial Operations Library

Version: v4.0.0

Release Date: June 23, 2026

Author: Antigravity Automated AI

Table of Contents

1. Overview & Purpose
2. Key Features & Blueprint
3. System Process Flow (Vector Diagram)
4. Step-by-Step Usage & Operations
5. Best Practices & Safety Guidelines
6. Troubleshooting & FAQ
7. Glossary & Appendix

1. Overview & Purpose

Administrative blueprint for setting up, managing, and securing the One Janitorial environment. Explains role-based access controls, security settings, and audit logs.

System administrators will learn how to manage staff profiles, toggle MFA requirements, rotate credentials, and inspect system log metrics.

Administrators control sharing settings, password hashes, and expiry rules for public analytics URLs.


2. Key Features & Blueprint

User Account Provisioning Console: Direct interface to create, modify, suspend, or reactivate staff accounts.

Secure Sharing Manager: Control panel enforcing passwords, expiration limits, and role access constraints on shared links.

Global Sticky Menu Configuration: RBAC filter system controlling navbar visibility across different roles.

3. System Process Flow



4. Step-by-Step Usage & Operations

Provisioning a User: Go to Admin settings, click Create User, fill profile fields, select user role, and set initial access password.

Auditing Share Links: Open Analytics -> Shared Reports. Inspect active URLs, view count statistics, and manually expire links.

Monitoring API Performance: Open the Monitoring page from the Navbar to track latency averages and background queue backlogs.

5. Best Practices & Safety Guidelines

- Enforce password updates every 90 days for all administrative and manager accounts.
- Restrict API credentials permissions to prevent unauthorized scope leaks.
- Regularly review the WebSocket Monitoring Console to track query delays.

6. Troubleshooting & FAQ

- Locked accounts: Search for user in directory, click Unlock Profile, and issue reset passcode.
- SMTP connection fails: Inspect configuration parameters and verify credentials of SMTP gateway.
- Replication lag: Open the Supabase Admin console and restart the Postgres synchronization worker thread.

7. Glossary & Appendix

- JWT: JSON Web Token - Used for secure session authentication.
- RBAC: Role-Based Access Control - Restrictions mapping features to specific staff profiles.
- MFA: Multi-Factor Authentication - OTP checks verifying credentials.