

Node Library Reference

Detailed Configuration Reference for Reusable Nodes and Analytics node library

One Janitorial Operations Library

Version: v4.0.0
Release Date: June 23, 2026
Author: Antigravity Automated AI

Table of Contents

- 1. Overview & Purpose
- 2. Key Features & Blueprint
- 3. System Process Flow (Vector Diagram)
- 4. Step-by-Step Usage & Operations
- 5. Best Practices & Safety Guidelines
- 6. Troubleshooting & FAQ
- 7. Glossary & Appendix

1. Overview & Purpose

Catalogue detailing all available custom nodes, input configurations, parameters, and returns.

Serves as a developer reference for extending the automation capabilities of the platform.

Version 3 details the 13 new nodes registered under the Analytics library group.


2. Key Features & Blueprint

Trigger & Action Nodes: Basic execution components wiring events to automation dispatches.

Analytics Node Library: Block suite handling imports, data cleaning, aggregates, and forecasts.

Evaluation & Audit Nodes: Modules monitoring AI accuracy, logging changes, and healing queues.

3. System Process Flow



4. Step-by-Step Usage & Operations

Viewing Node Details: Open node builder page, choose node from sidebar, and inspect properties.

Configuring Analytics Nodes: Drag an Aggregation node, select aggregate action type, and set target keys.

Customizing parameters: Edit mapping fields inside node parameters editor drawer.

5. Best Practices & Safety Guidelines

- Always define descriptive titles for custom nodes.
- Add validation schema definitions to custom nodes to block invalid configurations.
- Document input structures inside node configuration logs for future reference.

6. Troubleshooting & FAQ

- Node missing from sidebar: Confirm file is located in node definitions folder and restart server.
- Parameter type mismatch: Verify that preceding nodes output datatypes match expected configurations.

Custom node parameters do not load: Check JSON structure of node definitions schema.

7. Glossary & Appendix

Node Library: Catalog of operational elements.

Trigger: Starting node.

Input Schema: Object structure expected by node parameters.