

AI Agent Management Guide

Deploying, Prompting, and Auditing Autonomous AI Agents

One Janitorial Operations Library

Version: v4.0.0

Release Date: June 23, 2026

Author: Antigravity Automated AI

Table of Contents

1. Overview & Purpose
2. Key Features & Blueprint
3. System Process Flow (Vector Diagram)
4. Step-by-Step Usage & Operations
5. Best Practices & Safety Guidelines
6. Troubleshooting & FAQ
7. Glossary & Appendix

1. Overview & Purpose

Operator manual for deploying, prompt engineering, and auditing autonomous LLM agents. Explains safety checks and performance logs.

Ensures that agents executing emails, auditing cleaning contracts, and ranking candidates function safely and within budget limits.

Includes instructions for configuring the AI Analytics Assistant to parse and answer queries.


2. Key Features & Blueprint

System Instruction Editor: Configurator for defining agent personalities, guardrails, and target outputs.

AI Analytics Node: Custom workflow node executing LLM semantic queries against database tables.

Human-in-the-Loop Override Panel: Dashboard showing flagged low-confidence decisions waiting for human validation.

3. System Process Flow



4. Step-by-Step Usage & Operations

Editing Agent Prompts: Access AI Control Center, select target agent (e.g. Resume Evaluator), edit system text, and save draft.

Configuring AI Analytics: Enter context guidelines in the AI Analytics Node parameter editor inside the DAG canvas.

Reviewing Evaluations: Go to Quality tab, inspect agent decision scores, and override incorrect decisions to train the engine.

5. Best Practices & Safety Guidelines

- Use explicit negative rules in prompts to avoid AI hallucination and unauthorized action triggers.
- Perform prompt testing in sandbox modes using mock ticket events before deploying.
- Set agent decision confidence thresholds to 85% to ensure safety checks are respected.

6. Troubleshooting & FAQ

- High hallucination rates: Check prompt context length, decrease temperature parameters, and clarify prompt rules.
- AI Analytics timeout: Split large datasets into chunks before routing to AI nodes.
- API budget spikes: Review call volume loops and implement caching policies for duplicate queries.

7. Glossary & Appendix

- LLM: Large Language Model - The underlying AI engine.
- Prompt: Instructions and context provided to steer the AI agent behavior.
- Hallucination: Erroneous AI outputs not grounded in context data.