



CSS Quiz Results

Score: 24 of 25

96% Correct:

Question 1:

What does CSS stand for?

✓ Cascading Style Sheets

Your answer

Computer Style Sheets

Creative Style Sheets

Colorful Style Sheets

Question 2:

What is the correct HTML for referring to an external style sheet?

✓ `<link rel="stylesheet" type="text/css" href="mystyle.css">`

Your answer

`<style src="mystyle.css">`

`<stylesheet>mystyle.css</stylesheet>`

Question 3:

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

In the <body> section

At the end of the document

Question 4:

Which HTML tag is used to define an internal style sheet?

✓ `<style>`

Your answer

`<css>`

`<script>`

Question 5:

Which HTML attribute is used to define inline styles?

✓ `style`

Your answer

`font`

`styles`

`class`

Question 6:

Which is the correct CSS syntax?

✓ `body {color: black;}`

Your answer

`{body;color:black;}`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 7:

How do you insert a comment in a CSS file?

✓ `/* this is a comment */`

Your answer

`// this is a comment`

`// this is a comment //`

`' this is a comment`

Question 8:

Which property is used to change the background color?

✓ `background-color`

Your answer

`bgcolor`

`color`

Question 9:

How do you add a background color for all `<h1>` elements?

✓ `h1 {background-color:#FFFFFF;}`

Your answer

`all.h1 {background-color:#FFFFFF;}`

`h1.all {background-color:#FFFFFF;}`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

✓ color

Your answer

fgcolor

text-color

Question 11:

Which CSS property controls the text size?

✓ font-size

Your answer

text-size

text-style

font-style

Question 12:

What is the correct CSS syntax for making all the <p> elements bold?

✓ p {font-weight:bold;}

Your answer

p {text-size:bold;}

<p style="font-size:bold;">

<p style="text-size:bold;">

Question 13:

How do you display hyperlinks without an underline?

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

a {underline:none;}

a {decoration:no-underline;}

Question 14:

How do you make each word in a text start with a capital letter?

✓ text-transform:capitalize

Your answer

You can't do that with CSS

text-style:capitalize

transform:capitalize

Question 15:

Which property is used to change the font of an element?

✓ font-family

Your answer

font-weight

font-style

Question 16:

How do you make the text bold?

✓ font-weight:bold;

Your answer

style:bold;

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[C](#) [W3.CSS](#) [HOW TO](#) [PHP](#) [JAVA](#) [PYTHON](#) [SQL](#) [JAVASCRIPT](#) [CSS](#)

Question 17:

How do you display a border like this:

The top border = 10 pixels

The bottom border = 5 pixels

The left border = 20 pixels

The right border = 1pixel?

✗ `border-width:10px 20px 5px 1px;`

Your answer

`border-width:10px 5px 20px 1px;`

`border-width:10px 1px 5px 20px;`

Correct answer

`border-width:5px 20px 10px 1px;`

Question 18:

Which property is used to change the left margin of an element?

✓ `margin-left`

Your answer

`indent`

`padding-left`

Question 19:

When using the padding property; are you allowed to use negative values?

✓ `No`

Your answer

`Yes`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

✓ `list-style-type: square;`

Your answer

`list: square;`

`list-type: square;`

Question 21:

How do you select an element with id 'demo'?

✓ `#demo`

Your answer

`*demo`

`demo`

`.demo`

Question 22:

How do you select elements with class name 'test'?

✓ `.test`

Your answer

`#test`

`test`

`*test`

Question 23:

How do you select all p elements inside a div element?

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

div.p

Question 24:

How do you group selectors?

✓ Separate each selector with a comma

Your answer

Separate each selector with a plus sign

Separate each selector with a space

Question 25:

What is the default value of the position property?

✓ static

Your answer

absolute

fixed


relative

Study CSS in our [CSS Tutorial](#)

Kickstart your career

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)[Get certified](#)

ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[🛒 Get Certified](#)[☰](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

COLOR PICKER

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

ADVERTISEMENT



ADVERTISEMENT

ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)[PLUS](#)[SPACES](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. W3Schools is Powered by [W3.CSS](#).