



JavaScript Quiz Results

Score: 25 of 25

100% Correct:

Question 1:

Inside which HTML element do we put the JavaScript?

✓ `<script>`

Your answer

`<js>`

`<scripting>`

`<javascript>`

Question 2:

What is the correct JavaScript syntax to change the content of the HTML element below?

`<p id="demo">This is a demonstration.</p>`

✓ `document.getElementById("demo").innerHTML = "Hello World!";`

Your answer

`document.getElement("p").innerHTML = "Hello World!";`

`document.getElementByName("p").innerHTML = "Hello World!";`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 3:

Where is the correct place to insert a JavaScript?

✓ Both the `<head>` section and the `<body>` section are correct

Your answer

The `<head>` section

The `<body>` section

Question 4:

What is the correct syntax for referring to an external script called "xxx.js"?

✓ `<script src="xxx.js">`

Your answer

`<script name="xxx.js">`

`<script href="xxx.js">`

Question 5:

The external JavaScript file must contain the `<script>` tag.

✓ False

Your answer

True

Question 6:

How do you write "Hello World" in an alert box?

✓ `alert("Hello World");`

Your answer

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

```
msg("Hello World");
```

Question 7:

How do you create a function in JavaScript?

✓ `function myFunction()`

Your answer

`function = myFunction()`

`function:myFunction()`

Question 8:

How do you call a function named "myFunction"?

✓ `myFunction()`

Your answer

`call function myFunction()`

`call myFunction()`

Question 9:

How to write an IF statement in JavaScript?

✓ `if (i == 5)`

Your answer

`if i = 5 then`

`if i = 5`

`if i == 5 then`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

✓ `if (i != 5)`

Your answer

`if (i <> 5)`

`if i <> 5`

`if i != 5 then`

Question 11:

How does a WHILE loop start?

✓ `while (i <= 10)`

Your answer

`while (i <= 10; i++)`

`while i = 1 to 10`

Question 12:

How does a FOR loop start?

✓ `for (i = 0; i <= 5; i++)`

Your answer

`for i = 1 to 5`

`for (i <= 5; i++)`

`for (i = 0; i <= 5)`

Question 13:

How can you add a comment in a JavaScript?

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

<!--This is a comment-->

Question 14:

How to insert a comment that has more than one line?

✓ `/*This comment has
more than one line*/`

`//This comment has
more than one line//`

`<!--This comment has
more than one line-->`

Your answer

Question 15:

What is the correct way to write a JavaScript array?

✓ `var colors = ["red", "green", "blue"]`

`var colors = 1 = ("red"), 2 = ("green"), 3 = ("blue")`

`var colors = "red", "green", "blue"`

`var colors = (1:"red", 2:"green", 3:"blue")`

Your answer

Question 16:

How do you round the number 7.25, to the nearest integer?

✓ `Math.round(7.25)`

Your answer

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

Math.rnd(7.25)

Question 17:

How do you find the number with the highest value of x and y?

✓ Math.max(x, y)

Your answer

top(x, y)

ceil(x, y)

Math.ceil(x, y)

Question 18:

What is the correct JavaScript syntax for opening a new window called "w2" ?

✓ w2 = window.open("http://www.w3schools.com");

Your answer

w2 = window.new("http://www.w3schools.com");

Question 19:

JavaScript is the same as Java.

✓ False

Your answer

True

Question 20:

How can you detect the client's browser name?

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)`client.navName`

Question 21:

Which event occurs when the user clicks on an HTML element?

✓ onclick

Your answer

onmouseclick

onchange

onmouseover

Question 22:

How do you declare a JavaScript variable?

✓ var carName;

Your answer

v carName;

variable carName;

Question 23:

Which operator is used to assign a value to a variable?

✓ =

Your answer

-

x

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 24:

What will the following code return: Boolean(10 > 9)

✓ true

Your answer

false

NaN

Question 25:

Is JavaScript case-sensitive?

✓ Yes

Your answer

No

[Study JavaScript in our JavaScript Tutorial](#)

Kickstart your career

Get certified by completing a course

[Get certified](#)




[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

ADVERTISEMENT



[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

COLOR PICKER



ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

ADVERTISEMENT

ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)
- [XML Examples](#)
- [jQuery Examples](#)

Get Certified

- [HTML Certificate](#)
- [CSS Certificate](#)
- [JavaScript Certificate](#)
- [Front End Certificate](#)
- [SQL Certificate](#)
- [Python Certificate](#)
- [PHP Certificate](#)
- [jQuery Certificate](#)
- [Java Certificate](#)
- [C++ Certificate](#)
- [C# Certificate](#)
- [XML Certificate](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Get Certified](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2025](#) by Refsnes Data. All Rights Reserved. W3Schools is Powered by [W3.CSS](#).