

Use the File Picker Input Control in the Client Mode

In order to use the File Picker in the [Screen Flows client mode](#) add an `<input type="file"/>` element in the [HTML Layout Editor](#) or [HTML Editor \(HTML View\)](#). Upload of a file is asynchronous in the client mode.

The `<input type="file"/>` element is not supported in the server mode.

Configuring the File Size

To configure the file size limits, change the following IIS settings in the IIS Manager:

- ▶ IIS setting of Request Filtering - section `maxAllowedContentLength`

For details, see *Request Limits <requestLimits>* at Microsoft Docs.

- ▶ IIS Configuration Editor - section `system.web/httpRuntime:maxRequestLength`

For details, see the *HttpRequestSection.MaxRequestLength Property* article at Microsoft Docs.

Using Events

When adding the File Picker control it is possible to use the events which are triggered when the file upload is successful or when it fails, for example:

```
document.addEventListener("apr-file-uploaded", function(event) {your code})
```

```
document.addEventListener("apr-upload-failed", function(event) {your code})
```

Examples


File Picker Configuration (URL Output)

The files are uploaded to the following location by default: `<drive>\Program Files\Dassault Systemes\DELMIA Apriso 2022\WebSite\Portal\Uploads`. In order to receive an URL instead of a path, a View Operation needs to be configured as follows:


1. Add a File Picker control and bind it with some other control in the [HTML Layout Editor](#), for example:

```
1 <!-- Here you can layout standard UI elements using HT
2 <!-- Tag selection: Ctrl+Shift+ArrowUp|ArrowDown or Ct
3 <!-- Snippets: Ctrl+Shift+Space or in|lit|bind|itr|itr
4
5
6 <input type="file" data-flx-bind="Control1" />
7 <div data-flx-subop="Call_PortalGenerateForm"/>
```

2. Create a User Formula Function and link it with a Screen Interface Output:




In the User Formula Editor add the following:



The code in the User Formula Editor replaces a path with an URL and leaves the name of the file as it was.

File Picker Configuration (Paths of Last Uploaded Files)

In order to see paths for all of the last uploaded files, you need to use `iterate` attribute in the HTML Layout Editor.



```

6 <div data-flx-subop="Call_PortalGenerateForm"/>
7 <input type="file" data-flx-bind="Control1" />
8
9 <br/>
10
11 Control1 list:
12 <ul><li data-flx-iterate="i,input1">{input1[i]}</li></ul>
13
  
```