

# CLOUD COMPUTING

## PRACTICAL 8:AMAZON SAGEMAKER

Name: Kaushal Joshi  
Roll no: A026  
SapId: 86062300045  
Msc SDS Batch 1

### 1)Creating IAM ROLE and assigning sagemaker permission

The screenshot shows the 'Create role' wizard in the AWS IAM console. The left sidebar indicates the current step is 'Step 1: Select trusted entity'. The main area is titled 'Select trusted entity' and contains two sections: 'Trusted entity type' and 'Use case'. In the 'Trusted entity type' section, the 'AWS service' option is selected. In the 'Use case' section, the 'SageMaker' service is selected from the dropdown, and the 'SageMaker - Execution' use case is selected. The 'Next' button is highlighted in orange at the bottom right.

**IAM Role is created.**

The screenshot shows the 'Add permissions' step of the IAM role creation wizard. The left sidebar indicates the current step is 'Step 2: Add permissions'. The main area is titled 'Add permissions' and contains a section for 'Permissions policies (1)'. A table lists the selected policy: 'AmazonSageMakerFullAccess' with the type 'AWS managed'. Below the table, there is a link to 'Set permissions boundary - optional'. The 'Next' button is highlighted in orange at the bottom right.

### 2) creating s3 bucket named mygroup2

**General purpose buckets** | Directory buckets

**General purpose buckets (6)** [Info](#) [All AWS Regions](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
<a href="#">bucketcool2</a>	Europe (Stockholm) eu-north-1	<a href="#">View analyzer for eu-north-1</a>	August 31, 2024, 16:17:34 (UTC+05:30)
<a href="#">elasticbeanstalk-us-east-1-630422386614</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	September 14, 2024, 14:24:29 (UTC+05:30)
<a href="#">lightningbucket</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	July 27, 2024, 16:10:56 (UTC+05:30)
<a href="#">quickbu</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	August 30, 2024, 20:53:02 (UTC+05:30)
<a href="#">sagemaker-us-east-1-630422386614</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	October 24, 2024, 14:53:53 (UTC+05:30)
<a href="#">waterbucketwithnowater</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	July 27, 2024, 16:17:54 (UTC+05:30)

**Successfully created bucket "mygroup2"**  
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

Amazon S3 > Buckets

**Account snapshot - updated every 24 hours** [All AWS Regions](#)  
Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

[View Storage Lens dashboard](#)

**General purpose buckets** | Directory buckets

**General purpose buckets (7)** [Info](#) [All AWS Regions](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
<a href="#">bucketcool2</a>	Europe (Stockholm) eu-north-1	<a href="#">View analyzer for eu-north-1</a>	August 31, 2024, 16:17:34 (UTC+05:30)
<a href="#">elasticbeanstalk-us-east-1-630422386614</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	September 14, 2024, 14:24:29 (UTC+05:30)
<a href="#">lightningbucket</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	July 27, 2024, 16:10:56 (UTC+05:30)
<a href="#">mygroup2</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	November 7, 2024, 12:02:07 (UTC+05:30)
<a href="#">quickbu</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	August 30, 2024, 20:53:02 (UTC+05:30)
<a href="#">sagemaker-us-east-1-630422386614</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	October 24, 2024, 14:53:53 (UTC+05:30)
<a href="#">waterbucketwithnowater</a>	US East (N. Virginia) us-east-1	<a href="#">View analyzer for us-east-1</a>	July 27, 2024, 16:17:54 (UTC+05:30)

### 3)open Amazon SageMaker console

Select Notebook instances and click create notebook instances

Here we will assign the IAM role created earlier i.e fraud\_detection

Amazon SageMaker > Notebooks and Git Repos

**Notebooks and Git repos**

▼ Try the new JupyterLab in SageMaker Studio

**Try the new JupyterLab in SageMaker Studio**

- Launch notebooks in seconds and start coding instantly
- Use the similar underlying compute and storage as your notebook instances to enable more features at the same cost
- Seamlessly perform comprehensive ML and analytics workflows, all in one notebook
- Leverage GenAI-powered coding assistance from Amazon CodeWhisperer and JupyterAI to accelerate development
- Collaborate with your peers in real-time on the same notebook for seamless ideation

[Get Started](#)

► How to access JupyterLab in Studio?

**Notebook instances** | Git repositories

**Notebook instances** [Info](#)

Search notebook instances

Name	Instance	Creation time	Status	Actions
<a href="#">franklin</a>	ml.t3.medium	10/24/2024, 2:40:30 PM	InService	<a href="#">Open Jupyter</a>   <a href="#">Open JupyterLab</a>

[Create notebook instance](#)

## 4) CREATE A JUPYTER NOTEBOOK

[Amazon SageMaker](#) > [Notebook instances](#) > Create notebook instance

### Create notebook instance

Amazon SageMaker provides pre-built fully managed notebook instances that run Jupyter notebooks. The notebook instances include example code for common model training and hosting exercises. [Learn more](#)

#### Notebook instance settings

Notebook instance name

Maximum of 63 alphanumeric characters. Can include hyphens (-), but not spaces. Must be unique within your account in an AWS Region.

Notebook instance type

Platform identifier [Learn more](#)

► Additional configuration

#### Permissions and encryption

IAM role

Notebook instances require permissions to call other services including SageMaker and S3. Choose a role or let us create a role with the [AmazonSageMakerFullAccess](#) IAM policy attached.

Create role using the role creation wizard

Root access - optional

☒ Enable - Give users root access to the notebook

☐ Disable - Don't give users root access to the notebook

Lifecycle configurations always have root access

Encryption key - optional

Encrypt your notebook data. Choose an existing KMS key or enter a key's ARN.

## Notebook is created

🟢 Success! Your notebook instance is being created. Open the notebook instance when status is InService and open a template notebook to get started. [View details](#)

[Amazon SageMaker](#) > Notebook instances


#### Notebook instances

Search notebook instances

	Name	Instance	Creation time	Status	Actions
<input type="radio"/>	<a href="#">frauddetection</a>	ml.t3.medium	11/7/2024, 12:05:56 PM	Pending	-
<input type="radio"/>	<a href="#">franklin</a>	ml.t3.medium	10/24/2024, 2:40:30 PM	InService	<a href="#">Open Jupyter</a>   <a href="#">Open JupyterLab</a>

1. Open Jupyter or JupyterLab according to the interface needed.

2. Go to File menu->Choose New-> Notebook.
3. Select Kernel as 'conda\_python3'



## Deploying the model (Here it is stored in s3 bucket that we had created)

```
In [1]: import shap
X, y = shap.datasets.adult()
X_display, y_display = shap.datasets.adult(display=True)
feature_names = list(X.columns)
feature_names

Matplotlib is building the font cache; this may take a moment.
```

```
Out[1]: ['Age',
'Workclass',
'Education-Num',
'Marital Status',
'Occupation',
'Relationship',
'Race',
'Sex',
'Capital Gain',
'Capital Loss',
'Hours per week',
'Country']
```

```
In [7]: import sagemaker, boto3, os
bucket = sagemaker.Session().default_bucket()
prefix = "demo-sagemaker-xgboost-adult-income-prediction"

boto3.Session().resource('s3').Bucket(bucket).Object(
    os.path.join(prefix, 'data/train.csv')).upload_file('train.csv')
boto3.Session().resource('s3').Bucket(bucket).Object(
    os.path.join(prefix, 'data/validation.csv')).upload_file('validation.csv')

sagemaker.config INFO - Not applying SDK defaults from location: /etc/xdg/sagemaker/config.yaml
sagemaker.config INFO - Not applying SDK defaults from location: /home/ec2-user/.config/sagemaker/config.yaml
```

```
In [8]: import sagemaker

region = sagemaker.Session().boto_region_name
print("AWS Region: {}".format(region))

role = sagemaker.get_execution_role()
print("RoleArn: {}".format(role))

AWS Region: us-east-1
RoleArn: arn:aws:iam::975050009706:role/lucifer007
```

```
! aws s3 cp {rule_output_path} ./ --recursive
```

```
from IPython.display import FileLink, FileLinks
display("Click link below to view the XGBoost Training report", FileLink("CreateXgboostReport/xgboost_report.html"))
```

---

download: s3://sagemaker-us-east-1-975050009706/demo-sagemaker-xgboost-adult-income-prediction/xgboost\_model/sagemaker-xgboost-2024-10-24-09-29-24-130/rule-output/CreateXgboostReport/xgboost-reports/EvaluationMetrics.json to CreateXgboostReport/xgboost-reports/EvaluationMetrics.json  
download: s3://sagemaker-us-east-1-975050009706/demo-sagemaker-xgboost-adult-income-prediction/xgboost\_model/sagemaker-xgboost-2024-10-24-09-29-24-130/rule-output/CreateXgboostReport/xgboost-reports/FeatureImportance.json to CreateXgboostReport/xgboost-reports/FeatureImportance.json  
download: s3://sagemaker-us-east-1-975050009706/demo-sagemaker-xgboost-adult-income-prediction/xgboost\_model/sagemaker-xgboost-2024-10-24-09-29-24-130/rule-output/ProfilerReport/profiler-output/profiler-report.ipynb to ProfilerReport/profiler-output/profiler-report.ipynb  
download: s3://sagemaker-us-east-1-975050009706/demo-sagemaker-xgboost-adult-income-prediction/xgboost\_model/sagemaker-xgboost-2024-10-24-09-29-24-130/rule-output/CreateXgboostReport/xgboost-reports/ConfusionMatrix.json to CreateXgboostReport/xgboost-reports/ConfusionMatrix.json

---

```
from sagemaker.debugger import Rule, ProfilerRule, rule_configs
from sagemaker.session import TrainingInput
```

```
s3_output_location='s3://{}/{}/{}/'.format(bucket, prefix, 'xgboost_model')
```

```
container=sagemaker.image_uris.retrieve("xgboost", region, "1.2-1")
print(container)
```

```
xgb_model=sagemaker.estimator.Estimator(
    image_uri=container,
    role=role,
    instance_count=1,
    instance_type='ml.m4.xlarge',
    volume_size=5,
    output_path=s3_output_location,
    sagemaker_session=sagemaker.Session(),
    rules=[
        Rule.sagemaker(rule_configs.create_xgboost_report()),
        ProfilerRule.sagemaker(rule_configs.ProfilerReport())
    ]
)
```


```
In [18]: xgb_predictor.endpoint_name
```

```
Out[18]: 'sagemaker-xgboost-2024-10-24-09-34-02-816'
```

```
In [19]: import numpy as np
def predict(data, rows=1000):
    split_array = np.array_split(data, int(data.shape[0] / float(rows) + 1))
    predictions = ''
    for array in split_array:
        predictions = ','.join([predictions, xgb_predictor.predict(array).decode('utf-8')])
    return np.fromstring(predictions[1:], sep=',')
```

```
In [20]: import matplotlib.pyplot as plt

predictions=predict(test.to_numpy()[1:,1:])
plt.hist(predictions)
plt.show()
```



```
In [21]: import sklearn
```

```
cutoff=0.5
print(sklearn.metrics.confusion_matrix(test.iloc[:, 0], np.where(predictions > cutoff, 1, 0)))
print(sklearn.metrics.classification_report(test.iloc[:, 0], np.where(predictions > cutoff, 1, 0)))
```

```
[[4670  356]
 [ 480 1007]]
      precision    recall  f1-score   support

      0       0.91      0.93      0.92     5026
      1       0.74      0.68      0.71     1487

 accuracy          0.82
 macro avg          0.82
weighted avg          0.82
```

# Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

**Files and folders** (1 Total, 98.2 MB)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

Q creditcard

X

1 match

< 1 >

<input type="checkbox"/>	Name	Folder
<input type="checkbox"/>	creditcard.csv	-

**Destination** [Info](#)

Destination

[s3://mygroup2](#)

► Destination details

Bucket settings that impact new objects stored in the specified destination.

- Permissions

Grant public access and access to other AWS accounts.
- Properties

Specify storage class, encryption settings, tags, and more.

Cancel

Upload