

# Introduction to Classes Exercises

---

Introduction to Classes contains a series of exercises which require you to define and use classes of increasing difficulty. The series is grouped into three sets: Easy, Medium, and Difficult.

A starter Visual Studio Solution containing all class and test source files you'll need has been created for you.

## Easier

### Product

#### Class Variables

Variable Name	Data Type	Description
name	string	Holds the name of the product.
price	decimal	Holds the price of the product.
weightInOunces	double	Holds the weight (in ounces) of the product.

### Company

#### Class Variables

Variable Name	Data Type	Description
name	string	Holds the name of the company.
numberOfEmployees	int	Holds the number of employees.
revenue	decimal	Holds the company revenue.
expenses	decimal	Holds the company expenses.

#### Methods

Method Name	Return Type	Description
GetCompanySize()	string	A company is "small" if less than 50 employees, "medium" if between 51 and 250 employees, "large" if greater than 250 employees
GetProfit()	decimal	Calculated by subtracting expenses from revenue.

### Person

#### Class Variables

Variable Name	Data Type	Description
firstName	string	Holds the first name of the person.
lastName	string	Holds the last name of the person.
age	int	Holds the age of the person.

#### Methods

Method Name	Return Type	Description
GetFullName()	string	Returns the First Name + Last Name of the Person.
IsAdult()	bool	Returns <b>true</b> if the person is 18 or older.

## Medium Difficulty

### Dog

#### Class Variables

Variable Name	Data Type	Description
isSleeping	bool	<b>TRUE</b> if the dog is asleep. <b>FALSE</b> if not. <b>All new dogs are awake by default</b>

#### Methods

Method Name	Return Type	Description
MakeSound()	string	Returns " <b>Zzzzz...</b> " if the dog is asleep. Returns " <b>woof!</b> " if the dog is awake.
Sleep()	void	Sets <b>isSleeping</b> to <b>true</b> .
WakeUp()	void	Sets <b>isSleeping</b> to <b>false</b> .

### Shopping Cart

#### Class Variables

Variable Name	Data Type	Description
totalNumberOfItems	int	The number of items in the shopping cart. <b>All shopping carts have 0 items by default</b>
totalAmountOwed	double	The total for the shopping cart. <b>All shopping carts have 0.0 owed by default</b>

#### Methods

Method Name	Return Type	Description
GetAveragePricePerItem()	double	Returns the <b>totalAmountOwed / totalNumberOfItems</b> .
AddItems(int numberOfItems, double pricePerItem)	void	Updates <b>totalNumberOfItems</b> and increases <b>totalAmountOwed</b> by ( <b>pricePerItem * numberOfItems</b> )
Empty()	void	Returns <b>totalNumberOfItems</b> and <b>totalAmountOwed</b> to 0.

## Difficult

### Calculator

#### Class Variables

Variable Name	Data Type	Description
result	int	Current value of the calculator

#### Constructors

Signature	Description
Calculator(int startingResult)	Starting value of the calculator

#### Methods

Method Name	Return Type	Description
Add(int addend)	int	

Adds **addend** to **result** and returns the current value of **result**.

Subtract(int subtrahend)	int	Subtracts <b>subtrahend</b> from the current value of <b>result</b> and returns the current value of <b>result</b> .
Multiply(int multiplier)	int	Multiplies current result by <b>multiplier</b> and returns the current value of <b>result</b> .
Power(int exponent)	int	Raises <b>result</b> to power of <b>exponent</b> . Negative exponents should use the absolute value. Returns the current value of <b>result</b>
Reset()	void	Resets <b>result</b> to 0.