

```
[ { "id": 1, "category": "OCI Basics", "question": "What is OCI?", "answer": "Oracle Cloud Infrastructure (OCI) is Oracle's cloud platform that provides Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS) offerings for running enterprise workloads." }, { "id": 2, "category": "OCI Basics", "question": "What are the main OCI service categories?", "answer": "Compute, Storage, Networking, Database, Security & Identity, Monitoring & Management, Containers & Kubernetes (OKE), Analytics & AI." }, { "id": 3, "category": "OCI Basics", "question": "What is a Tenancy in OCI?", "answer": "A tenancy is a secure and isolated partition within OCI where all cloud resources are created and managed." }, { "id": 4, "category": "OCI Basics", "question": "What are Compartments?", "answer": "Compartments are logical containers used to organize and isolate OCI resources. Benefits include resource organization, access control, and cost tracking." }, { "id": 5, "category": "Networking", "question": "What is a Region?", "answer": "A Region is a localized geographic area containing one or more Availability Domains." }, { "id": 6, "category": "Networking", "question": "What is an Availability Domain (AD)?", "answer": "An Availability Domain is an isolated data center within a region that provides fault tolerance, high availability, and disaster recovery." }, { "id": 7, "category": "Networking", "question": "What is a Fault Domain?", "answer": "A Fault Domain is a logical grouping of hardware within an Availability Domain that protects against hardware failures and improves application availability." }, { "id": 8, "category": "Networking", "question": "What is a Virtual Cloud Network (VCN)?", "answer": "VCN is OCI's virtual network. Components include CIDR Blocks, Subnets, Route Tables, Security Lists, and Gateways." }, { "id": 9, "category": "Networking", "question": "What is the difference between Public and Private Subnets?", "answer": "Public Subnets have internet access through an Internet Gateway, while Private Subnets do not have direct internet access and typically use a NAT Gateway." }, { "id": 10, "category": "Networking", "question": "What is an Internet Gateway?", "answer": "An Internet Gateway allows communication between VCN resources and the public internet." }, { "id": 11, "category": "Networking", "question": "What is a NAT Gateway?", "answer": "A NAT Gateway allows private instances to access the internet without exposing them publicly." }, { "id": 12, "category": "Networking", "question": "What is a Service Gateway?", "answer": "A Service Gateway provides private access to Oracle services without traversing the internet." }, { "id": 13, "category": "Networking", "question": "What is Dynamic Routing Gateway (DRG)?", "answer": "DRG connects OCI networks with on-premises data centers, other OCI regions, and third-party clouds for hybrid cloud connectivity." }, { "id": 14, "category": "Networking", "question": "What is FastConnect?", "answer": "FastConnect is a dedicated private connection between OCI and on-premises environments providing low latency, high bandwidth, and secure communication." } ]
```