



Database homework

Conceptual Questions


1. 175




2. 176




3. 1757





4. 181



5. 180


DescriptionEditorialSolutionsAcceptedSubmissionsDebug

← All Submissions

Accepted 23 / 23 testcases passed
wdt57 submitted at Oct 04, 2026 20:48

Runtime
243 ms | Beats 91.99%

Memory
0.00 MB | Beats 100.00%



Code | PostgreSQL

```
1 -- Write your PostgreSQL query statement below
2 SELECT DISTINCT l1.num AS ConsecutiveNums
3 FROM Logs AS l1
4 JOIN Logs AS l2 ON l1.id = l2.id - 1
5 JOIN Logs AS l3 ON l2.id = l3.id - 1
6 WHERE l1.num = l2.num AND l2.num = l3.num;
```

Code

PostgreSQL • Auto

```
1 -- Write your PostgreSQL query statement below
2 SELECT DISTINCT l1.num AS ConsecutiveNums
3 FROM Logs AS l1
4 JOIN Logs AS l2 ON l1.id = l2.id - 1
5 JOIN Logs AS l3 ON l2.id = l3.id - 1
6 WHERE l1.num = l2.num AND l2.num = l3.num;
```

SavedLn 6, Col 43

TestcaseTest Result

Accepted Runtime: 123 ms

Case 1

Input

Logs =

6. 196


DescriptionAcceptedEditorialSolutionsSubmissionsDebug

← All Submissions

Accepted 22 / 22 testcases passed
wdt57 submitted at Oct 04, 2026 20:51

Runtime
223 ms | Beats 89.00%

Memory
0.00 MB | Beats 100.00%



Code | PostgreSQL

```
1 -- Write your PostgreSQL query statement below
2 DELETE FROM Person
3 WHERE id NOT IN
4 (SELECT MIN(id) FROM Person GROUP BY email);
```

Code

PostgreSQL • Auto

```
1 -- Write your PostgreSQL query statement below
2 DELETE FROM Person
3 WHERE id NOT IN
4 (SELECT MIN(id) FROM Person GROUP BY email);
5
```

SavedLn 4, Col 43

TestcaseTest Result


Accepted Runtime: 147 ms

Case 1


Input

Person =

7. 183



8. 584



9. 595

Description | Accepted | **Editorial** | Solutions | Submissions | Debug Console

Big Countries

Noting that we need to return three columns according to the requirements of the problem. Thus the next step is selecting the three required columns with the relative order as: `name`, `population`, and `area`. The complete answer is as follows.

```
SELECT
  name, population, area
FROM
  world
WHERE
  area >= 3000000 OR population >= 25000000
;
```

Comments (128) Sort by: Best

Type comment here...

</> 📷 🔗 @ Comment

Article Commenting Rules

1. This comment section is for questions and comments regarding this LeetCode article. All posts must respect our [LeetCode Community Rules](#).

👍 111 ⬇️ 128 ...

Code

PostgreSQL • Auto

```
1 -- Write your PostgreSQL query statement below
2 SELECT name, population, area
3 FROM World
4 WHERE area >= 3000000 OR population >= 25000000;
```

Saved Ln 4, Col 22

Testcase | **Test Result**

Accepted Runtime: 205 ms

Case 1

Input

World =

10. 184

Description | Editorial | Accepted | Solutions | Submissions | Debug Console


All Submissions

Accepted 14 / 14 testcases passed

wdt57 submitted at Oct 05, 2026 13:13

Runtime
221 ms | Beats 88.88%

Memory
0.00 MB | Beats 100.00%



Code | PostgreSQL

```
1 -- Write your PostgreSQL query statement below
2 SELECT
3   d.name AS "Department",
4   e.name AS "Employee",
5   e.salary AS "Salary"
6 FROM Employee e
7 JOIN Department d
8   ON e.departmentId = d.id
9 WHERE (e.departmentId, e.salary) IN (
10   SELECT departmentId, MAX(salary)
11   FROM Employee
12   GROUP BY departmentId
13 );
```

Code

PostgreSQL • Auto

```
1 -- Write your PostgreSQL query statement below
2 SELECT
3   d.name AS "Department",
4   e.name AS "Employee",
5   e.salary AS "Salary"
6 FROM Employee e
7 JOIN Department d
8   ON e.departmentId = d.id
9 WHERE (e.departmentId, e.salary) IN (
10   SELECT departmentId, MAX(salary)
11   FROM Employee
12   GROUP BY departmentId
13 );
```

Saved Ln 13, Col 3

Testcase | **Test Result**

Accepted Runtime: 167 ms

Case 1

Input

Employee =

11. 596

Description | Editorial | Accepted x | Solutions | Submissions | Debug

← All Submissions

Accepted 11 / 11 testcases passed


wdt57 submitted at Oct 05, 2026 13:16

Runtime

284 ms | Beats 60.33%

Memory

0.00 MB | Beats 100.00%



Code | PostgreSQL

```
1 -- Write your PostgreSQL query statement below
2 SELECT class
3 FROM (
4     SELECT class, COUNT(student) AS sum
5     FROM Courses
6     GROUP BY class
7 )
8 WHERE sum >= 5;
9
```

Code

PostgreSQL • Auto

```
1 -- Write your PostgreSQL query statement below
2 SELECT class
3 FROM (
4     SELECT class, COUNT(student) AS sum
5     FROM Courses
6     GROUP BY class
7 )
8 WHERE sum >= 5;
9
```

Saved

Ln 8, Col 13

Testcase | Test Result

Accepted Runtime: 189 ms

Case 1

Input

Courses =