

1. 175

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 select FirstName, LastName, City, State
3 from Person left join Address
4 on Person.PersonId = Address.PersonId
5 ;
```

☁ Saved

☒ Testcase | **> Test Result**

Accepted Runtime: 96 ms

☒ Case 1

2. 176

```
1 # Write your MySQL query statement below
2 SELECT
3     (SELECT DISTINCT
4         Salary
5     FROM
6         Employee
7     ORDER BY Salary DESC
8     LIMIT 1 OFFSET 1) AS SecondHighestSalary
9 ;
```

☁ Saved

☒ Testcase | **>_ Test Result**

Accepted Runtime: 103 ms

☒ Case 1

☒ Case 2

3. 1757

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 SELECT
3     product_id
4 FROM
5     Products
6 WHERE
7     low_fats = 'Y' AND recyclable = 'Y'
```

☁ Saved

☒ Testcase | [Test Result](#)

Accepted Runtime: 72 ms

☒ Case 1

4. 181

MySQL ▾ • Auto

```
1  # Write your MySQL query statement below
2  SELECT
3  |    a.Name AS 'Employee'
4  FROM
5  |    Employee AS a,
6  |    Employee AS b
7  WHERE
8  |    a.ManagerId = b.Id
9  |    AND a.Salary > b.Salary
10 ;
```

☁ Saved

☒ Testcase | >_ Test Result

Accepted Runtime: 77 ms

☒ Case 1

5. 180

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 SELECT DISTINCT
3     l1.Num AS ConsecutiveNums
4 FROM
5     Logs l1,
6     Logs l2,
7     Logs l3
8 WHERE
9     l1.Id = l2.Id - 1
10    AND l2.Id = l3.Id - 1
11    AND l1.Num = l2.Num
12    AND l2.Num = l3.Num
13 ;
```

☁ Saved

☒ Testcase | [>_ Test Result](#)

Accepted Runtime: 60 ms

☒ Case 1

6. 196

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 DELETE p1 FROM person p1,
3     person p2
4 WHERE
5     p1.Email = p2.Email AND p1.Id > p2.Id
```

☁ Saved

☒ Testcase | [>_ Test Result](#)

Accepted Runtime: 68 ms

☒ Case 1

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 select customers.name as 'Customers'
3 from customers
4 where customers.id not in
5 (
6     select customerid from orders
7 );
```

☁ Saved

☒ Testcase | >_ Test Result

Accepted Runtime: 89 ms

☒ Case 1

8. 584

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 SELECT name FROM customer WHERE referee_id <> 2 OR referee_id IS NULL;
```

☁ Saved

☒ Testcase | **>_ Test Result**

Accepted Runtime: 67 ms

☒ Case 1

9. 595

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 SELECT
3     name, population, area
4 FROM
5     world
6 WHERE
7     area >= 3000000 OR population >= 25000000
8 ;
```

☁ Saved

☒ Testcase | **>_ Test Result**

Accepted Runtime: 64 ms

☒ Case 1

10. 184

```
1  # Write your MySQL query statement below
2  SELECT
3      Department.name AS 'Department',
4      Employee.name AS 'Employee',
5      Salary
6  FROM
7      Employee
8      JOIN
9      Department ON Employee.DepartmentId = Department.Id
10 WHERE
11     (Employee.DepartmentId , Salary) IN
12     (
13         SELECT
14             DepartmentId, MAX(Salary)
15         FROM
16             Employee
17         GROUP BY DepartmentId
18     )
19 ;
```

☁ Saved

☒ Testcase | [> Test Result](#)

Accepted Runtime: 100 ms

☒ Case 1

11. 596

MySQL ▾ • Auto

```
1 # Write your MySQL query statement below
2 SELECT
3     class
4 FROM
5     courses
6 GROUP BY class
7 HAVING COUNT(student) >= 5
8 ;
```

☁ Saved

☒ Testcase | [>_ Test Result](#)

Accepted Runtime: 80 ms

☒ Case 1