

目次

1	Basic Mapping & Edge Cases	1
2	Nesting with <code>luwa-ul</code>	1
3	Complex Structures (Tables & Lists)	1
4	Advanced Multi-line & Box Stress Test	2
5	Indexing Strategy Test	3
6	Deep Grouping & Scoping	3
7	Extreme Math/Macro Integration	3

表目次

1 Basic Mapping & Edge Cases

```
Hello _ World <EXCL[A-mapped]M[A-mapped]TION>
         _Leading _ and _ trailing _ spaces _       _
[A-mapped] <EXCL[A-mapped]M[A-mapped]TION> [A-mapped] <EXCL[A-mapped]M[A-mapped]TION>
[A-mapped] <EXCL[A-mapped]M[A-mapped]TION> [A-mapped] <EXCL[A-mapped]M[A-mapped]TION> [A-
mapped]
# _$ _$ _% _^ _& _{ _} _~ _\ _
<EXCL[A-mapped]M[A-mapped]TION> <EXCL[A-mapped]M[A-mapped]TION>. . . , _ _ <EXCL[A-
mapped]M[A-mapped]TION> <EXCL[A-mapped]M[A-mapped]TION>
```

2 Nesting with luwa-ul

Normal Text Verb Text with Space Normal Text
Normal Text Verb Text with Space Normal Text
Blue underline with [A-mapped] and <EXCL[A-mapped]M[A-mapped]TION>
Multi-line Nested . Red . Underline Back . to . Normal

3 Complex Structures (Tables & Lists)

Point 1 Description with . and ,
Point 2 Underlined Item Label

表1 移動引数テスト: Caption _\#_\%

項	テスト内容
1	Standard _ Verb
2	<u>Underlined</u> _ Verb _ in _ Table
3	1 Line _ 1 2 Line _ 2 _ with _ space 3 Line _ 3
4	Special _ Chars: _{ }_ []_ < >_ ()

4 Advanced Multi-line & Box Stress Test

【Multi-language Code Test (Numbered)】――

ああああああああああああああああああああああああああああああああああああああ
あああああああああああああああああああああああああああああああああああああああ
15 `function _ hello() _{`
16 `_ _ print("こんにちは, 世界. "); _ --_ space _ check`
17 `_ _ return _ [A-mapped] _ + _ 1; _ <EXCL[A-mapped]M[A-mapped]TION>`
18 `}`
19
20 `--_ Testing _ Long _ Sentence`
21 `This _ is _ a _ long _ sentence _ that _ should _ potentially _ wrap _ or _ be _`
`handled _ by _ the _ line _ break _ settings _ of _ the _ package.`
22 和文と英文が混ざった状態で。句点. と, 読点, の置換.
23 ただの和文のテストコード。
24 ここにグルーが入ってズレてほしくない。
25 abc みたいな英字でも,
26 123 みたいな数字でも。
あああああああああああああああああああああああああああああああああああああ
あああああああああああああああああああああああああああああああああああああ

【Multi-language Code Test (Not Numbered)】――

ああああああああああああああああああああああああああああああああああああ
あああああああああああああああああああああああああああああああああああ
function _ hello() _{

```

    --_ print("こんにちは、世界。"); _--_ space _ check
    --_ return _ [A-mapped] _ + _ 1; _ <EXCL[A-mapped]M[A-mapped]TION>
}

```

--_ Testing _ Long _ Sentence

This _ is _ a _ long _ sentence _ that _ should _ potentially _ wrap _ or _ be _ handled _ by _ the _ line _ break _ settings _ of _ the _ package.

和文と英文が混ざった状態で。句点。と、読点、の置換。

ただの和文のテストコード。

ここにグルーが入ってズレてほしくない。

abc みたいな英字でも、

123 みたいな数字でも。

あああああああああああああああああああああああああああああああああああ
ああああああああああああああああああああああああああああああああああああ

5 Indexing Strategy Test

Check _ the _ index _ for _ [A-mapped] , _ <EXCL[A-mapped]M[A-mapped]TION>, _., _ and _ ,

6 Deep Grouping & Scoping

Scoped [SP[A-mapped]CE] Map [SP[A-mapped]CE] Test [PERIOD]

Back [SP[A-mapped]CE] to [SP[A-mapped]CE] Global [SP[A-mapped]CE] Map [SP[A-mapped]CE] Test [PERIOD]

7 Extreme Math/Macro Integration

Use \KKverb in a mathmode:

Equation with Verb: $E[SP[A-mapped]CE] = [SP[A-mapped]CE] mc^2 [SP[A-mapped]CE] \alpha [SP[A-mapped]CE] \beta [SP[A-mapped]CE]$ (1)

Normal math mode:

Equation with Verb: $E = mc^2\alpha\beta\gamma$ (2)

Foot note^{*1}.

^{*1} Footnote Test: Verb [SP[A-mapped]CE] in [SP[A-mapped]CE] footnote [SP[A-mapped]CE] #% and underlined

索引

lphabet [SP [A-mapped] CE] Mapping: [SP [A-mapped] CE] [A-mapped], 3

item, 1

和文 [PERIOD] 置換, テスト, 3

Symbol: [SP [A-mapped] CE] # [SP [A-mapped] CE] \$ [SP [A-mapped] CE] \$ [SP [A-mapped] CE] % [SP [A-mapped] CE] &, 3