



中国认可
国际互认
检测
TESTING
CNAS L11379

TEST REPORT

Company Name OpenMV, LLC
Shown on Report:
Address: 1233 Howard St. APT2C, San Francisco, CA 94103, USA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name: OpenMV Kit
Sample Model: OpenMV AE3-R6
OpenMV N6-R4
Trademark: OpenMV AE3
OpenMV N6
Marketing Name: Iconia A10, A10-41MN
Sample Received Date: Jan.08, 2026
Test Period: Jan.08, 2026 - Jan.20, 2026
Date of Issue: Mar.02, 2026

ISSUED BY: GUANGDONG TITCOBO TESTING CO.,LTD.



Editor: Mia **Checked by:** Cd lan **Approved by:** Sam Xie
  



1. Test Requested and Test Conclusion:



Based on the performed tests on specified material(s) or submitted sample(s).



Test items	Conclusion
RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment	
- Lead (Pb)/ Cadmium(Cd)/ Mercury(Hg)/ Hexavalent Chromium(Cr ⁶⁺) content.	PASS
- Polybrominated biphenyls (PBBs) & Polybrominated diphenyl ethers (PBDEs) content.	PASS
- Di-(2-ethylhexyl) phthalate (DEHP), Dibutyl phthalate (DBP), Butyl benzyl phthalate (BBP), Diisobutyl phthalate (DIBP) content	PASS







Sample photo list--A















Sample photo list--B





2. Sample description

Sample No.	Description
A1	White plastic
A2	SMD IC
A3	SMD IC
A4	SMD capacitor
A5	Silvery metal
A6	Black plastic
A7	SMD IC
A8	SMD IC
A9	SMD IC
A10	SMD resistor
A11	SMD triode
A12	SMD resistor
A13	SMD IC
A14	Black plastic
A15	Silvery metal
A16	SMD IC
A17	Silvery metal
A18	Golden metal
A19	Dark gray plastic
A20	Silvery metal
A21	Black plastic
A22	SMD IC
A23	SMD resistor
A24	SMD IC
A25	Silvery metal
A26	Silvery metal
A27	SMD resistor
A28	Silvery metal
A29	SMD inductor
A30	SMD crystal oscillator
A31	SMD IC
A32	SMD capacitor
A33	SMD inductor
A34	SMD IC
A35	Red PCB
A36	SMD capacitor
A37	SMD IC

A38	Beige plastic
A39	Silvery metal
A40	Black plastic
A41	Golden metal
A42	Black plastic
A43	Brown plastic
A44	Silvery metal
A45	Black plastic
A46	Silvery metal
A47	Silvery metal
A48	Silvery metal
A49	Transparent yellow plastic
A50	Black plastic
A51	Black plastic
A52	Glass
A53	Black plated silvery metal
A54	Black plated silvery metal
A55	Black plated silvery metal
A56	Glass
A57	Glass
A58	Black plastic
A59	SMD triode
A60	SMD resistor
A61	SMD IC
A62	Silvery metal
A63	Black printing white sticker
A64	SMD crystal oscillator
A65	SMD IC
A66	Silvery metal
A67	SMD IC
A68	SMD diode
A69	SMD capacitor
A70	SMD inductor
A71	SMD crystal oscillator
A72	SMD crystal oscillator
A73	SMD IC
A74	Golden metal
A75	Golden metal
A76	Dark gray plastic

A77	Silvery metal
A78	Red PCB
A79	Glass
A80	SMD IC
B1	Blue plastic with white coating
B2	Black plastic
B3	Beige plastic
B4	Black plastic
B5	Transparent plastic
B6	Transparent plastic
B7	Transparent plastic
B8	Transparent plastic
B9	Transparent plastic
B10	Black plastic
B11	Black plated silvery metal
B12	Black plated silvery metal
B13	Black plated silvery metal
B14	Black plastic
B15	Glass
B16	Red PCB
B17	Silvery metal
B18	Silvery metal
B19	Golden metal
B20	Black plastic

3. Test Result(s)

3.1 Screening Test

Test Method: With reference to IEC 62321-3-1:2013, Screening –Lead (Pb)/ Cadmium(Cd)/ Mercury(Hg)/ Total Chromium(Cr)/ Total Bromine by X-ray fluorescence spectrometry.

Test Item	Total Chromium (Cr)	Cadmium (Cd)	Total Bromine (Br)	Mercury (Hg)	Lead (Pb)
Screening Limit	200mg/kg	50mg/kg	200mg/kg	200mg/kg	200mg/kg
Material No.	XRF Result				
A1	BL	BL	BL	BL	BL
A2	BL	BL	BL	BL	BL
A3	BL	BL	BL	BL	BL
A4	BL	BL	BL	BL	BL
A5	104229 ^a	BL	NA	BL	BL
A6	BL	BL	34605 ^a	BL	BL
A7	BL	BL	BL	BL	BL
A8	BL	BL	BL	BL	BL
A9	BL	BL	BL	BL	BL
A10	BL	BL	BL	BL	BL
A11	BL	BL	BL	BL	BL
A12	BL	BL	BL	BL	BL
A13	BL	BL	BL	BL	BL
A14	BL	BL	BL	BL	BL
A15	BL	BL	NA	BL	BL
A16	BL	BL	BL	BL	BL
A17	88103 ^a	BL	NA	BL	BL
A18	1968 ^a	Inc ^a	NA	BL	Inc ^a
A19	203 ^a	BL	BL	BL	BL
A20	BL	BL	NA	BL	BL
A21	BL	Inc ^a	55360 ^a	BL	BL
A22	BL	BL	BL	BL	BL
A23	BL	BL	BL	BL	BL
A24	BL	BL	BL	BL	BL
A25	BL	Inc ^a	NA	BL	Inc ^a
A26	BL	BL	NA	BL	Inc ^a
A27	BL	BL	BL	BL	BL
A28	BL	Inc ^a	NA	BL	Inc ^a
A29	BL	BL	BL	BL	BL
A30	BL	BL	BL	BL	BL
A31	BL	BL	BL	BL	BL

A32	BL	BL	BL	BL	BL
A33	BL	BL	BL	BL	BL
A34	BL	BL	BL	BL	BL
A35	BL	BL	9684 ^a	BL	BL
A36	BL	BL	BL	BL	BL
A37	BL	BL	BL	BL	BL
A38	BL	BL	9315 ^a	BL	BL
A39	BL	BL	NA	BL	BL
A40	BL	BL	BL	BL	BL
A41	BL	Inc ^a	NA	BL	BL
A42	BL	BL	BL	BL	BL
A43	BL	BL	BL	BL	BL
A44	52408 ^a	Inc ^a	NA	BL	BL
A45	BL	BL	BL	BL	BL
A46	BL	Inc ^a	NA	BL	BL
A47	BL	Inc ^a	NA	BL	BL
A48	30553 ^a	BL	NA	BL	Inc ^a
A49	BL	BL	BL	BL	BL
A50	BL	BL	BL	BL	BL
A51	BL	BL	BL	BL	BL
A52	BL	BL	NA	BL	BL
A53	563 ^a	Inc ^a	NA	BL	Inc ^a
A54	751 ^a	BL	NA	BL	Inc ^a
A55	404 ^a	Inc ^a	NA	BL	Inc ^a
A56	BL	BL	NA	BL	BL
A57	BL	BL	NA	BL	BL
A58	BL	BL	BL	BL	BL
A59	BL	BL	BL	BL	BL
A60	BL	BL	BL	BL	BL
A61	BL	BL	BL	BL	BL
A62	115946 ^a	BL	NA	BL	BL
A63	BL	BL	BL	BL	BL
A64	BL	BL	BL	BL	BL
A65	BL	BL	BL	BL	BL
A66	BL	BL	NA	BL	BL
A67	BL	BL	BL	BL	BL
A68	BL	BL	BL	BL	BL
A69	BL	BL	BL	BL	BL
A70	BL	BL	BL	BL	BL

A71	BL	BL	BL	BL	BL
A72	BL	BL	BL	BL	BL
A73	BL	BL	BL	BL	BL
A74	BL	Inc ^a	NA	BL	BL
A75	BL	Inc ^a	NA	BL	BL
A76	BL	BL	BL	BL	BL
A77	98626 ^a	BL	NA	BL	BL
A78	BL	BL	7905 ^a	BL	BL
A79	BL	BL	NA	BL	BL
A80	BL	BL	BL	BL	BL
B1	BL	BL	BL	BL	BL
B2	BL	BL	BL	BL	BL
B3	BL	BL	90041 ^a	BL	BL
B4	BL	BL	BL	BL	BL
B5	BL	BL	BL	BL	BL
B6	BL	BL	BL	BL	BL
B7	BL	BL	BL	BL	BL
B8	BL	BL	BL	BL	BL
B9	BL	BL	BL	BL	BL
B10	BL	BL	BL	BL	BL
B11	BL	Inc ^a	NA	BL	Inc ^a
B12	BL	BL	NA	BL	Inc ^a
B13	BL	Inc ^a	NA	BL	Inc ^a
B14	BL	BL	BL	BL	BL
B15	BL	BL	NA	BL	BL
B16	BL	BL	5312 ^a	BL	BL
B17	BL	BL	NA	BL	Inc ^a
B18	70149 ^a	BL	NA	BL	BL
B19	938 ^a	Inc ^a	NA	BL	BL
B20	BL	BL	BL	BL	BL

Note:

1. mg/kg = milligram per kilogram.
2. "BL" = Below Screening Limit.
3. "NA" = Not Applicable.
4. "Inc" = Inconclusive.
5. "a" denotes further confirmation test was conducted, results are listed in 3.2 and 3.3.

3.2 Heavy Metal Content

Test Method:

Lead (Pb)/Cadmium(Cd): IEC 62321-5:2013, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Mercury(Hg): IEC 62321-4:2013+AMD1:2017, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Hexavalent Chromium(Cr⁶⁺): metal: IEC 62321-7-1:2015, nonmetal: IEC 62321-7-2:2017, analysis was performed by Ultraviolet-visible spectroscopy (UV-Vis).

Test Item	Hexavalent Chromium (Cr ⁶⁺)	Hexavalent Chromium (Cr ⁶⁺)	Cadmium (Cd)	Mercury (Hg)	Lead (Pb)
Limit	1000 mg/kg	Negative	100 mg/kg	1000 mg/kg	1000 mg/kg
Material No.	Result				
A5	NA	Negative	--	--	--
A17	NA	Negative	--	--	--
A18	NA	Negative	N.D.	--	N.D.
A19	N.D.	NA	--	--	--
A21	--	--	N.D.	--	--
A25	--	--	N.D.	--	N.D.
A26	--	--	--	--	37
A28	--	--	28	--	28579 ^{#1}
A41	--	--	N.D.	--	--
A44	NA	Negative	N.D.	--	--
A46	--	--	N.D.	--	--
A47	--	--	N.D.	--	--
A48	NA	Negative	--	--	N.D.
A53	NA	Negative	N.D.	--	12
A54	NA	Negative	--	--	N.D.
A55	NA	Negative	N.D.	--	22
A62	NA	Negative	--	--	--
A74	--	--	N.D.	--	--
A75	--	--	N.D.	--	--
A77	NA	Negative	--	--	--
B11	--	--	90	--	33789 ^{#1}
B12	--	--	--	--	26705 ^{#1}
B13	--	--	28	--	26774 ^{#1}
B17	--	--	--	--	159

B18	NA	Negative	--	--	--
B19	NA	Negative	N.D.	--	--

- Note:**
1. RL (Report Limit) = Pb, Cd, Hg: 10mg/kg;Cr⁶⁺: nonmetal -10mg/kg, metal- Negative(<0.1µg/cm²).
 2. mg/kg = milligram per kilogram, µg/cm²= micrograms per square centimeter.
 3. N.D. = Not Detected (< RL).
 4. NA = Not Applicable.
 5. Negative = Surface of metal sample absence of Cr⁶⁺, Positive = Surface of metal sample presence of Cr⁶⁺.
 6. "--" denotes tested by XRF, result is listed in 3.1.

Remark: (#1) = As claimed by the declaration submitted from the applicant / supplier of applicant, the Lead content of the component comes from Copper alloy only. According to EU RoHS Directive(2011/65/EU),Lead in Copper alloy containing up to 4% (40,000 mg/kg) Lead by weight can be exempted.



3.3 Polybrominated biphenyls (PBBs) & Polybrominated diphenyl ethers (PBDEs) Content

Test Method: IEC 62321-6:2015, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item		Limit (mg/kg)	RL (mg/kg)	Result(mg/kg)				
				A6	A21	A35	A38	A78
PBBs	Monobromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Dibromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Tribromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Tetrabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Pentabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Hexabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Heptabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Octabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Nonabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Decabromobiphenyl	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Sum of detected PBBs	1000	--	N.D.	N.D.	N.D.	N.D.	N.D.
PBDEs	Monobromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Dibromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Tribromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Tetrabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Pentabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Hexabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Heptabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Octabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Nonabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Decabromodiphenylether	--	5	N.D.	N.D.	N.D.	N.D.	N.D.
	Sum of detected PBDEs	1000	--	N.D.	N.D.	N.D.	N.D.	N.D.

Test Item		Limit (mg/kg)	RL (mg/kg)	Result(mg/kg)	
				B3	B16
PBBs	Monobromobiphenyl	--	5	N.D.	N.D.
	Dibromobiphenyl	--	5	N.D.	N.D.
	Tribromobiphenyl	--	5	N.D.	N.D.
	Tetrabromobiphenyl	--	5	N.D.	N.D.
	Pentabromobiphenyl	--	5	N.D.	N.D.
	Hexabromobiphenyl	--	5	N.D.	N.D.
	Heptabromobiphenyl	--	5	N.D.	N.D.
	Octabromobiphenyl	--	5	N.D.	N.D.
	Nonabromobiphenyl	--	5	N.D.	N.D.
	Decabromobiphenyl	--	5	N.D.	N.D.
	Sum of detected PBBs	1000	--	N.D.	N.D.
PBDEs	Monobromodiphenylether	--	5	N.D.	N.D.
	Dibromodiphenylether	--	5	N.D.	N.D.
	Tribromodiphenylether	--	5	N.D.	N.D.
	Tetrabromodiphenylether	--	5	N.D.	N.D.
	Pentabromodiphenylether	--	5	N.D.	N.D.
	Hexabromodiphenylether	--	5	N.D.	N.D.
	Heptabromodiphenylether	--	5	N.D.	N.D.
	Octabromodiphenylether	--	5	N.D.	N.D.
	Nonabromodiphenylether	--	5	N.D.	N.D.
	Decabromodiphenylether	--	5	N.D.	N.D.
	Sum of detected PBDEs	1000	--	N.D.	N.D.

- Note:
1. mg/kg = milligram per kilogram.
 2. RL = Report Limit
 3. N.D. = Not Detected (< RL).
 4. "--" = Not Applicable.


3.4 Phthalates Content

Test Method: IEC 62321-8:2017, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item	Di-(2-ethylhexyl) phthalate (DEHP)	Dibutyl phthalate (DBP)	Butyl benzyl phthalate (BBP)	Diisobutyl phthalate (DIBP)
CAS No.	117-81-7	84-74-2	85-68-7	84-69-5
Limit	1000 mg/kg	1000 mg/kg	1000 mg/kg	1000 mg/kg
Material No.	Result (mg/kg)			
A1+A6+A14	N.D.	N.D.	N.D.	N.D.
A19+A21+A38	N.D.	N.D.	N.D.	N.D.
A40+A42+A43	N.D.	N.D.	N.D.	N.D.
A45+A49+A50	N.D.	N.D.	N.D.	N.D.
A51+A58+A63	N.D.	N.D.	N.D.	N.D.
A76+B1+B2	N.D.	N.D.	N.D.	N.D.
B3+B4+B5	N.D.	N.D.	N.D.	N.D.
B6+B7+B8	N.D.	N.D.	N.D.	N.D.
B9+B10+B14	N.D.	N.D.	N.D.	N.D.
B20	N.D.	N.D.	N.D.	N.D.
A35+A78+B16	N.D.	N.D.	N.D.	N.D.

- Note:
1. mg/kg = milligram per kilogram
 2. Report Limit = 50mg/kg
 3. N.D. = Not Detected (< RL)

RoHS Testing Flow Chart



Phthalates Testing Flow Chart








Photo of Sample



Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the “inspection and testing dedicated stamp” or test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the laboratory.
6. Any objection shall be raised to the laboratory within 30 days after receiving the report.

End of Report

