

Data Collection and Preprocessing Phase

Date	June 2024
Team ID	739806
Project Title	Occupancy Rates and Demand in the Hospitality Industry
Maximum Marks	6 Marks

Preparation Template

The images will be preprocessed by resizing, normalizing, augmenting, denoising, adjusting contrast, detecting edges, converting color space, cropping, batch normalizing, and whitening data. These steps will enhance data quality, promote model generalization, and improve convergence during neural network training, ensuring robust and efficient performance across various computer vision tasks.

Section	Description
Data Overview	There are many popular open sources for collecting the data. Eg: kaggle.com, UCI repository, etc. In this project we have used .csv data.
Data Preparation	These are the general steps of pre-processing the data before using it for machine learning
Handling missing values	We use Handling missing values For checking the null values
Handling categorical data	As we can see our dataset has categorical data we must convert the categorical data to integer encoding or binary encoding

Handling Outliers in Data

With the help of boxplot, outliers are visualized. And here we are going to find upper bound and lower bound of numerical features with some mathematical formula.

Data Preparation

Collect the dataset	<p>Please refer to the link given below to download the dataset.</p> <p>https://www.kaggle.com/datasets/robmarkcole/occupancy-detection-data-set-uci</p> <p>https://www.kaggle.com/code/turksoyomer/hvac-occupancy-detection-with-ml-and-dl-methods</p>
Importing the libraries	<pre> 1 import pandas as pd 2 import numpy as np 3 import matplotlib.pyplot as plt 4 import seaborn as sns </pre>
Loading Data	<p>We use the code</p> <pre>Data = pd.read_csv('datatraining.csv')</pre> <p>For reading the dataset</p>

Handling missing values

```

In [6]: df.isnull().any()

Out[6]: date           False
        Temperature    False
        Humidity        False
        Light           False
        CO2             False
        HumidityRatio   False
        Occupancy       False
        dtype: bool

In [7]: df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 8143 entries, 1 to 8143
Data columns (total 7 columns):
#   Column          Non-Null Count  Dtype
---  ---
0   date            8143 non-null   object
1   Temperature      8143 non-null   float64
2   Humidity         8143 non-null   float64
3   Light            8143 non-null   float64
4   CO2              8143 non-null   float64
5   HumidityRatio    8143 non-null   float64
6   Occupancy        8143 non-null   int64
dtypes: float64(5), int64(1), object(1)
memory usage: 508.9+ KB
  
```

Handling Outliers

```

1 sns.countplot(x='Occupancy',data=df)

<AxesSubplot:xlabel='Occupancy', ylabel='count'>
  
```



