# Cucumber Report

| Start : Mar 29, 8:18:41.041 pm | End : Mar 29, 8:19:46.725 pm | Duration : 1 m 5.684 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 10<br>FAILED - 2<br>SKIPPED - 0 |

**Features:** 1

**Scenarios:** 3

**Steps:** 12

Pass % — Features: 0 %

Pass % — Scenarios: 33 %

Pass % — Steps: 83 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *feature to test login functionality* | 1 m 5.684 s | 3 | 1 | 2 | 0 | 12 | 10 | 2 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | feature to test login functionality | 3 | 1 | 2 | 0 | 1 m 5.684 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | feature to test login functionality | Login test with valid credential | 4 | 4 | 0 | 0 | 9.933 s |
| 2 | feature to test login functionality | Login test with invalid credential password | 4 | 3 | 1 | 0 | 28.238 s |
| 3 | feature to test login functionality | Login test with valid credential username | 4 | 3 | 1 | 0 | 27.499 s |

## **feature to test login functionality**

| FAILED | DURATION - 1 m 5.684 s | Scenarios<br>Total - 3<br>Pass - 1<br>Fail - 2<br>Skip - 0 | 3 | Steps<br>Total - 12<br>Pass - 10<br>Fail - 2<br>Skip - 0 | 12 |
|---|---|---|---|---|---|
| / 8:18:41.041 pm // 8:19:46.725 pm / | | | | | |

## **Login test with valid credential**

| PASSED | DURATION - 9.933 s |  | Steps<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 | 4 |
|---|---|---|---|---|
| / 8:18:41.049 pm // 8:18:50.982 pm / | | | | |
| feature to test login functionality | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on login page | PASSED | 6.829 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)<br>image<br> | PASSED | 0.290 s |
| 2 | When user enters username<"Admin"> and password<"admin123"> | PASSED | 0.149 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)<br>image<br> | PASSED | 0.176 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And click on login button | PASSED | 1.249 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | image | | |
| 4 | Then user is navigated to the home page | PASSED | 0.230 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.466 s |
| | image | | |

## Login test with invalid credential password

| FAILED | DURATION - 28.238 s | | |
|---|---|---|---|
| / 8:18:50.987 pm // 8:19:19.225 pm / | | | |
| feature to test login functionality | | | |

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on login page | PASSED | 5.497 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.309 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | When user enters username<"Admin"> and password<"admin1234"> | PASSED | 0.131 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | image  | | |
| 3 | And click on login button | PASSED | 1.326 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | image  | | |
| 4 | Then user is navigated to the home page | FAILED | 20.050 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),")])[8]"}   (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1581dd3e249c4cbd1e483f4cd6078514, findElement {using=xpath, value=(//span[contains(text(),")])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53239}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53239/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1581dd3e249c4cbd1e483f4cd6078514<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy28.isDisplayed(Unknown Source)<br>at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:46)<br>at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:43)<br>at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:13)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | image | | |
| |  | | |

## Login test with valid credential username

| FAILED | DURATION - 27.499 s | | Steps | |
|---|---|---|---|---|
| / 8:19:19.226 pm // 8:19:46.725 pm / | |  | Total - 4<br>Pass - 3<br>Fail - 1<br>Skip - 0 |  |
| feature to test login functionality | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on login page | PASSED | 5.363 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 2 | When user enters username<"Admin1"> and password<"admin123"> | PASSED | 0.113 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.157 s |
| | image<br> | | |
| 3 | And click on login button | PASSED | 0.788 s |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | image<br> | | |
| 4 | Then user is navigated to the home page | FAILED | 20.071 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),")])[8]"}   (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab0b016e40a78132fa8275e561d68a34, findElement {using=xpath, value=(//span[contains(text(),")])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53267/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab0b016e40a78132fa8275e561d68a34<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy28.isDisplayed(Unknown Source) | | |
| | at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:46) | | |
| | at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:43) | | |
| | at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:19) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | PASSED | 0.153 s |
| | image | | |
| |  | | |