

# Cucumber Report

29-Mar-2023, 8:10:59 pm

**Start : Mar 29, 8:09:47.028 pm**

**End : Mar 29, 8:10:58.203 pm**

**Duration : 1 m 11.175 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 2**

**SKIPPED - 0**


**PASSED - 10**

**FAILED - 2**


**SKIPPED - 0**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test login functionality</u>	1 m 11.175 s	3	1	2	0	12	10	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	3	1	2	0	1 m 11.175 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	<u>Login test with valid credential</u>	4	4	0	0	9.275 s
2	<u>feature to test login functionality</u>	<u>Login test with invalid credential password</u>	4	3	1	0	27.277 s
3	<u>feature to test login functionality</u>	<u>Login test with valid credential username</u>	4	3	1	0	34.598 s



## feature to test login functionality

<b>FAILED</b>	DURATION - 1 m 11.175 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 12 Pass - 10 Fail - 2 Skip - 0	
/ 8:09:47.028 pm // 8:10:58.203 pm /					



## Login test with valid credential


<b>PASSED</b>	DURATION - 9.275 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:09:47.039 pm // 8:09:56.314 pm /				
feature to test login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.473 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	image 		
2	When user enters username<"Admin"> and password<"admin123">	PASSED	0.177 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	image 		


#	Step / Hook Details	Status	Duration
3	And click on login button	PASSED	0.061 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.238 s
	image 		
4	Then user is navigated to the home page	PASSED	0.194 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	image 		

### Login test with invalid credential password



<div>FAILED</div> <div>DURATION - 27.277 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:09:56.327 pm // 8:10:23.604 pm /				
feature to test login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.676 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image 		

#	Step / Hook Details	Status	Duration
2	When user enters username<"Admin"> and password<"admin1234">	PASSED	0.337 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	image		
			
3	And click on login button	PASSED	0.052 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.212 s
	image		
			
4	Then user is navigated to the home page	FAILED	20.040 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'')])[8]"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [833a756c90080d576184356a62d38dfb, findElement {using=xpath, value=(//span[contains(text(),'')])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53132}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53132/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 833a756c90080d576184356a62d38dfb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		




#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.isDisplayed(Unknown Source) at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:44) at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:42) at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	image		
			

### Login test with valid credential username

FAILED		DURATION - 34.598 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>		
/ 8:10:23.605 pm // 8:10:58.203 pm /							
feature to test login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	11.973 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image		



#	Step / Hook Details	Status	Duration
			
2	When user enters username<"Admin1"> and password<"admin123">	PASSED	0.475 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	image 		
3	And click on login button	PASSED	0.990 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	image 		
4	Then user is navigated to the home page	FAILED	20.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'')])[8]"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f87f80d17c87eda0634a7ae052b99030, findElement {using=xpath, value=(//span[contains(text(),'')])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:53161}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:53161/devtools..., se.cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f87f80d17c87eda0634a7ae052b99030 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)</p> <p>at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:44)</p> <p>at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:42)</p> <p>at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image		
	