

Cucumber Report

29-Mar-2023, 7:35:06 pm

Start : Mar 29, 7:34:56.977 pm

End : Mar 29, 7:35:05.635 pm

Duration : 8.658 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2

FAILED - 1


SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test login functionality</u>	8.658 s	1	0	1	0	4	2	1	1





#	Feature Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	1	0	1	0	8.658 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	<u>Login test with valid credential</u>	4	2	1	1	8.651 s

feature to test login functionality

FAILED	DURATION - 8.658 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 7:34:56.977 pm // 7:35:05.635 pm /					

Login test with valid credential

FAILED		DURATION - 8.651 s			Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 7:34:56.984 pm // 7:35:05.635 pm /						
feature to test login functionality						

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.194 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	image		
			
2	When user enters username<"Test"> and password<"Test">	PASSED	0.420 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	image		
			

#	Step / Hook Details	Status	Duration
3	<p>And click on login button</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [77201f68b93b816c0f38a781d6e7cf3e, findElement {using=name, value=//button[contains(@class,' oxd-button')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52509}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52509/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 77201f68b93b816c0f38a781d6e7cf3e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pageObjects.LoginTestPage.clickOn_LoginButton(LoginTestPage.java:34) at stepDefinitions.LoginTestSteps.click_on_login_button(LoginTestSteps.java:36) at ?.click on login button(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.034 s
4	Then user is navigated to the home page	SKIPPED	0.001 s