

Cucumber Report

29-Mar-2023, 8:23:32 pm

Start : Mar 29, 8:22:23.833 pm

End : Mar 29, 8:23:31.232 pm

Duration : 1 m 7.399 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 10
FAILED - 2
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test login functionality</u>	1 m 7.399 s	3	1	2	0	12	10	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	3	1	2	0	1 m 7.399 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test login functionality</u>	<u>Login test with valid credential</u>	4	4	0	0	10.641 s
2	<u>feature to test login functionality</u>	<u>Login test with invalid credential password</u>	4	3	1	0	27.592 s
3	<u>feature to test login functionality</u>	<u>Login test with valid credential username</u>	4	3	1	0	29.148 s



feature to test login functionality

FAILED	DURATION - 1 m 7.399 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 12 Pass - 10 Fail - 2 Skip - 0	
/ 8:22:23.833 pm // 8:23:31.232 pm /					



Login test with valid credential


<div><div>PASSED</div><div>DURATION - 10.641 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 8:22:23.836 pm // 8:22:34.477 pm /				
feature to test login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.684 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	image		
			
2	When user enters username<"Admin"> and password<"admin123">	PASSED	0.158 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	image		
			


#	Step / Hook Details	Status	Duration
3	And click on login button	PASSED	0.079 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.243 s
	image 		
4	Then user is navigated to the home page	PASSED	0.231 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	image 		

Login test with invalid credential password



<div>FAILED</div> <div>DURATION - 27.592 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:22:34.487 pm // 8:23:02.079 pm /</div>				
<div>feature to test login functionality</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.995 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	image 		




#	Step / Hook Details	Status	Duration
2	When user enters username<"Admin"> and password<"admin1234">	PASSED	0.129 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	image		
			
3	And click on login button	PASSED	1.078 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	image		
			
4	Then user is navigated to the home page	FAILED	20.094 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'')])[8]"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8d056f0a4664290559581a19a0c5c9e, findElement {using=xpath, value=(//span[contains(text(),'')])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:53333}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53333/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a8d056f0a4664290559581a19a0c5c9e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.isDisplayed(Unknown Source) at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:47) at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:43) at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image		
			

Login test with valid credential username

<div>FAILED</div> <div>DURATION - 29.148 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:23:02.084 pm // 8:23:31.232 pm /				
feature to test login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.433 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	image		

#	Step / Hook Details	Status	Duration
			
2	When user enters username<"Admin1"> and password<"admin123">	PASSED	0.122 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	image 		
3	And click on login button	PASSED	0.069 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.334 s
	image 		
4	Then user is navigated to the home page	FAILED	20.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'')])[8]"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa92c86373152dbf20f4009b5f86281a, findElement {using=xpath, value=(//span[contains(text(),'')])[8]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\KALIAM~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:53356}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53356/devtools..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: aa92c86373152dbf20f4009b5f86281a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pageObjects.LoginTestPage.verify_UserLogin(LoginTestPage.java:47) at stepDefinitions.LoginTestSteps.user_is_navigated_to_the_home_page(LoginTestSteps.java:43) at ?.user is navigated to the home page(file:///C:/Users/Kalia%20Muduli/eclipse-workspace/TestCucumberBDD/src/test/resources/functionalTests/LoginTest.feature:19) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	<p>image</p> 