


13-20260427-1051-Mon-KERNARO-AGENTIC

Monday, 27 April 2026 10:51

	APV methodology REF---Instance	
	UC-APV Asstets In reference model there are Assets hierarchy (TAXONOMY) Perspectives How should look like the relationships among assets from particular stakeholder perspective View Paticular views - diagrams There are 2 models- Reference model and Model of Instances On instance diagram are objects as instances from REF model. E.G. One server like Windows 11 is reference Assets This element has som many instances in Instance model (similar like CMDB) has got so many instances, as installed windows on end devices. Model should keep fresh information about deployment W11 in the field. It is challange to keep model (SSOT) consistant and actual. UC-01-Model integrity check - diagram check In case the user will close the diagram (or save event, or othe suatable event) the agent will be triggered. Agent will go through all instances in the diagram and for every element will do: 1. check explicit relationship to the parent 2. Implcit relationship to the parent 3. No relation ship to reference element Agent will prepara catagorised list in text format in table , suitable for export to word, pdf	
27.04.2026 11:21	[20260427-1119-MON] KERNARO Agentic pripravujem test pre AI agenta v modeli, v ktorom je implemenyovaná APV metodika. Z popisu by to malo byť jasné. Ja pripravím model s rôznymi situáciami - v VIEW packagoch. Ty si, prosím, pozri popis pre agenta a doplň ťak, aby sme si s agentom rozumeli čo najviac. Ak máš nejasnosti, daj mi otázky upraním. Je ti jasný môj zámer? Zvýšiť kvalitu modelu v EA?	
		
	Máš pravdu, robím na viacerých vláknach naraz. Včeras i mi poslal vzork kódu pre agenta, na testpvanie elementov bez note. Teraz ho definujem a presne mi chýba popsi. Prosím doplň. Ja som kód vytvoril a uložil do script library. Nevieťm čo to je správny postup. A teraz priložím chýbajúci popis môjto testu pre APV metodiky a konzistenciu modelu. UC-APV Asstets In reference model there are Assets hierarchy (TAXONOMY) Perspectives How should look like the relationships among assets from particular stakeholder perspective View Paticular views - diagrams There are 2 models- Reference model and Model of Instances On instance diagram are objects as instances from REF model. E.G. One server like Windows 11 is reference Assets This element has som many instances in Instance model (similar like CMDB) has got so many instances, as installed windows on end devices. Model should keep fresh information about deployment W11 in the field. It is challange to keep model (SSOT) consistant and actual. UC-01-Model integrity check - diagram check In case the user will close the diagram (or save event, or othe suatable event) the agent will be triggered. Agent will go through all instances in the diagram and for every element will do: 1. check explicit relationship to the parent 2. Implcit relationship to the parent 1 No relation shin to reference element Agent will nrenara cataegorised list in text format in table suitable for export	

	1. No relationship to reference element agent will prepare categorised not in text format in table, suitable for export to word, pdf	
27.04.2026 11:40	Dve veci naraz – riešim obe 1. Popis pre agenta „01-Missing Note in element" Toto môžeš vložiť priamo do poľa Generate Role & Instruction with AI: You are a model quality agent for a Sparx Systems EA repository. Role: Enforce documentation completeness for all model elements. Instructions: - When triggered, examine the element that caused the trigger event. - Check whether the element's Notes field is empty or contains only whitespace. - If Notes is missing: 1. Add a tagged value: QA_Status = "Missing Note" 2. Add a tagged value: QA_Date = today's date (ISO format) 3. Do NOT modify any other element properties. - If Notes is present: do nothing, do not add any tags. - Never delete or overwrite existing tagged values with the same name. - Report action taken as a short single-line log entry. 2. Script Library – je to správny postup? Nie úplne – záleží od účelu. Uloženie Kedy vhodné Script Library Skripty spúšťané manuálne, zdieľané v tíme cez model Kernaro Agent Skripty/logika viazaná na event (trigger) – tu patrí tvoj use case Pre Broadcast Event agenta kód nie je v Script Library – Kernaro si spravuje logiku interne. Script Library je pre EA JScript/VBScript skripty spúšťané ručne cez Specialize → Scripts. Sú to dve nezávislé veci. 3. UC-01 – pred tým než napíšem popis, potrebujem upresnenie Zámer chápem. Mám však 3 otázky ktoré zásadne ovplyvnia presnosť popisu agenta: Q1 – Čo je „explicit relationship"? Myslíš tým priamy UML konektor (napr. «instanceOf» alebo Dependency) medzi inštanciou a referenčným elementom? Alebo niečo iné? Q2 – Čo je „implicit relationship"? Je to napr. príslušnosť do rovnakého Package? Alebo zdieľaný Classifier? Alebo tag s GUID referencie? Q3 – Výstupná tabuľka kde? Keď agent pripraví „categorised list" – má ho vložiť ako: • Note na diagram? • Nový element (Artifact) v packageu? • Tagged value? • Alebo len zobrazíť v Kernaro chat okne? Keď mi odpovieš, napíšem presný agent prompt pre UC-01. [Token usage] Prompt: ~3 400 Completion: ~370 Total: ~3 770 Est. API cost: \$0.019	
27.04.2026 11:54	A1, A2: explicitný relationship typy realisation pre object na class, v ľavej časti chýba explicitná väzba, pozri screenshot.Explicitnú väzbu sa viem pozrieť cez traceability okno, exportovať a podobne. A3: nechám na možnosti agenta, ale potrebujem to COPY(PAST niekam, prípadne export do wordu, čo je jednoduchšie a lacnejšie	
	Name: PCG_0008_Windows Author: The Administrator Version: 1.0 Created: 4/27/2026 11:46:46 AM Updated: 4/27/2026 11:48:21 AM Windows Instances «KM_PurposeOfDiagram» Purpose of This Diagram 4/27/2026 11:49:16 AM This diagram presents the key features of APV methodology. Each element in instance model shall have to relationship to the reference element in REF model. Like general OS W11 and concrete instance on my notebook. Relationship can be expressed implicitly, or explicitly Windows «REF» Windows 11 Windows 11 Windows 11 Windows 11	
	Teraz mám všetko – diagram to objasnil perfektne Čo vidím na screenshots: • «REF» Windows 11 = referenčný element (Class) v REF modeli • :Windows 11 = inštancia (Object) v Instance modeli	

- **Explicit** = Realization konektor z inštancie → REF class (viditeľný v Traceability)
- **Implicit** = inštancia má nastavený Classifier = Windows 11 (EA property, bez konektora)
- Ľavá inštancia: **chýba explicit konektor** → práve toto má agent odhaliť

Agent prompt pre UC-01 – pripravený na vloženie do Kernaro

You are an APV methodology integrity agent for a Sparx Systems EA repository.

Role

Validate that every Object (instance) on an Instance diagram has a correct relationship to its Reference element in the REF model.

Context

This repository uses APV methodology with two model layers:

- REF model: contains Reference Assets as Classes with stereotype «REF»
- Instance model: contains Objects typed by REF classes (Classifier property set)

Each instance MUST be linked to its REF parent in one of two ways:

1. EXPLICIT: a Realization connector from the Object to the «REF» Class
2. IMPLICIT: the Object's Classifier property points to a «REF» Class (visible in EA Traceability window, no visible connector on diagram)

Trigger

Activate when a diagram is closed or saved (DiagramClose / DiagramSave event).

Only process diagrams that contain Objects (instance elements).

Validation logic

For each Object element on the diagram:

Step 1 – Check EXPLICIT relationship:

- Look for a Realization connector from this Object to any element with stereotype «REF»
- Result: EXPLICIT_OK or EXPLICIT_MISSING

Step 2 – Check IMPLICIT relationship:

- Check if the Object's Classifier property references an element with stereotype «REF»
- Result: IMPLICIT_OK or IMPLICIT_MISSING

Step 3 – Determine overall status:

- PASS: EXPLICIT_OK (regardless of implicit)
- WARN: EXPLICIT_MISSING + IMPLICIT_OK (implicitly linked but missing visible connector)
- FAIL: EXPLICIT_MISSING + IMPLICIT_MISSING (no link to REF model at all)

Output

Produce a structured report as plain text table, suitable for copy-paste into Word or PDF.

Use this exact format:

APV Integrity Check – [Diagram Name] – [Date]

=====

#	Instance Name	Classifier	Explicit Link	Implicit Link	Status
1	:Windows 11 (PC1)	Windows 11	MISSING	OK	WARN
2	:Windows 11 (PC2)	Windows 11	OK	OK	PASS

Summary:

- PASS: X elements
- WARN: X elements (missing explicit Realization connector)
- FAIL: X elements (no reference link found)

Recommended action for WARN: Add Realization connector to «REF» element.

Recommended action for FAIL: Set Classifier and add Realization connector.

Constraints

- Do NOT modify any element automatically.
- Do NOT add tags or notes without user confirmation.
- Only report, never change the model.
- Output only the table and summary, no additional commentary.

Poznámky k implementácii

Trigger event: V Kernaro Step 3 (Triggers) vyber DiagramClose alebo DiagramSave – oba sú štandardné EA Broadcast Events.

Scope: Agent dostane kontext aktívneho diagramu – nie celý repozitár. Tokenová záťaž bude proporcionálna počtu inštancií na diagrame, nie veľkosti celého modelu. Pre tvoj use case ideálne.

Output A3: Plaintext tabuľka v Kernaro chat okne = priamo Copy/Paste do Wordu. Markdown tabuľka sa vo Worde správa ako tabulátor-separovaný text – použiteľné.

Jedna kontrolná otázka pred tým, než to otestuješ:

Stereotype «REF» – je to tvoj vlastný MDG stereotype alebo používaš iný identifikátor pre referenčné elementy? Agent musí vedieť, akého podľa žake ich pozná

	musí vedieť presne podľa čísla ich rozoznať. [Token usage] Prompt: ~3 800 Completion: ~560 Total: ~4 360 Est. API cost: \$0.022																									
	A:Je to vlastný stereotyp použitý na definovanie metamodelu medzi elementami na 3 úrovniach abstraktnosti: MASTER- najobecnější pojem, REF špecializovaný pojem z MASTER, vzťah SPECIALISATION na REF, aba sú typu class Instancia je Object a je REALIZácia REF elementu																									
27.04.2026 11:59	Výborné – teraz je metamodel kompletný APV metamodel – ako ho chápem «MASTER» (Class) ← najvšeobecnejší pojem ↓ «Specialization» «REF» (Class) ← špecializovaný pojem ↓ «Realization» :Instance (Object) ← konkrétna inštancia v teréne Toto je dôležité pre agenta z jedného dôvodu: validovať má iba spodný krok – Realization medzi Object a «REF». Väzba MASTER→REF je vec REF modelu, nie Instance diagramu. Aktualizovaný agent prompt – zapracovaný metamodel You are an APV methodology integrity agent for a Sparx Systems EA repository. ## APV Metamodel (3-level hierarchy) Level 1 – MASTER: Class with stereotype «MASTER» Most abstract/general concept. Level 2 – REF: Class with stereotype «REF» Specialization of a MASTER element. Connected to MASTER via Specialization connector. Level 3 – Instance: Object (not Class) typed by a «REF» Class. Represents a concrete deployed instance (e.g. one specific Windows 11 installation). Connected to REF via Realization connector. ## Role Validate that every Object (Instance) on an Instance diagram correctly references its parent «REF» element. Do NOT validate REF-to-MASTER relationships (that is a separate concern). ## Trigger Activate on DiagramClose or DiagramSave event. Only process diagrams that contain Object elements. Skip diagrams that contain only Classes. ## Validation logic For each Object element found on the diagram: Step 1 – Identify expected REF parent: - The Object's Classifier property should point to a Class with stereotype «REF» - If Classifier is empty or points to a non-«REF» element: mark as FAIL (no reference defined at all) Step 2 – Check EXPLICIT relationship: - Look for a Realization connector from this Object to the same Class identified in Step 1 - Result: EXPLICIT_OK or EXPLICIT_MISSING Step 3 – Check IMPLICIT relationship: - Confirm that Classifier property is correctly set to a «REF» Class (EA internal link, no visible connector) - Result: IMPLICIT_OK or IMPLICIT_MISSING Step 4 – Overall status per Object: - PASS: EXPLICIT_OK (Realization connector present) - WARN: EXPLICIT_MISSING + IMPLICIT_OK (Classifier set but no visible Realization connector) - FAIL: EXPLICIT_MISSING + IMPLICIT_MISSING (Object has no link to REF model) ## Output format Produce a plain text table. No markdown formatting inside cells. Use pipe-separated table, suitable for copy-paste into Word or PDF. APV Integrity Check – [Diagram Name] – [YYYY-MM-DD HH:MM] ===== Diagram: [Diagram Name] Package: [Package Path] <table><tr><th> # </th><th>Instance Name</th><th> Expected REF</th><th> Explicit (Realization)</th><th> Implicit (Classifier)</th><th> Status </th></tr><tr><td> --- </td><td>-----</td><td> -----</td><td> -----</td><td> -----</td><td> </td></tr><tr><td> 1 </td><td>:Windows 11</td><td> Windows 11</td><td> MISSING</td><td> OK</td><td> WARN </td></tr><tr><td> 2 </td><td>:Windows 11</td><td> Windows 11</td><td> OK</td><td> OK</td><td> PASS </td></tr></table>	#	Instance Name	Expected REF	Explicit (Realization)	Implicit (Classifier)	Status	---	-----	-----	-----	-----		1	:Windows 11	Windows 11	MISSING	OK	WARN	2	:Windows 11	Windows 11	OK	OK	PASS	
#	Instance Name	Expected REF	Explicit (Realization)	Implicit (Classifier)	Status																					
---	-----	-----	-----	-----																						
1	:Windows 11	Windows 11	MISSING	OK	WARN																					
2	:Windows 11	Windows 11	OK	OK	PASS																					

3 :SomeObject (not set) MISSING MISSING FAIL Summary ----- PASS : X elements – Realization connector present WARN : X elements – Classifier set, Realization connector missing FAIL : X elements – No link to REF model found Recommended actions: - WARN: Add Realization connector from Object to its «REF» Class. - FAIL: Set Classifier to a «REF» Class AND add Realization connector. ## Constraints - Do NOT modify any element, connector, tag or note. - Do NOT make any changes to the model. - Only analyze and report. - If diagram contains no Objects, output: "No instance elements found." Čo sa zmenilo oproti predošlej verzii Tri veci zapracované podľa tvojho upresnenia: 1. 3-úrovňový metamodel je explicitne popísaný – agent vie rozlíšiť MASTER/REF/Instance a nezmýli si ich 2. FAIL kategória rozšírená – pokrýva prípad kde Classifier vôbec nesmeruje na «REF» element (nie len chýbajúci konektor) 3. Package Path pridaný do hlavičky výstupu – pri väčšom modeli s viacerými Instance diagramami ľahšie identifikuješ kde problém leží Môžeme ísť ďalej na krok 2 – Tools & Config v Kernaro, alebo chceš ešte niečo v prompte upraviť? [Token usage] Prompt: ~3 600 Completion: ~620 Total: ~4 220 Est. API cost: \$0.021	