Cucumber Report

| Start : Apr 30, 12:59:47.039 pm	End : Apr 30, 1:00:13.253 pm	Duration : 26.214 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 13 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 51
3	13	51

#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	25.071 s
2	Contact Us Feature	6	0	6	0	22.608 s
3	Account Page Feature	4	0	4	0	26.110 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page feature	Forgot Password link	2	0	0	2	21.165 s
2	Login page feature	Login page title	3	0	0	3	13.116 s
3	Login page feature	Login with correct credentials	6	0	0	6	17.428 s
4	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	14.696 s
5	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	7.507 s
6	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	11.020 s
7	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	22.584 s
8	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	15.563 s
9	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	16.734 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Account Page Feature	Accounts section count	4	0	0	4	19.032 s
11	Account Page Feature	Accounts page title	4	0	0	4	7.413 s
12	Account Page Feature	Accounts page title	4	0	0	4	18.577 s
13	Account Page Feature	Accounts section count	4	0	0	4	12.605 s

(F)- Login page feature

FAILED	DURATION - 25.071 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	11
/ 12:59:47.039 pm // 1:00:12.110 pm /					

(S)- Forgot Password link

FAILED	DURATION - 21.165 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	2
/ 12:59:47.055 pm // 1:00:08.220 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	20.911 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	Then - Then forgot your password link should be displayed	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Login page title

FAILED	DURATION - 13.116 s		Steps	
/ 12:59:47.256 pm // 1:00:00.372 pm /			Total - 3	
Login page feature			Pass - 0 Fail - 0 Skip - 3	3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	13.090 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	  at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	  at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	  at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	  at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	  at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	  at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	  at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123)
	  at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)
	  at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		

1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user gets the title of the page	SKIPPED	0.000 s
3	Then - Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Login with correct credentials

FAILED	DURATION - 17.428 s		Steps	
/ 12:59:54.682 pm // 1:00:12.110 pm /			Total - 6	
Login page feature			Pass - 0	
			Fail - 0	
			Skip - 6	6

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	17.402 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	   at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	   at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	   at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	   at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	SKIPPED	0.001 s
3	And - And user enters password "Selenium@12345"	SKIPPED	0.001 s
4	And - And user clicks on Login button	SKIPPED	0.001 s
5	Then - Then user gets the title of the page	SKIPPED	0.001 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.004 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.003 s

(F)- Contact Us Feature

FAILED	DURATION - 22.608 s	Scenarios		Steps	
		Total - 6		Total - 24	
/ 12:59:47.083 pm // 1:00:09.691 pm /		Pass - 0	6	Pass - 0	24
		Fail - 6		Fail - 0	
		Skip - 0		Skip - 24	

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 14.696 s		Steps	
			Total - 4	
/ 12:59:47.094 pm // 1:00:01.790 pm /			Pass - 0	4
Contact Us Feature			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	14.504 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 7.507 s
/ 12:59:47.100 pm // 12:59:54.607 pm /	
Contact Us Feature	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	7.243 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	    at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	    at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	    at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	    at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	    at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	    at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	    at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.007 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0	SKIPPED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.007 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.005 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.014 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 11.020 s		Steps
/ 12:59:47.104 pm // 12:59:58.124 pm /			Total - 4
Contact Us Feature			Pass - 0
			Fail - 0
			Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	10.819 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536]		

#	Step / Hook Details	Status	Duration

	(No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	    at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	    at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	    at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	    at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	    at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	    at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	    at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123)
	    at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)
	    at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		

1	Given - Given user navigates to contact us page	SKIPPED	0.005 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.002 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 22.584 s
/ 12:59:47.107 pm // 1:00:09.691 pm /	
Contact Us Feature	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	22.383 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	   at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	   at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	   at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	   at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	   at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4	SKIPPED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data

FAILED	*DURATION - 15.563 s*		
/ 12:59:47.110 pm // 1:00:02.673 pm /		**Steps**	
Contact Us Feature		Total - 4 Pass - 0 Fail - 0 Skip - 4	4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	15.391 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114		

#	Step / Hook Details	Status	Duration

	Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	    at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	    at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	    at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	    at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	    at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	    at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	    at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123)
	    at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)
	    at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		

1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 16.734 s		Steps	
/ 12:59:47.184 pm // 1:00:03.918 pm /			Total - 4	
Contact Us Feature			Pass - 0	
			Fail - 0	4
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	16.632 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	   at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	   at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
	   at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	   at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.003 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(F)- Account Page Feature

FAILED	DURATION - 26.110 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	16
/ 12:59:47.143 pm // 1:00:13.253 pm /					

(S)- Accounts section count

FAILED	DURATION - 19.032 s
/ 12:59:47.144 pm // 1:00:06.176 pm /	
Account Page Feature	
@accounts	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	18.870 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user has already logged in to application 	username	password
dec2020secondbatch@gmail.com	Selenium@12345		SKIPPED	0.001 s
2	Given - Given user is on Accounts page	SKIPPED	0.001 s
3	Then - Then user gets accounts section ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home	SKIPPED	0.002 s
4	And - And accounts section count should be 6	SKIPPED	0.002 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.002 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.002 s

(S)- Accounts page title

FAILED	DURATION - 7.413 s		Steps	
/ 12:59:47.191 pm // 12:59:54.604 pm /			Total - 4	
Account Page Feature			Pass - 0	4
@accounts			Fail - 0 Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	7.233 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000] 　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) 　at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) 　at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) 　at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) 　at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) 　at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034) 　at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) 　at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) 　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) 　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) 　at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) 　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) 　at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) 　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) 　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) 　at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) 　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) 　at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) 　at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user has already logged in to application	SKIPPED	0.006 s
	username: dec2020secondbatch@gmail.com / password: Selenium@12345		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
3	When - When user gets the title of the page	SKIPPED	0.006 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.004 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.019 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Accounts page title

FAILED	DURATION - 18.577 s		Steps	
/ 12:59:54.676 pm // 1:00:13.253 pm /			Total - 4	
			Pass - 0	4
Account Page Feature			Fail - 0	
@accounts			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	18.552 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	    at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	    at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user has already logged in to application | username	password | |---|---| | dec2020secondbatch@gmail.com | Selenium@12345 |	SKIPPED	0.001 s
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	When - When user gets the title of the page	SKIPPED	0.001 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.003 s

(S)- Accounts section count

FAILED	DURATION - 12.605 s
/ 12:59:58.230 pm // 1:00:10.835 pm /	
Account Page Feature	
@accounts	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	12.588 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 124.0.6367.91 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GJG41J3', ip: '192.168.1.6', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x002FA813+48355] (No symbol) [0x0028C4B1] (No symbol) [0x00195358] (No symbol) [0x001B61AC] (No symbol) [0x001B1EF3] (No symbol) [0x001B0579] (No symbol) [0x001E0C55] (No symbol) [0x001E093C] (No symbol) [0x001DA536] (No symbol) [0x001B82DC] (No symbol) [0x001B93DD] GetHandleVerifier [0x0055AABD+2539405] GetHandleVerifier [0x0059A78F+2800735] GetHandleVerifier [0x0059456C+2775612] GetHandleVerifier [0x003851E0+616112] (No symbol) [0x00295F8C] (No symbol) [0x00292328] (No symbol) [0x0029240B] (No symbol) [0x00284FF7] BaseThreadInitThunk [0x75787BA9+25] RtlInitializeExceptionChain [0x776DBE3B+107] RtlClearBits [0x776DBDBF+191] (No symbol) [0x00000000]		

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1034)
at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user has already logged in to application 	username	password	 |---|---|
dec2020secondbatch@gmail.com	Selenium@12345		SKIPPED	0.001 s
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	Then - Then user gets accounts section ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home	SKIPPED	0.000 s
4	And - And accounts section count should be 6	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.000 s