

2020

# Bellissimo



STILE ITALIANO

# Bellissimo



STILE ITALIANO

PANARIAGROUP TRADE  
Via Cameazzo, 21  
41042 Fiorano Modenese (Modena) - Italy  
Tel. +39 0536 837811 - Fax. +39 0536 915204  
[www.bellissimo.asia](http://www.bellissimo.asia)

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.  
[www.panariagroup.it](http://www.panariagroup.it)

General catalogue

General catalogue 2020



PANARIAgroup®

## General index

**02** Company overview

**06** Borealis

**10** Calacatta

**14** Classic

**18** Concrete Texture

**26** Contemporary

**28** DL High Tech

**32** Epic Stone

**38** Industrial Cem

**44** Luxury

**58** Marble Stone

**62** Marfil

**66** Maxi

**76** Onyx

**84** Piasentina

**90** Precious Stone

**96** Sandstone

**102** Statuario

**106** Stripe Marble

**110** Tracks

**114** Travertini

**123** Packaging

**126** Cleaning

## Index by size

**80x160** Maxi

**80x80** DL High Tech

**80x120** DL High Tech

**60x60** Calacatta

**60x120** Calacatta

Concrete Texture

Concrete Texture

DL High Tech

Epic Stone

Epic Stone

Industrial Cem

Industrial Cem

Marble Stone

Marfil

Marfil

Onyx

Onyx

Piasentina

Piasentina

Precious Stone

Precious Stone

Sandstone

Sandstone

Statuario

Statuario

Stripe Marble

Stripe Marble

Tracks

Tracks

Travertini

Travertini

**30x60** Sandstone

**20x120** Borealis


Classic

Contemporary

# A leading maker of deluxe ceramics

## The strength and international breath of Panariagroup.

Panariagroup is one of the leading manufacturers of ceramic tiles for floors and wall cladding in the world. The group has production sites in Italy, Portugal, USA and has a presence in over **one hundred countries** thanks to a broad, established and widespread sales network. Specialised in the production of porcelain stoneware tiles, the company is positioned in the **ultra-luxury market segment** targeting a differentiated and discerning customer-base looking for top quality aesthetics and technology.



**PANARIA**group®

GROUP PLANTS	
COMMERCIAL REPRESENTATIVES	
GROUP SALES 2016	390,9 MILLIONS
EMPLOYEES	1705

### Highlights

Panariagroup has a presence in over 100 countries in the world.

The group positions itself in the high-luxury market segment

# Bellissimo: our values

## Elegance

The charm of Italian style: an aesthetic culture that has imposed its taste across the world, enhancing the most prestigious of living spaces.



## Innovation

Ongoing research into materials, to constantly improve our aesthetic, technical and quality standards.



## Technology

Evolution, performance and know-how co-exist and share a perfect balance that represents the maximum of "Italian-ness" in the world.



# The technology know-how

## **Avant-garde machinery and constant innovation for unrivalled quality standards.**

Panariagroup has always set itself apart thanks to its focus on research and innovation. The numerous production sites of the group are equipped with cutting edge machinery and production tools and the company also has an in-house research centre able to develop avant-garde application and aesthetic solutions, which help the company maintain its position as one of the industry leaders across the world.



## Highlights

In-house research centre equipped with advanced technology.  
Innovation means evolution and ability  
to improve products quality.



# Borealis

Colors, veins and small realistic imperfections recall nature, making your space surprisingly unique and contemporary





Frost 20x120 cm Natural rect.

# Borealis

## Ice

20x120 cm Vitrified - Natural rect.  
10,5 mm


## Natural

20x120 cm Vitrified - Natural rect.  
10,5 mm

## Frost

20x120 cm Vitrified - Natural rect.  
10,5 mm

## Aged

20x120 cm Vitrified - Natural rect.  
10,5 mm

SHADE VARIATION



V4

WATER ABSORPTION



&lt; 0,2 %

BREAKING STRENGTH (S)  
ISO 10545-4

&gt;= 2000 N

CHEMICAL RESISTANCE  
ISO 10545-13

(Resistant)

FROST RESISTANCE  
ISO 10545-12

Resistant

STAIN RESISTANCE  
ISO 10545-14Class 5  
(Resistant)

# Calacatta

With its delicate veins and soft tones, marble confers lightness when covering any environment. The light reflects on the polished stone and gives a breath of fresh air to the space, amplifying it with unique style and a sensation of freedom.



Calacatta 60x120 cm Polished



Calacatta 60x120 cm Polished

# Calacatta

## Calacatta



60x60 cm Vitrified - Polished rect.  
☒ 8,25 mm



60x120 cm Vitrified - Polished rect.  
☒ 9,5 mm

## Calacatta



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

SHADE  
VARIATION



V2

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Classic

Inspired by traditional essences, natural colors characterize the product and create comfortable and harmonious living environments.





Rope 20x120 cm Natural rect.

# Classic

## Leather



20x120 cm Vitrified - Natural rect.  
10,5 mm

## Caramel



20x120 cm Vitrified - Natural rect.  
10,5 mm

## Almond



20x120 cm Vitrified - Natural rect.  
10,5 mm

## Rope



20x120 cm Vitrified - Natural rect.  
10,5 mm

SHADE VARIATION



V4

WATER ABSORPTION



&lt; 0,2 %

BREAKING STRENGTH (S)  
ISO 10545-4CHEMICAL RESISTANCE  
ISO 10545-13

(Resistant)

FROST RESISTANCE  
ISO 10545-12

Resistant

STAIN RESISTANCE  
ISO 10545-14Class 5  
(Resistant)

# Concrete Texture

The evolution of matter.

Surfaces that recall cement marked by graphical textures that create a new mood in spaces with a completely new appeal.





CT Beige 60x120 cm Satin




CT Light Grey 60x120 cm Satin



# Concrete Texture

**CT White**



60x60 cm Vitrified - Satin rect.  
8,25 mm

**CT Beige**



60x60 cm Vitrified - Satin rect.  
8,25 mm

**CT Light Grey**



60x60 cm Vitrified - Satin rect.  
8,25 mm

**CT Grey**



60x60 cm Vitrified - Satin rect.  
8,25 mm

SHADE  
VARIATION



V2

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Contemporary

A collection designed to enhance the beauty of wood, reinterpreted in contemporary residential and commercial spaces.



## Contemporary

### Light Brown



20x120 cm Vitrified - Natural rect.  
10,5 mm

### Brown



20x120 cm Vitrified - Natural rect.  
10,5 mm

### Stripe Brown



20x120 cm Vitrified - Natural rect.  
10,5 mm

SHADE  
VARIATION



V4

WATER  
ABSORPTION



< 0,2 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



>= 2000 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# DL High Tech

Double loading:

Through this exclusive technological process the purest micronized raw materials are fully combined in two overlapping layers which are then pressed together with the pressure of 7.500 tonnes. This perfect compaction gives the product an extraordinary resistance to impact.



# DL High Tech

## DOUBLE LOADED TECHNOLOGY

### DL White



60x60 cm Lev rect. ▲ 8,25 mm  
80x80 cm Lev rect. ▲ 10 mm  
80x120 cm Lev rect. ▲ 10,8 mm

### DL Black



80x80 cm Lev rect. ▲ 10 mm

### DL Lime



60x60 cm Lev rect. ▲ 8,25 mm  
80x80 cm Lev rect. ▲ 10 mm  
80x120 cm Lev rect. ▲ 10,8 mm

### DL Chestnut



80x80 cm Lev rect. ▲ 10 mm  
80x120 cm Lev rect. ▲ 10,8 mm

### DL Grey



80x120 cm Lev rect. ▲ 10,8 mm

SHADE VARIATION



V2

WATER ABSORPTION



≤ 0,5 %

BREAKING STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL RESISTANCE  
ISO 10545-13



GLA GHA (Resistant)

FROST RESISTANCE  
ISO 10545-12



Resistant

STAIN RESISTANCE  
ISO 10545-14




Class 5 (Resistant)

### DL Cristal White




80x80 cm Lev rect. ▲ 10 mm

### DL Cristal Black




80x80 cm Lev rect. ▲ 10 mm

### DL Absolute White



60x60 cm Lev rect. ▲ 8,25 mm  
80x80 cm Lev rect. ▲ 10 mm

### DL Pure White



80x80 cm Lev rect. ▲ 10 mm

### DL Original



80x80 cm Lev rect. ▲ 10 mm  
80x120 cm Lev rect. ▲ 10,8 mm

HOMOGENEOUS PORCELAIN TILE STONEWARE DOUBLE LOADED

HOTELS



PUBLIC SPACES

HOUSING



AIRPORTS

BAR RESTAURANTS



MALLS

SHOPS



TRAIN STATIONS



# Epic Stone

ATTENDERE  
TESTO

Et voles voluptatem eum que per chic te acerfer  
ruptat. Icia dolese qui as diassimil maior rem simo  
omnis est, Itatia nos es magnihilit vello consent  
iatius, tem voluptasimin res assumetum ut magniame  
consentur.





Epic Light Grey 60x120 cm Matt



# Epic Stone

## Epic White



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## Epic Light Grey



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## Epic Grey



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Industrial Cem

ATTENDERE  
TESTO

Paribus dolore etur rem restium duciae ea verios  
eosapedit mossecatiam volento mod et hicipiciatia  
dolupta spedis ex eaquame ipsanda pro et ad que aut  
venis minctem faccum ipsum ressit, conseque nis  
porem nis cullorum hillest quamus.





Cem Grey 60x120 cm Matt



Cem White 60x120 cm Matt

# Industrial Cem

## Cem White



60x60 cm Vitrified - Matt rect.  
☒ 8,25 mm



60x120 cm Vitrified - Matt rect.  
☒ 9,5 mm

## Cem Light Grey



60x60 cm Vitrified - Matt rect.  
☒ 8,25 mm



60x120 cm Vitrified - Matt rect.  
☒ 9,5 mm

## Cem Grey



60x60 cm Vitrified - Matt rect.  
☒ 8,25 mm



60x120 cm Vitrified - Matt rect.  
☒ 9,5 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Luxury

We have reproduced the timeless charm of marble to create living environments with an elegant and exclusive atmosphere.





Tundra White 60x120 cm Polished



Daino 60x120 cm Polished



Crosscut White 60x60 cm Satin



Lasa 60x120 cm Polished



Blu Savoia 60x120 cm Polished



Tundra Grey 60x120 cm Satin

# Luxury

## Crosscut White



60x60 cm Vitrified - Polished rect.  
厚度 8,25 mm



60x60 cm Vitrified - Satin rect.  
厚度 8,25 mm



60x120 cm Vitrified - Polished rect.  
厚度 9,5 mm



60x120 cm Vitrified - Satin rect.  
厚度 9,5 mm

## Crosscut Light Silver



60x60 cm Vitrified - Polished rect.  
厚度 8,25 mm



60x60 cm Vitrified - Satin rect.  
厚度 8,25 mm



60x120 cm Vitrified - Polished rect.  
厚度 9,5 mm



60x120 cm Vitrified - Satin rect.  
厚度 9,5 mm

## Crosscut Silver



60x60 cm Vitrified - Polished rect.  
厚度 8,25 mm



60x60 cm Vitrified - Satin rect.  
厚度 8,25 mm



60x120 cm Vitrified - Polished rect.  
厚度 9,5 mm



60x120 cm Vitrified - Satin rect.  
厚度 9,5 mm

## Daino



60x60 cm Vitrified - Polished rect.  
厚度 8,25 mm




60x60 cm Vitrified - Satin rect.  
厚度 8,25 mm



60x120 cm Vitrified - Polished rect.  
厚度 9,5 mm



60x120 cm Vitrified - Satin rect.  
厚度 9,5 mm



V3



$\leq 0,5\%$



$\geq 1300\text{ N}$



GLA  
GHA  
(Resistant)



Resistant



Class 5  
(Resistant)

# Luxury

## Blu Savoia



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

## Lasa



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

## Tundra Grey



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm


## Tundra White




60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Marble Stone

A collection that represents the perfect blend between the essence of Marble and the materiality of Stone. Conceived in four chromatic variants, ideal for decorating spaces with elegant and contemporary flair.



# Marble Stone

## MS White



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## MS Beige



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm




60x120 cm Vitrified - Polished rect.  
9,5 mm




60x120 cm Vitrified - Matt rect.  
9,5 mm


## MS Light Grey



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## MS Grey



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

### SHADE VARIATION



V3

### WATER ABSORPTION



$\leq 0,5\%$

### BREAKING STRENGTH (S) ISO 10545-4



$\geq 1300\text{ N}$

### CHEMICAL RESISTANCE ISO 10545-13



GLA  
GHA  
(Resistant)

### FROST RESISTANCE ISO 10545-12



Resistant

### STAIN RESISTANCE ISO 10545-14



Class 5  
(Resistant)

# Marfil

Chromaticity furrowed with irregular veins, for a product offering guaranteed aesthetic value combined with practicality. Marble with his unique brilliance and large sizes, ideal for the elegant covering of public and residential environments.



Marfil 60x120 cm Polished



Marfil 60x120 cm Polished

# Marfil

## Marfil



60x60 cm Vitrified - Polished rect.  
☒ 8,25 mm

## Marfil



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Maxi

Large spaces enriched by the texture and versatility of this collection, a marble effect porcelain gres giving an unmistakable style.





Coffee 80x160 cm Polished




Statuario Royal 80x160 cm Polished



Statuario Supremo 80x160 cm Polished

# Maxi

**Kenya Nero**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Coffee**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Breccia**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Moca**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Onice**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Ash**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Statuario Royal**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

**Statuario Supremo**



80x160 cm Vitrified - Polished rect.

☒ 9,5 mm

SHADE  
VARIATION



V4

WATER  
ABSORPTION



< 0,2 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



>= 2000 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Onyx

The thin vibrant veins of Onyx brighten any space and decorate the surfaces with the energy of stone. The natural elegance of this mineral is suitable for any type of coating. Its characteristic colours clad environments and bring out its best qualities.



Onyx White 60x120 cm Polished



Onyx Beige 60x120 cm Polished



Onyx Grey 60x120 cm Polished

# Onyx

## Onyx White



60x60 cm Vitrified - Polished rect.  
8,25 mm

## Onyx Beige



60x60 cm Vitrified - Polished rect.  
8,25 mm

## Onyx Grey



60x60 cm Vitrified - Polished rect.  
8,25 mm

## Onyx White



60x60 cm Vitrified - Satin rect.  
8,25 mm

## Onyx Beige




60x60 cm Vitrified - Satin rect.  
8,25 mm

## Onyx Grey



60x60 cm Vitrified - Satin rect.  
8,25 mm



V3



$\leq 0,5\%$

BREAKING  
STRENGTH (S)  
ISO 10545-4



$\geq 1300\text{ N}$

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14




Class 5  
(Resistant)



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

# Piasentina

The force of the wind combined with the power of water and the passage of time creates the uniqueness of the Piasentina Stone.

A product that crosses centuries of history, cladding and decorating all kinds of interior, thus conferring harmony and charm in the most natural way.





# Piasentina

**Beige**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Taupe**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Grey**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Beige**


60x60 cm Vitrified - Matt rect.  
8,25 mm

**Taupe**

60x60 cm Vitrified - Matt rect.  
8,25 mm

**Grey**

60x60 cm Vitrified - Matt rect.  
8,25 mm



V3



$\leq 0,5\%$

BREAKING  
STRENGTH (S)  
ISO 10545-4



$\geq 1300\text{ N}$

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

# Precious Stone

Precious Stone has recreated and interpreted the Limestone with a new shiny and modern look. A unique, exclusive product that combines the finest graining and the most delicate chromatic variations. It is available in three colours matt and polished.





Beige 60x60 cm Polished - Beige 60x60 cm Matt



Greige 60x120 cm Polished

# Precious Stone

**Bianco**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Beige**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Greige**

60x60 cm Vitrified - Polished rect.  
8,25 mm

**Bianco**

60x60 cm Vitrified - Matt rect.  
8,25 mm

**Beige**

60x60 cm Vitrified - Matt rect.  
8,25 mm

**Greige**

60x60 cm Vitrified - Matt rect.  
8,25 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



$\leq 0,5\%$

BREAKING  
STRENGTH (S)  
ISO 10545-4



$\geq 1300\text{ N}$

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

# Sandstone

Uptas eum quibus, adiam fugia commolupta cum  
rem ut quo volupta quamusa ndignimpores eium,  
omnim volut et harunt que aris aut earum ut ea iur  
rem aut labo. Am natur alitatem illuptatiam et prate  
natem quam facea vellore rrovid quis ide odite.





Sand Beige 60x120 cm Matt




Sand Light Grey 60x120 cm Matt

# Sandstone

## Sand White



30x60 cm Vitrified - Matt rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## Sand Beige



30x60 cm Vitrified - Matt rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

## Sand Light Grey



30x60 cm Vitrified - Matt rect.  
8,25 mm



60x60 cm Vitrified - Matt rect.  
8,25 mm



60x120 cm Vitrified - Matt rect.  
9,5 mm

SHADE  
VARIATION



V4

WATER  
ABSORPTION



< 0,2 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



=> 2000 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

INSERIRE NOTA PER IL 30X60, GARANTISCE FORNITURA SOLO SU RICHIESTA E A  
FRONTE DI UN ORDINE MINIMO.

# Statuario

The natural veins blend perfectly with the bright white of precious marbles.

Large formats, for finishings that free and expand the space, creating rooms in which it is a pleasure to pause and enjoy every moment.



Bianco Statuario 60x120 cm Polished




# Statuario

## Bianco Statuario




60x60 cm Vitrified - Polished rect.  
☒ 8,25 mm



60x120 cm Vitrified - Polished rect.  
☒ 9,5 mm

## Bianco Statuario



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

SHADE  
VARIATION



V2

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Stripe Marble

Two unique nuances that shape and transform interiors. The particular longitudinal vein, ensures originality and charm to this noble floor. The chromatic harmony of these surfaces recalls atmospheres where tradition blends with contemporary in a surprising effect of exclusive refinement.





Zebrino 60x120 cm Polished

# Stripe Marble

## Zebrino



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm

SHADE VARIATION



V2

WATER ABSORPTION



≤ 0,5 %

BREAKING STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL RESISTANCE  
ISO 10545-13



GLA GHA  
(Resistant)



Resistant

STAIN RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Tracks

A track always brings with it a story. The marks of a journey and memories of places that will forever remain engraved in our consciousness.

TRACKS covers spaces with the charm of elements that bear witness to life and time. Cotton, sand, silver, ash. Warm colors, in which one can get lost and rediscover oneself.



# Tracks



Vulcano 60x60 cm Satin

## Chalk



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

## Desert



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

## Concrete



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

## Vulcano



60x60 cm Vitrified - Satin rect.  
☒ 8,25 mm



60x120 cm Vitrified - Satin rect.  
☒ 9,5 mm

SHADE  
VARIATION



V3

WATER  
ABSORPTION



≤ 0,5 %

BREAKING  
STRENGTH (S)  
ISO 10545-4



≥ 1300 N

CHEMICAL  
RESISTANCE  
ISO 10545-13



GLA  
GHA  
(Resistant)

FROST  
RESISTANCE  
ISO 10545-12



Resistant

STAIN  
RESISTANCE  
ISO 10545-14



Class 5  
(Resistant)

# Travertini

Rediscovering Travertine.

Aesthetic characteristics that make it perfect for every kind of environment: the grain and the varying colour fit into both traditional and modern styles, creating elegant and fashionable spaces.



Grey 60x120 cm Polished



Beige 60x120 cm Satin



Ice 60x120 cm Polished



Multicolor 60x60 cm Polished - Multicolor 60x60 cm Satin

# Travertini

## Ice



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

## Beige



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

## Grey



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

## Multicolor



60x60 cm Vitrified - Polished rect.  
8,25 mm



60x60 cm Vitrified - Satin rect.  
8,25 mm



60x120 cm Vitrified - Polished rect.  
9,5 mm



60x120 cm Vitrified - Satin rect.  
9,5 mm

### SHADE VARIATION



V3

### WATER ABSORPTION



≤ 0,5 %

### BREAKING STRENGTH (S) ISO 10545-4



≥ 1300 N

### CHEMICAL RESISTANCE ISO 10545-13



GLA  
GHA  
(Resistant)

### FROST RESISTANCE ISO 10545-12



Resistant

### STAIN RESISTANCE ISO 10545-14



Class 5  
(Resistant)

# Technical Data

## Packaging

### BOREALIS

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
20x120 cm Natural	6	1,40	32,00	24	33,60	800,00

### CALACATTA

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

### CLASSIC

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
20x120 cm Natural	6	1,40	32,00	24	33,60	800,00

### CONCRETE TEXTURE

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
60x120 cm Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Satin	4	1,44	27,5	36	51,84	1010,00

### CONTEMPORARY

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
20x120 cm Natural	6	1,40	32,00	24	33,60	800,00

### DL HIGH TECH

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
80x120 cm Lev	2	1,92	46,00	31	59,52	1450,00
80x80 cm Lev	3	1,92	44,00	30	57,6	1350,00
60x60 cm Lev	4	1,44	27,5	36	51,84	1010,00

### EPIC STONE

<b>Sizes</b>	<b>Box</b>			<b>Europallet</b>		
	<b>pcs.</b>	<b>mq</b>	<b>kg</b>	<b>box</b>	<b>mq</b>	<b>kg</b>
60x120 cm Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Matt	4	1,44	27,5	36	51,84	1010,00

# Packaging

## INDUSTRIAL CEM

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Matt	4	1,44	27,5	36	51,84	1010,00

## LUXURY

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

## MARBLE STONE

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Matt	4	1,44	27,5	36	51,84	1010,00

## MARFIL

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

## MAXI

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
80x160 cm Polished	2	2,56	56,00	22	56,32	1292,00

## ONYX

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

## PIASENTINA

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Matt	4	1,44	27,5	36	51,84	1010,00

## PRECIOUS STONE

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Matt	4	1,44	27,5	36	51,84	1010,00

## SANDSTONE

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Matt	2	1,44	30,5	34	48,96	1065,00
60x60 cm Matt	4	1,44	27,5	36	51,84	1010,00
30x60 cm Matt	?	?	?	?	?	?

## STATUARIO

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

## STRIPE MARBLE

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished	4	1,44	27,5	36	51,84	1010,00

## TRACKS

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Satin	4	1,44	27,5	36	51,84	1010,00

## TRAVERTINI

Sizes	Box			Europallet		
	pcs.	mq	kg	box	mq	kg
60x120 cm Polished - Satin	2	1,44	30,5	34	48,96	1065,00
60x60 cm Polished - Satin	4	1,44	27,5	36	51,84	1010,00

# Cleaning

## "AFTER-INSTALLATION" CLEANING

1. "After-installation" cleaning is compulsory, both for glazed and non-glazed tiles.
2. An after-installation cleaning carried out not accurately, or not carried out at all, often results in halos preventing the floor to be kept clean despite of a careful daily cleaning.
3. To ensure an optimal cleaning, the use of a single brush with suitable disks (green for structured/anti-slip surfaces, red for the others) is recommended.

## 4. CEMENTITIOUS GROUTS MIXED WITH WATER

To ensure an optimal cleaning, the use of a single brush with suitable disks (green for structured/anti-slip surfaces, red for the others) is recommended.

Residue to be removed	Cementitious grouts, slurry, cement, lime			
Detergent type	Acid-based			
Detergent name	KERANET	CEMENT REMOVER	DETERDEK	LITOclean PLUS
Manufacturer	MAPEI	FABERCHIMICA	FILA	LITOKOL

For the use, follow the specific instructions by the manufacturers.

After performing the washing described above, it is necessary to wash with a basic or alkaline product, namely a degreasing detergent (see point 5 of table). Acid washing can leave greasy marks on the floor, which tend to withhold dirt.

NOTE: for cementitious grouts with additives (latexes, resins, etc.), remove immediately with sponge and plenty of water. Then, treat the floor according to the instructions in points 3 and 4.

Always make preventive tests before the use (on a tile not laid yet), above all on lapped or polished products.

Do not carry out the "after-installation" cleaning if the tile temperature is high; in summer, clean during the fresher hours of the day.

## 5. EPOXY GROUTS

The removal must be carried out immediately and carefully with sponge and plenty of water, as these grouts harden very fast, even in a few minutes. The following day carry out a thorough cleaning with alkaline detergents; a few of them are indicated in the table below.

Operation	Thorough cleaning			
Detergent type	Alkali-based			
Detergent name	WAX REMOVER	PS 87	CIF Degreaser with bicarbonate	LITONET
Manufacturer	FABERCHIMICA	FILA	UNILEVER ITALIA	LITOKOL

For the use, follow the specific instructions by the manufacturers.

# Cleaning

## 6. ANTI-SLIP SURFACES

Due to their special features, rough or structured anti-slip surfaces are harder to clean. After the grouting, it is important to remove the excesses in a short time and by frequent washing with sponge and water, till the floor is perfectly clean. Then, carry out an acid washing using a single brush with green disks.

## DAILY CLEANING

Carry out the daily/routine cleaning with neutral detergents or degreasers, diluted in warm water, following the procedures indicated on the packages. The following products, which can be easily found on the market, are recommended.

Operation	Daily cleaning				
Detergent type	Neutral or degreaser				
Detergent name	GLASSEX degreaser	SMAC ULTRA degreaser	CIF Degreaser with bicarbonate	FLOOR CLEANER	FILA CLEANER
Manufacturer	RECKITT BENKISER	BOLTON MANITOBA	UNILEVER ITALIA	FABERCHIMICA	FILA

## EXTRAORDINARY CLEANING

It is carried out to remove very old or resistant stains or residues. The table below indicates detergents suitable for the stain type.





Residue to be removed	Coffee, coke, fruit juices, waxes, greases, etc...	Wine	Calcareous deposits	Rust	Inks, felt pens	Tyres, rubber marks, suckers, metal or pencil marks		
Detergent type	Neutral or degreaser	Oxidizing	Acid-based	Acid-based	Thinner-based	Abrasive paste		
Detergent name	Coloured Stain Remover PS 87	CIF Degreaser with bicarbonate OXIDANT	VIAKAL	Diluted hydrochloric acid	Nitro thinner, trichloroethylene, turpentine Coloured Stain Remover	VIM CLOREX POLISHING CREAM	DETERGUM	Eraser (for pencil marks only)
Manufacturer	RECKITT BENKISER	FABERCHIMICA	PROCTER & GAMBLE	Several manufacturers	Several manufacturers	FABERCHIMICA	GUABER	FABERCHIMICA ZEP ITALIA

IMPORTANT: always make preventive tests before the use (on a tile not laid yet), above all on lapped or polished products.

# Cleaning

## REMOVAL OF WAXES OR POLISHING COATS

**Do NOT use waxes on floor and wall tiles.**

			
New floor that has been cleaned after installation in accordance to the instructions provided on the previous pages.	Detergents for routine cleaning that contain wax tend to deposit on the floor and create glossy films.	Simple substances (Coca Cola, wine, water, etc.) will remove this glossy film and give the floor its initial matt appearance.	To remove the glossy film, use a suitable detergent (undiluted Tile Cleaner by Faber). Daily cleaning should be performed using a detergent that does not contain wax.

Often, the standard detergents available on the market contain waxes or polishing additives that, washing after washing, deposit glossy coats on the floor causing halos and problems. This kind of coats can be deposited even by some grouts for joints. Simple agents such as coke, wine, water, etc... falling on the floor remove this glossy coat and restore the original duller look of the tiles. Amid a glossier floor, the areas without wax look like dull halos: instead, they are the only clean floor areas. In these cases, first of all the whole floor must be dewaxed, following the indications of the table below. Then, use the detergents of the table besides for the routine cleaning.

Residue to be removed	Glossy coats left by detergents	
Detergent type	Acid-based	
Detergent name	VIAKAL*	Pure TILE CLEANER *
Manufacturer	PROCTER & GAMBLE	FABERCHIMICA

(\*) Do not follow the indications on the package, rather apply the pure detergent, leave it for 15-30 minutes, rub with soft or lightly abrasive pads (white, yellow, red), then rinse thoroughly with water.

## USEFUL REFERENCES

MAPEI Spa, via Cafiero 22, 20158 Milano – ITALY - Tel. +39 02/37673 – [www.mapei.it](http://www.mapei.it)

FABERCHIMICA Srl, via G. Ceresani 10 – località Campo d'Olmo 60044 Fabriano (AN) – ITALY - Tel. +39 0732/627178  
[www.faberchimica.com](http://www.faberchimica.com)

FILA Industria Chimica Spa, via Garibaldi 32, 35018 S. Martino dei Lupari (PD) - ITALY - Tel. +39 049/9467300 – [www.filachim.it](http://www.filachim.it)

ZEP Italia Srl, via Nettunese Km 25,000 – 04011 Aprilia (LT) – ITALY - Tel. +39 06/926691 – [www.zepitalia.it](http://www.zepitalia.it)