

GLP-1 Data Review

Every value currently stored in **korb-glp1-data.js**, laid out for review. This is the single source of truth for the GLP-1 program: the provider tool, the pharmacy documents and the patient materials all read from it. A correction made here propagates everywhere. Mark this up and send back the changes.

Field	Value
Version	1.2
Created	2026-08-06
Owner	Director of Clinical Operations
Clinical sign-off	Clinical Director — dosing, titration, contraindications
Compliance sign-off	VP Finance/Compliance — pricing, charge codes, program structure
Built from	Premier_Pharmacy_-_Semaglutide_11-26-2025, Glycine_Premier_Pharmacy_-_Semaglutide_11-26-2025, Premier_Pharmacy_-_Tirzepatide_11-26-2025, Belmar_Pharmacy_-_Semaglutide_11-26-2025, Belmar_Pharmacy_-_Tirzepatide_06-01-2026, Farmakeio_Pharmacy_-_Semaglutide_11-26-2025, Farmakeio_Pharmacy_-_Tirzepatide_11-26-2025, Greenwich_Pharmacy_-_Tirzepatide_11-26-2025, Zepbound_and_Oral_Wegovy

Open items — not yet cleared for use

ID	Severity	Issue	What is needed	Owner
MONOGRAPH-CLINICAL-SIGNOFF	high	The drug monographs — mechanism, evidence, contraindications split into absolute and cautions, medication interactions, monitoring, counseling scripts, chart attestation language and ICD-10 codes — are newly authored. They are not transcribed from an existing KORB document and have not been clinically reviewed.	Clinical Director sign-off required before these documents are distributed to providers. Particular attention to: the tirzepatide oral contraceptive interaction and its four-week windows, the peri-procedural holding guidance, and the ICD-10 selections.	Clinical Director
BRAND-DOC-OUTDATED	low	The brand prescribing document predates Foundayo, the Zepbound KwikPen and the Wegovy pen, and its Program Supply Options section has the two products swapped. Every current value now lives in this file instead.	Regenerate the brand document from korb-glp1-data.js so there is one current source rather than a stale one to work around.	Clinical Operations
BELMAR-TIRZ-8WK-CODE	medium	Belmar 8-week is a split fill. The charge code is what tells Ops to order the second 4 weeks. Semaglutide has FITSemaMBL; tirzepatide does not yet.	Swap PLACEHOLDER-TIRZ-8WK-BELMAR once VP Finance issues the real code.	VP Finance/Compliance

State routing

The default pharmacy for a new start. Evaluated top to bottom, first match wins. Defaults only — the provider can override, and the tool warns rather than blocks unless the pharmacy has a hard licensing exclusion.

States	Default pharmacy	Basis	Notes
TX, NV, AZ, FL	Premier Pharmacy	preferred pharmacy	
CA	Belmar Pharmacy	sole California pharmacy — semaglutide and tirzepatide	Farmakeio cannot ship to CA at all. Greenwich is continuation only.
all other states	Farmakeio Pharmacy	all other new patients	

KORB active states: AL, AK, AZ, AR, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, WY

Override reasons on file: Patient is already established with another pharmacy and does not want to switch; Patient has moved between states; Patient prefers a formulation with a different added vitamin (B-12, B-6, L-carnitine); Provider preference

Brand-name rules — apply to every brand pathway

Field	Rule
AVAILABLE STATES ONLY	TX, CA, AL, WI. Brand-name GLP-1 through the manufacturer programs is only available in Texas, California, Alabama and Wisconsin. Source: the brand prescribing document. This is a program limit, not a shipping limit — do not offer a brand pathway to a patient outside these four states.
Order via	Tebra Standard prescription (NOT Tebra Compound)
Billing	Patient pays the manufacturer program or the local pharmacy directly.
Prior authorizations	KORB does NOT complete insurance prior authorizations.
Coupons / savings cards	KORB does NOT handle coupons or manufacturer savings cards.
Patient responsibility	KORB does not complete insurance prior authorizations and does not handle coupons or manufacturer savings cards. The patient is responsible for checking pricing, coverage and every other aspect of the medication.
Local pharmacy	A brand prescription can be sent to the patient's local pharmacy on request, under the same rules. KORB will not re-send a prescription between pharmacies to chase a lower price. The patient does that comparison before ordering.

Pharmacies

Premier Pharmacy

Field	Value
Type	compounding
Preferred states	TX, NV, AZ, FL
Known ship-to	AZ, CO, CT, DC, DE, FL, GA, IL, KS, KY, LA, MD, ME, MI, MO, MS, MT, NC, ND, NE, NJ, NM, NV, NY, OH, OK, OR, PA, RI, SD, TN, TX, UT, VA, VT, WI, WV, WY
Hard exclusions (cannot override)	AK, AL, AR, CA, HI, IA, ID, IN, MA, MN, NH, SC, WA
Ship-to note	Licensed shipping list. Premier cannot ship anywhere outside it, including California. Confirmed 2026-08-09.
Order via	Tebra Compound
Billing	Bill to KORB Health Group, ship to patient
Address	Premier Pharmacy, 2425 Babcock Rd, Ste 108A, San Antonio, TX 78229
Notes	• All Premier programs offer a 4-week and an 8-week option — semaglutide, semaglutide with glycine, and tirzepatide alike. • All Premier compounds carry a 90-day BUD as of 2026-08. There is no longer a difference between the glycine and non-glycine products on this. • 8-week programs ship the full eight weeks of medication and supplies in a single initial shipment. No refill and no second shipment. • Vials remain 28 days from first use regardless of BUD. On lower doses this produces overage. Counsel the patient to discard at 28 days.

Belmar Pharmacy

Field	Value
Type	compounding
Preferred states	CA
Known ship-to	AL, AK, AZ, AR, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, WY
Hard exclusions (cannot override)	—
Discouraged outside preferred	Belmar pricing is higher than the other compounding pharmacies, which is why patients are kept in California unless there is a specific reason. Selecting Belmar outside California is allowed but should be a deliberate exception.
Ship-to note	Ships to all 50 states and DC. Preferred for California only.
Order via	Tebra Compound
Billing	Bill to KORB Health Group, ship to patient
Address	Belmar Pharmacy — ARIZONA location, 12012 N 111th Ave, Youngtown, AZ 85363-1339
Split fill	4-week supply with 1 refill. Refill owner: Operations (not automatic). Trigger: The Belmar-specific 8-week charge code flags the order for Ops to place the second 4-week fill. Ops triggered at Week 3. The second 4-week supply should reach the patient a few days before their next set of injections is due, so there is no lapse in dosing.
Provider script	Tell a California patient on the 8-week program that their medication arrives in two shipments, and that the second arrives before the first runs out. They do not need to request it.
Notes	• Belmar historically carried semaglutide only, which is why California tirzepatide went to Greenwich. Belmar now carries both, so all new California starts go here regardless of drug. • SPLIT FILL — Belmar is the only pharmacy that will not ship an 8-week supply at one time. Their 8-week program is a 4-week supply with one refill, for both semaglutide and tirzepatide. • The refill is not automatic. Ops must manually approve and order the second 4 weeks. The 8-week charge code is what triggers that Ops action, which is why Belmar 8-week uses its own code rather than the standard one. • Semaglutide 2.5 mg / 1 mg / ml is used for 1.7 and 2.4 mg doses; 1 mg / 1 mg / ml for 0.25, 0.5 and 1.0 mg doses. • Tirzepatide is compounded with L-carnitine, not B-12. • SYRINGES GO IN THE DIRECTIONS, NOT PHARMACY INSTRUCTIONS. Belmar reads the patient directions field. If the insulin-syringe note is moved to Pharmacy Instructions they may not see it and will not ship syringes. Keep "(Include one pack of insulin syringes)" at the end of every Belmar sig. • Belmar doses in MG, both drugs. Semaglutide has been ordered this way for a couple of years and tirzepatide was brought over to match it. Do not convert either to units/mL. • Belmar sigs always read "AS DIRECTED FOR 4 WEEKS" on both programs, because the 8-week program is a 4-week fill plus a refill. The sig describes the fill. • Belmar 1.0 mg semaglutide draws 100 units into a 100-unit syringe with no headroom. That is how Belmar wants it. No syringe callout — same as Greenwich, the Functional Health callout rule does not apply here.

Farmakeio Pharmacy

Field	Value
Type	compounding
Preferred states	AK, AL, AR, CO, CT, DC, DE, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY
Known ship-to	AK, AL, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY
Hard exclusions (cannot override)	CA
Ship-to note	Ships to 49 states plus DC. California is the single state Farmakeio will not ship to, and that cannot be overridden. Preferred everywhere except CA, TX, FL, AZ and NV.
Order via	Tebra Compound
Billing	Bill to KORB Health Group, ship to patient
Address	Farmakeio Pharmacy, 1736 N Greenville Ave, Richardson, TX 75081
Notes	• Products ship as a HOME KIT that includes syringes and supplies. • Compounded with pyridoxine (B-6) for nausea prevention, not B-12. • Semaglutide is a single concentration (2.5 mg/25 mg per mL). Dose is set by volume; the only variable on the Rx is how many mL. • Tirzepatide is a single concentration (18 mg/25 mg per mL).

Greenwich Pharmacy [LEGACY-CONTINUITY]

Field	Value
Type	compounding
Preferred states	—
Known ship-to	AL, AK, AZ, AR, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, WY
Hard exclusions (cannot override)	—
Override only for	An established Greenwich tirzepatide patient continuing therapy.
Ship-to note	Ships to all 50 states and DC, but see the status note — shipping reach is not the limiting factor, program policy is.
Order-via note	Moved from MDToolbox to Tebra Compound. MDToolbox is being turned off at the end of August 2026.
Status note	NOT USED FOR GLP-1 except to continue an existing tirzepatide patient who does not want to switch. Greenwich is now primarily a Functional Health peptide pharmacy. Do not route a new GLP-1 patient here and do not offer it as a GLP-1 option.
Order via	Tebra Compound
Billing	Bill to KORB Health Group, ship to patient
BUD	90 days
Address	Greenwich Rx, 9733 FM 2920 Rd, Suite 100, Tomball, TX 77375
Notes	• Ships FedEx next-day only, Monday through Thursday. Patient should receive within three business days of order. • The patient does not receive a shipping confirmation from the pharmacy. • Ships in disposable coolers with ice packs in summer, Kangaroo Pouch Mailers the rest of the year. • Will NOT accept a do-not-fill date. • B-12 only. No other added formulations. • Patient is automatically shipped a 10-pack of 50-unit insulin syringes. • SYRINGE NOTE — every Greenwich GLP-1 dose is exactly 50 units in a 50-unit syringe. That is deliberate and has been their practice for all GLP-1s since before KORB started using them. Do NOT add the 100-UNIT SYRINGE callout used for Functional Health peptides; the FH&L; syringe rule does not apply here. • Ordering 4 mL on the prescription ships two 2 mL vials. • Dose is set by concentration, not volume. Every dose injects 50 units.

LillyDirect

Field	Value
Type	manufacturer-direct
Preferred states	—
Known ship-to	—
Hard exclusions (cannot override)	—
Order via	Tebra Standard prescription (NOT Tebra Compound)
Billing	Patient pays the manufacturer program directly. See brandRules.
Notes	• Cash-pay, direct-to-patient. Dispensing, payment, shipping and delivery are managed by the manufacturer. KORB does not manage fulfillment. • Carries Zepbound KwikPen and Foundayo (orforglipron) oral tablets. • Not a KORB compounding pharmacy. Provider-side only.

NovoCare

Field	Value
Type	manufacturer-direct
Preferred states	—
Known ship-to	—
Hard exclusions (cannot override)	—
Order via	Tebra Standard prescription (NOT Tebra Compound)
Billing	Patient pays the manufacturer program directly. See brandRules.
Notes	• Cash-pay manufacturer program. KORB does not manage fulfillment. • Carries the Wegovy pen and the Wegovy oral tablet. • Not a KORB compounding pharmacy. Provider-side only.

Patient’s local pharmacy

Field	Value
Type	retail
Preferred states	—
Known ship-to	—
Hard exclusions (cannot override)	—
Order via	Tebra Standard prescription (NOT Tebra Compound)
Billing	Patient pays the pharmacy directly. See brandRules.
Notes	• BRAND-NAME PRODUCTS ONLY. Compounded products cannot be sent here. • Available on patient request, under the same brand rules. • KORB will not re-send a prescription between pharmacies to find a lower price. The patient compares pricing before asking for the prescription.

Program progression — 4-week to 8-week

INTERNAL ONLY. Internal and provider-facing only. Do not put this rule in a patient handout, the website, a pricing flyer, or any Circle post. A patient should not arrive expecting to graduate to 8-week.

Field	Rule
Applies to	semaglutide, tirzepatide — Identical for both drugs. No drug-specific variation.
Start rule	Every patient starts on the 4-week program. No exceptions.
8-week eligibility	A patient may be offered the 8-week program once they are stable at the dose they have landed on after escalation.
Mandatory	No
Decision owner	Provider — The 8-week program is an offer the provider extends, not a milestone the patient reaches or requests. Escalation, holding, reducing and weaning off are all provider discretion.
Patient initiated	No
Weaning	Dose reduction and weaning off therapy are entirely at provider discretion. No fixed taper schedule is defined at the program level.
Visit cadence	4-week: Monthly provider visit · 8-week: Provider visit every 8 weeks

Field	Rule
Reasons to stay at 4-week	• Cost — the 4-week program is the lower per-visit outlay and carries the discounted rate. • Accountability — some patients want to see the provider monthly. • Clinical — the provider judges that side effects are not adequately controlled and the patient needs to be seen more often.

Oral products — different follow-up rule

Field	Rule
Applies to	All oral products — compounded (Premier dots, Belmar FastSL, Farmakeio) and brand (Foundayo, Wegovy tablet).
Follow-up	30 days or 60 days — set by the Provider
Rule	The provider sets a 30-day or 60-day follow-up to keep the patient on track, rather than using the 4-week / 8-week injectable cadence.
Supply is not cadence	Dispensed quantity and follow-up interval are separate decisions. The compounded orals dispense as a 90-day supply, but the patient is still seen at 30 or 60 days. Do not read a 90-day supply as a 90-day follow-up.
Modality	Video or asynchronous, same as the injectable programs.

Field conventions and limits

Days supply

Days supply describes the fill, not the program.

Case	Days supply
Injectable, single fill	4-week = 28, 8-week = 56
Injectable, fill + refill	28 per fill, 1 refill. Applies to: belmar, zepbound, wegovy_pen
Oral, brand	30 or 60
Oral, compounded	90 only

Tebra character limits

Field	Limit
Reason for Compounding	30
Patient Instructions	140
Pharmacy Instructions	170

- Exceeding a cap truncates silently in some views, so text is written to fit rather than trimmed later.

Products, dose ladders and Tebra prescribing fields

Reviewed and corrected 2026-08-09. Fields are in Tebra Compound order, matching Functional Health. **Quantity is total millilitres, not a vial count** — Greenwich 15 mg 8-week is quantity 4, meaning two 2 mL vials.

Premier — Semaglutide / B-12 — Premier

Route: subcutaneous
Frequency: once weekly
Formulation: Semaglutide 3 mg / B-12 0.5 mg per mL

Order via: Tebra Compound

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
0.3 mg	10 u	—	0.6 ml	0.6 ml x 2	—
0.6 mg	20 u	—	1 ml	1 ml x 2	—
1.2 mg	40 u	—	0.6 ml x 1 & 1 ml x 1	0.6 ml x 2 & 1 ml x 2	—
1.8 mg	60 u	—	2.4 ml	2.4 ml x 2	—
2.7 mg	90 u	—	3.6 ml	3.6 ml x 2	—

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.3 mg	PREMIER – Semaglutide 0.3 mg – 4-Week Supply	INJECT 0.3 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	0.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
0.6 mg	PREMIER – Semaglutide 0.6 mg – 4-Week Supply	INJECT 0.6 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
1.2 mg	PREMIER – Semaglutide 1.2 mg – 4-Week Supply	INJECT 1.2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
1.8 mg	PREMIER – Semaglutide 1.8 mg – 4-Week Supply	INJECT 1.8 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	2.4	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
2.7 mg	PREMIER – Semaglutide 2.7 mg – 4-Week Supply	INJECT 2.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	3.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.3 mg	PREMIER – Semaglutide 0.3 mg – 8-Week Supply	INJECT 0.3 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	1.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
0.6 mg	PREMIER – Semaglutide 0.6 mg – 8-Week Supply	INJECT 0.6 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
1.2 mg	PREMIER – Semaglutide 1.2 mg – 8-Week Supply	INJECT 1.2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	3.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
1.8 mg	PREMIER – Semaglutide 1.8 mg – 8-Week Supply	INJECT 1.8 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	4.8	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
2.7 mg	PREMIER – Semaglutide 2.7 mg – 8-Week Supply	INJECT 2.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	7.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.

Premier — Semaglutide / B-12 / Glycine — Premier

Route: subcutaneous

Frequency: once weekly

Formulation: Semaglutide 3 mg / B-12 0.5 mg / Glycine 5 mg per mL

Order via: Tebra Compound

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
0.3 mg	10 u	—	1 ml vial	1 ml x 2 vials	—
0.6 mg	20 u	—	1 ml vial	1 ml x 2 vials	—
1.2 mg	40 u	—	1 ml x 2 vials	1 ml x 4 vials	—
1.8 mg	60 u	—	1 ml x 3 vials	1 ml x 5 vials	—
2.7 mg	90 u	—	1 ml x 4 vials	1 ml x 8 vials	—

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.3 mg	PREMIER – Glycine Semaglutide 0.3 mg – 4-Week Supply	GLYCINE – INJECT 0.3 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
0.6 mg	PREMIER – Glycine Semaglutide 0.6 mg – 4-Week Supply	GLYCINE – INJECT 0.6 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
1.2 mg	PREMIER – Glycine Semaglutide 1.2 mg – 4-Week Supply	GLYCINE – INJECT 1.2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
1.8 mg	PREMIER – Glycine Semaglutide 1.8 mg – 4-Week Supply	GLYCINE – INJECT 1.8 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	3	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
2.7 mg	PREMIER – Glycine Semaglutide 2.7 mg – 4-Week Supply	GLYCINE – INJECT 2.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	4	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.3 mg	PREMIER – Glycine Semaglutide 0.3 mg – 8-Week Supply	Maintenance – GLYCINE – INJECT 0.3 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
0.6 mg	PREMIER – Glycine Semaglutide 0.6 mg – 8-Week Supply	Maintenance – GLYCINE – INJECT 0.6 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
1.2 mg	PREMIER – Glycine Semaglutide 1.2 mg – 8-Week Supply	Maintenance – GLYCINE – INJECT 1.2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
1.8 mg	PREMIER – Glycine Semaglutide 1.8 mg – 8-Week Supply	Maintenance – GLYCINE – INJECT 1.8 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	5	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.
2.7 mg	PREMIER – Glycine Semaglutide 2.7 mg – 8-Week Supply	Maintenance – GLYCINE – INJECT 2.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	8	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12 and glycine.

Premier — Tirzepatide / B-12 — Premier**Route:** subcutaneous**Frequency:** once weekly**Formulation:** Tirzepatide 18 mg / B-12 0.5 mg per mL**Order via:** Tebra Compound

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
2 mg	11 u	—	0.6 ml	0.6 ml x 2	T1A
4 mg	22 u	—	1 ml	1 ml x 2	T1A
6.5 mg	36 u	—	0.6 ml & 1 ml	0.6 ml x 2 & 1 ml x 2	T2A
8.5 mg	47 u	—	2 ml	2 ml x 2	T2A
13.5 mg	75 u	—	1 ml & 2 ml	2 ml x 3	T3A
16 mg	89 u	—	3.6 ml	3.6 ml x 2	T3A

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2 mg	PREMIER – Tirzepatide 2 mg – 4-Week Supply	INJECT 2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	0.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
4 mg	PREMIER – Tirzepatide 4 mg – 4-Week Supply	INJECT 4 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
6.5 mg	PREMIER – Tirzepatide 6.5 mg – 4-Week Supply	INJECT 6.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	1.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
8.5 mg	PREMIER – Tirzepatide 8.5 mg – 4-Week Supply	INJECT 8.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
13.5 mg	PREMIER – Tirzepatide 13.5 mg – 4-Week Supply	INJECT 13.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	3	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
16 mg	PREMIER – Tirzepatide 16 mg – 4-Week Supply	INJECT 16 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS	3.6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2 mg	PREMIER – Tirzepatide 2 mg – 8-Week Supply	INJECT 2 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	1.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
4 mg	PREMIER – Tirzepatide 4 mg – 8-Week Supply	INJECT 4 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
6.5 mg	PREMIER – Tirzepatide 6.5 mg – 8-Week Supply	INJECT 6.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	3.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
8.5 mg	PREMIER – Tirzepatide 8.5 mg – 8-Week Supply	INJECT 8.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
13.5 mg	PREMIER – Tirzepatide 13.5 mg – 8-Week Supply	INJECT 13.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	6	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.
16 mg	PREMIER – Tirzepatide 16 mg – 8-Week Supply	INJECT 16 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 8 WEEKS	7.2	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12.

Belmar — Semaglutide / B-12 — Belmar

Route: subcutaneous

Frequency: once weekly

Formulation: Semaglutide / B-12, two concentrations by dose band

Order via: Tebra Compound

Supply note: 8-week program is a 1-month supply with 1 refill.

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
0.25 mg	25 u	1 mg/1 mg/ml	1 ml x 1 vial	1 ml x 1 vial (each fill)	—
0.5 mg	50 u	1 mg/1 mg/ml	1 ml x 2 vials	1 ml x 2 vials (each fill)	—
1.0 mg	100 u	1 mg/1 mg/ml	5 ml x 1 vial	5 ml x 1 vial (each fill)	—
1.7 mg	68 u	2.5 mg/1 mg/ml	5 ml x 1 vial	5 ml x 1 vial (each fill)	—
2.4 mg	96 u	2.5 mg/1 mg/ml	5 ml x 1 vial	5 ml x 1 vial (each fill)	—

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.25 mg	BELMAR – Semaglutide 0.25 mg – 4-Week Supply	INJECT 0.25 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
0.5 mg	BELMAR – Semaglutide 0.5 mg – 4-Week Supply	INJECT 0.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
1.0 mg	BELMAR – Semaglutide 1.0 mg – 4-Week Supply	INJECT 1 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
1.7 mg	BELMAR – Semaglutide 1.7 mg – 4-Week Supply	INJECT 1.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
2.4 mg	BELMAR – Semaglutide 2.4 mg – 4-Week Supply	INJECT 2.4 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.25 mg	BELMAR – Semaglutide 0.25 mg – 8-Week Supply	INJECT 0.25 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	1	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
0.5 mg	BELMAR – Semaglutide 0.5 mg – 8-Week Supply	INJECT 0.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	2	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
1.0 mg	BELMAR – Semaglutide 1.0 mg – 8-Week Supply	INJECT 1 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
1.7 mg	BELMAR – Semaglutide 1.7 mg – 8-Week Supply	INJECT 1.7 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
2.4 mg	BELMAR – Semaglutide 2.4 mg – 8-Week Supply	INJECT 2.4 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:

Belmar — Tirzepatide / L-Carnitine — Belmar

Route: subcutaneous
Frequency: once weekly
Formulation: Tirzepatide/L-Carnatine 10mg/50mg/ml
Order via: Tebra Compound
Supply note: 8-week program provides a 1-month supply with 1 refill.

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
2.5 mg	25 u	—	1 ml x 1 vial	1 ml x 1 vial (each fill)	T1A
5 mg	50 u	—	1 ml x 2 vials	1 ml x 2 vials (each fill)	T1A
7.5 mg	75 u	—	1 ml x 3 vials	1 ml x 3 vials (each fill)	T2A
10 mg	100 u	—	4 ml x 1 vial	4 ml x 1 vial (each fill)	T2A
12.5 mg	125 u	—	1 ml x 1 vial & 4 ml x 1 vial	1 ml x 1 vial & 4 ml x 1 vial (each fill)	T3A
15 mg	150 u	—	1 ml x 2 vials & 4 ml x 1 vial	1 ml x 2 vials & 4 ml x 1 vial (each fill)	T3A

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	BELMAR – Tirzepatide 2.5 mg – 4-Week Supply	INJECT 2.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
5 mg	BELMAR – Tirzepatide 5 mg – 4-Week Supply	INJECT 5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
7.5 mg	BELMAR – Tirzepatide 7.5 mg – 4-Week Supply	INJECT 7.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	3	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
10 mg	BELMAR – Tirzepatide 10 mg – 4-Week Supply	INJECT 10 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	4	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
12.5 mg	BELMAR – Tirzepatide 12.5 mg – 4-Week Supply	INJECT 12.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
15 mg	BELMAR – Tirzepatide 15 mg – 4-Week Supply	INJECT 15 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	6	ml	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	BELMAR – Tirzepatide 2.5 mg – 8-Week Supply	INJECT 2.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	1	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
5 mg	BELMAR – Tirzepatide 5 mg – 8-Week Supply	INJECT 5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	2	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
7.5 mg	BELMAR – Tirzepatide 7.5 mg – 8-Week Supply	INJECT 7.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	3	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
10 mg	BELMAR – Tirzepatide 10 mg – 8-Week Supply	INJECT 10 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	4	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
12.5 mg	BELMAR – Tirzepatide 12.5 mg – 8-Week Supply	INJECT 12.5 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	5	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:
15 mg	BELMAR – Tirzepatide 15 mg – 8-Week Supply	INJECT 15 MG SUBCUTANEOUSLY ONCE WEEKLY AS DIRECTED FOR 4 WEEKS, (Include one pack of insulin syringes)	6	ml	1	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation and dosing flexibility. Allergies:

Farmakeio — Semaglutide / B-6 Home Kit — Farmakeio

Route: subcutaneous

Frequency: once weekly

Formulation: Semaglutide 2.5 mg / Pyridoxine (B-6) 25 mg per mL — HOME KIT

Order via: Tebra Compound

Formulation note: Single concentration for every dose. Dose is set by volume; the only variable is how many mL (1, 2, 3, 4, 5).

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
0.25 mg	10 u	—	1 ml	1 ml x 2	—
0.5 mg	20 u	—	1 ml	1 ml x 2	—
1.0 mg	40 u	—	2 ml	2 ml x 2	—
1.7 mg	68 u	—	3 ml	3 ml x 2	—
2.5 mg	100 u	—	4 ml	4 ml x 2	—

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.25 mg	FARMAKEIO – Semaglutide 0.25 mg – 4-Week Supply	INJECT 0.10ML (10 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
0.5 mg	FARMAKEIO – Semaglutide 0.5 mg – 4-Week Supply	INJECT 0.20ML (20 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
1.0 mg	FARMAKEIO – Semaglutide 1.0 mg – 4-Week Supply	INJECT 0.40ML (40 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
1.7 mg	FARMAKEIO – Semaglutide 1.7 mg – 4-Week Supply	INJECT 0.68ML (68 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	3	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
2.5 mg	FARMAKEIO – Semaglutide 2.5 mg – 4-Week Supply	INJECT 1.00ML (100 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.25 mg	FARMAKEIO – Semaglutide 0.25 mg – 8-Week Supply	INJECT 0.10ML (10 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
0.5 mg	FARMAKEIO – Semaglutide 0.5 mg – 8-Week Supply	INJECT 0.20ML (20 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
1.0 mg	FARMAKEIO – Semaglutide 1.0 mg – 8-Week Supply	INJECT 0.40ML (40 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
1.7 mg	FARMAKEIO – Semaglutide 1.7 mg – 8-Week Supply	INJECT 0.68ML (68 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	6	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
2.5 mg	FARMAKEIO – Semaglutide 2.5 mg – 8-Week Supply	INJECT 1.00ML (100 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	8	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.

Farmakeio — Tirzepatide / B-6 Home Kit — Farmakeio

Route: subcutaneous

Frequency: once weekly

Formulation: Tirzepatide 18 mg / Pyridoxine (B-6) 25 mg per mL — HOME KIT

Order via: Tebra Compound

Formulation note: Single concentration for every dose. Dose is set by volume.

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
2.5 mg	13 u	—	1 ml	1 ml x 2	T1A
4.5 mg	25 u	—	1 ml	1 ml x 2	T1A
7.5 mg	42 u	—	2 ml	2 ml x 2	T2A

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
9 mg	50 u	—	2 ml	2 ml x 2	T2A
13.5 mg	75 u	—	3 ml	3 ml x 2	T3A
15 mg	83 u	—	4 ml	4 ml x 2	T3A

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	FARMAKEIO – Tirzepatide 2.5 mg – 4-Week Supply	INJECT 0.13ML (13 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
4.5 mg	FARMAKEIO – Tirzepatide 4.5 mg – 4-Week Supply	INJECT 0.25ML (25 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	1	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
7.5 mg	FARMAKEIO – Tirzepatide 7.5 mg – 4-Week Supply	INJECT 0.42ML (42 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
9 mg	FARMAKEIO – Tirzepatide 9 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
13.5 mg	FARMAKEIO – Tirzepatide 13.5 mg – 4-Week Supply	INJECT 0.75ML (75 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	3	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
15 mg	FARMAKEIO – Tirzepatide 15 mg – 4-Week Supply	INJECT 0.83ML (83 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	28	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	FARMAKEIO – Tirzepatide 2.5 mg – 8-Week Supply	INJECT 0.13ML (13 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
4.5 mg	FARMAKEIO – Tirzepatide 4.5 mg – 8-Week Supply	INJECT 0.25ML (25 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
7.5 mg	FARMAKEIO – Tirzepatide 7.5 mg – 8-Week Supply	INJECT 0.42ML (42 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
9 mg	FARMAKEIO – Tirzepatide 9 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
13.5 mg	FARMAKEIO – Tirzepatide 13.5 mg – 8-Week Supply	INJECT 0.75ML (75 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	6	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.
15 mg	FARMAKEIO – Tirzepatide 15 mg – 8-Week Supply	INJECT 0.83ML (83 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	8	ml	0	56	Bill to KORB Health Group and ship to the patient. Home Kit. Custom Rx for N/V mitigation, dosing flexibility, and added B-6.

Greenwich — Tirzepatide / B-12 — Greenwich [LEGACY — NO NEW STARTS]

Route: subcutaneous
Frequency: once weekly
Formulation: KBH Tirzepatide + B12 Injection — concentration varies by dose
Order via: Tebra Compound
Formulation note: Dose is set by concentration, not volume. Every dose injects 0.50 mL (50 units). 4-week supply is written as 2 mL (one 2 mL vial); 8-week supply is written as 4 mL (two 2 mL vials).
Status note: Continuation only, for established Greenwich tirzepatide patients who chose not to move to Belmar. Not available for new starts.

Dose	Units	Concentration	4-week vials	8-week vials	Price tier
2.5 mg	50 u	5 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T1A
5 mg	50 u	10 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T1A
7.5 mg	50 u	15 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T2A
10 mg	50 u	20 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T2A
12.5 mg	50 u	25 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T3A
15 mg	50 u	30 mg/500 mcg/mL	2 mL vial	2 mL x 2 vials	T3A

Tebra fields — 4-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	GREENWICH - Tirzepatide 2.5 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
5 mg	GREENWICH - Tirzepatide 5 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
7.5 mg	GREENWICH - Tirzepatide 7.5 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
10 mg	GREENWICH - Tirzepatide 10 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
12.5 mg	GREENWICH - Tirzepatide 12.5 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
15 mg	GREENWICH - Tirzepatide 15 mg - 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	mL	0	28	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12

Tebra fields — 8-week

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
2.5 mg	GREENWICH - Tirzepatide 2.5 mg - 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	mL	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
5 mg	GREENWICH - Tirzepatide 5 mg - 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	mL	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
7.5 mg	GREENWICH – Tirzepatide 7.5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
10 mg	GREENWICH – Tirzepatide 10 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
12.5 mg	GREENWICH – Tirzepatide 12.5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12
15 mg	GREENWICH – Tirzepatide 15 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	ml	0	56	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12

Premier — Oral Semaglutide Dots — Premier

Route: sublingual

Frequency: once daily

Order via: Tebra Compound

Positioning: Consider for patients focused on long-term metabolic resilience and longevity optimization, or who cannot tolerate injectables.

Dose	Presentation	Charge code	Price	Qty	RF	Days
0.5 mg	Oral Dot #90	FITSemOrl90	—	90	0	90
1 mg	Oral Dot #90	FITSemOrl180	—	90	0	90

Tebra fields — Oral

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.5 mg	PREMIER – Oral Semaglutide 0.5 mg – 90 Day Supply	DISSOLVE 1 DOT UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.
1 mg	PREMIER – Oral Semaglutide 1 mg – 90 Day Supply	DISSOLVE 1 DOT UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.

Premier — Oral Tirzepatide Dots — Premier

Route: sublingual

Frequency: once daily

Order via: Tebra Compound

Dose	Presentation	Charge code	Price	Qty	RF	Days
3 mg	Oral Dot #90	FITTirOrl90	—	90	0	90
6 mg	Oral Dot #180	FITTirOrl180	—	180	0	90

Tebra fields — Oral

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
3 mg	PREMIER – Oral Tirzepatide 3 mg – 90 Day Supply	DISSOLVE 1 DOT UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.
6 mg	PREMIER – Oral Tirzepatide 6 mg – 90 Day Supply	DISSOLVE 2 DOTS UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	180	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.

Belmar — Oral Semaglutide FastSL — Belmar

Route: sublingual
Frequency: once daily
Order via: Tebra Compound

Dose	Presentation	Charge code	Price	Qty	RF	Days
0.5 mg	FastSL Tablet #45	FITSemOrl90	—	45	0	90
1 mg	FastSL Tablet #90	FITSemOrl180	—	90	0	90

Tebra fields — Oral

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.5 mg	BELMAR – Oral Semaglutide 0.5 mg – 90 Day Supply	DISSOLVE 1/2 TABLET UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	45	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.
1 mg	BELMAR – Oral Semaglutide 1 mg – 90 Day Supply	DISSOLVE 1 TABLET UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.

Farmakeio — Oral Semaglutide — Farmakeio

Route: sublingual
Frequency: once daily
Order via: Tebra Compound
Presentation note: The Farmakeio pricing section calls these Oral Dots; the Tebra favorites section calls them Oral RDT. Same product, 90-day supply.

Dose	Presentation	Charge code	Price	Qty	RF	Days
0.5 mg	Oral Dot / RDT #90	FITSemOrl90	\$299	90	0	90
1 mg	Oral Dot / RDT #90	FITSemOrl180	\$399	90	0	90

Tebra fields — Oral

Dose	Name	Patient Instructions	Qty	Unit	RF	Days	Pharmacy Instructions
0.5 mg	FARMAKEIO – Oral Semaglutide 0.5 mg – 90 Day Supply	DISSOLVE 1 TABLET UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.
1 mg	FARMAKEIO – Oral Semaglutide 1 mg – 90 Day Supply	DISSOLVE 1 TABLET UNDER TONGUE DAILY ON EMPTY STOMACH. NO FOOD OR DRINK 15 MIN AFTER.	90	each	0	90	Bill to KORB Health Group and ship to the patient. Custom Rx – no FDA-approved or commercially available equivalent.

Zepbound (tirzepatide) — brand name — Lillydirect [BRAND NAME — PROVIDER ONLY]

Route: subcutaneous

Frequency: once weekly

Presentation: KwikPen — disposable multi-dose, single-patient-use prefilled pen

Order via: Tebra Standard prescription

Presentation note: KwikPen only. Do NOT prescribe the single-dose vial presentation.

Pharmacy: LillyDirect Self Pay Pharmacy Solutions, 4343 Equity Dr, Columbus, OH 43228-3842 · (833) 432-4322

CHECK THE DROPDOWN. Tebra lists BOTH presentations. The vial reads "Zepbound X mg/0.5 ml subcutaneous solution"; the pen reads "Zepbound kwikpen X mg/0.6 ml ...". Selecting the 0.5 mL vial with quantity 1 dispenses ONE WEEK instead of four. The bracketed figure in the pen entry is total pen content — 4 doses x 0.6 mL = 2.4 mL — which is Tebra confirming the 4-dose device.

Dispensing option	Quantity	Refill	Days
4-week (28-day)	1	0	28
8-week (56-day) — 1 pen + 1 refill	1	1	28

Dose	Use
2.5 mg	Initiation
5 mg	Titration
7.5 mg	Titration
10 mg	Advanced dose
12.5 mg	Advanced dose
15 mg	Maintenance / maximum dose

Tebra STANDARD fields — 4-week (28-day)

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
2.5 mg	Zepbound kwikpen 2.5 mg/0.6 ml(10 mg/2.4 ml) subcutaneous pen injector	Zepbound 2.5 mg SQ 4-week	Inject 2.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28
5 mg	Zepbound kwikpen 5 mg/0.6 ml (20 mg/2.4 ml) subcutaneous pen injector	Zepbound 5 mg SQ 4-week	Inject 5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28
7.5 mg	Zepbound kwikpen 7.5 mg/0.6 ml(30 mg/2.4 ml) subcutaneous pen injector	Zepbound 7.5 mg SQ 4-week	Inject 7.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28
10 mg	Zepbound kwikpen 10 mg/0.6 ml (40 mg/2.4 ml) subcutaneous pen injector	Zepbound 10 mg SQ 4-week	Inject 10 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28
12.5 mg	Zepbound kwikpen 12.5 mg/0.6 ml (50 mg/2.4 ml) subcutaneous pen injector	Zepbound 12.5 mg SQ 4-week	Inject 12.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28
15 mg	Zepbound kwikpen 15 mg/0.6 ml (60 mg/2.4 ml) subcutaneous pen injector	Zepbound 15 mg SQ 4-week	Inject 15 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	0	28

Tebra STANDARD fields — 8-week (56-day) — 1 pen + 1 refill

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
2.5 mg	Zepbound kwikpen 2.5 mg/0.6 ml(10 mg/2.4 ml) subcutaneous pen injector	Zepbound 2.5 mg SQ 8-week	Inject 2.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28
5 mg	Zepbound kwikpen 5 mg/0.6 ml (20 mg/2.4 ml) subcutaneous pen injector	Zepbound 5 mg SQ 8-week	Inject 5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
7.5 mg	Zepbound kwikpen 7.5 mg/0.6 ml(30 mg/2.4 ml) subcutaneous pen injector	Zepbound 7.5 mg SQ 8-week	Inject 7.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28
10 mg	Zepbound kwikpen 10 mg/0.6 ml (40 mg/2.4 ml) subcutaneous pen injector	Zepbound 10 mg SQ 8-week	Inject 10 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28
12.5 mg	Zepbound kwikpen 12.5 mg/0.6 ml (50 mg/2.4 ml) subcutaneous pen injector	Zepbound 12.5 mg SQ 8-week	Inject 12.5 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28
15 mg	Zepbound kwikpen 15 mg/0.6 ml (60 mg/2.4 ml) subcutaneous pen injector	Zepbound 15 mg SQ 8-week	Inject 15 mg subcutaneously once weekly for 4 weeks. Multi-dose pen – discard after 4 doses.	1	1	28

- Sent electronically through Tebra as a STANDARD prescription. No insurance billing and no prior authorization.
- Patient completes enrolment, payment and shipping directly with LillyDirect.
- PEN NEEDLES ARE REQUIRED and are not included. The patient purchases them, and they can be added at LillyDirect checkout. Each injection uses a new needle.
- Zepbound is sold in three formats. KORB uses the KwikPen only.
- Rotate injection sites. Follow standard tirzepatide titration principles.
- Early refills or replacement shipments are decided by the pharmacy, not KORB.

Foundayo (orforglipron) — brand name oral — Lillydirect [BRAND NAME — PROVIDER ONLY]

Route: oral
Frequency: once daily
Presentation: Oral tablet
Order via: Tebra Standard prescription

Pharmacy: LillyDirect Self Pay Pharmacy Solutions, 4343 Equity Dr, Columbus, OH 43228-3842 · (833) 432-4322

Titration: Start 0.8 mg once daily. Increase to 2.5 mg after at least 30 days, then 5.5 mg after at least 30 days. Further increases to 9, 14.5 or 17.2 mg at minimum 30-day intervals based on response and tolerability. Maximum 17.2 mg daily.

Dispensing option	Quantity	Refill	Days
30-day supply	30	0	30
60-day supply	60	0	60

Dose	Use
0.8 mg	Starting dose
2.5 mg	Titration
5.5 mg	Titration
9 mg	Advanced dose
14.5 mg	Advanced dose
17.2 mg	Maintenance / maximum dose

Tebra STANDARD fields — 30-day supply

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
0.8 mg	Foundayo 0.8 mg tablet	Foundayo 0.8 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30
2.5 mg	Foundayo 2.5 mg tablet	Foundayo 2.5 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
5.5 mg	Foundayo 5.5 mg tablet	Foundayo 5.5 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30
9 mg	Foundayo 9 mg tablet	Foundayo 9 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30
14.5 mg	Foundayo 14.5 mg tablet	Foundayo 14.5 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30
17.2 mg	Foundayo 17.2 mg tablet	Foundayo 17.2 mg tablet 30-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	30	0	30

Tebra STANDARD fields — 60-day supply

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
0.8 mg	Foundayo 0.8 mg tablet	Foundayo 0.8 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60
2.5 mg	Foundayo 2.5 mg tablet	Foundayo 2.5 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60
5.5 mg	Foundayo 5.5 mg tablet	Foundayo 5.5 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60
9 mg	Foundayo 9 mg tablet	Foundayo 9 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60
14.5 mg	Foundayo 14.5 mg tablet	Foundayo 14.5 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60
17.2 mg	Foundayo 17.2 mg tablet	Foundayo 17.2 mg tablet 60-day supply	Take 1 tablet by mouth once daily with or without food. Swallow whole. Do not break, crush, or chew.	60	0	60

- Once-daily oral GLP-1. No injection, no pen needles.
- Dose selection and titration follow FDA-approved labeling.

Wegovy pen (semaglutide) — brand name — Novocare [BRAND NAME — PROVIDER ONLY]

Route: subcutaneous

Frequency: once weekly

Presentation: Single-patient-use pen

Order via: Tebra Standard prescription

Pharmacy: NovoCare Pharmacy, 2400 Sand Lake Road, Suite 200B, Orlando, FL 32809 · (833) 949-5527

Dispensing option	Quantity	Refill	Days
4-week (28-day)	4	0	28
8-week (56-day) — 4 pens + 1 refill	4	1	28

Dose	Use
0.25 mg	Initiation
0.5 mg	Titration
1 mg	Titration
1.7 mg	Advanced dose

Dose	Use
2.4 mg	Maintenance dose
7.2 mg [Wegovy HD]	High dose — marketed as Wegovy HD

Tebra STANDARD fields — 4-week (28-day)

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
0.25 mg	Wegovy 0.25 mg/0.5 ml subcutaneous pen injector	Wegovy 0.25 mg SQ 4-week	Inject 0.25 mg subcutaneously once weekly for 4 weeks.	4	0	28
0.5 mg	Wegovy 0.5 mg/0.5 ml subcutaneous pen injector	Wegovy 0.5 mg SQ 4-week	Inject 0.5 mg subcutaneously once weekly for 4 weeks.	4	0	28
1 mg	Wegovy 1 mg/0.5 ml subcutaneous pen injector	Wegovy 1 mg SQ 4-week	Inject 1 mg subcutaneously once weekly for 4 weeks.	4	0	28
1.7 mg	Wegovy 1.7 mg/0.75 ml subcutaneous pen injector	Wegovy 1.7 mg SQ 4-week	Inject 1.7 mg subcutaneously once weekly for 4 weeks.	4	0	28
2.4 mg	Wegovy 2.4 mg/0.75 ml subcutaneous pen injector	Wegovy 2.4 mg SQ 4-week	Inject 2.4 mg subcutaneously once weekly for 4 weeks.	4	0	28
7.2 mg	Wegovy hd 7.2 mg/0.75 ml subcutaneous pen injector	Wegovy 7.2 mg SQ 4-week	Inject 7.2 mg subcutaneously once weekly for 4 weeks.	4	0	28

Tebra STANDARD fields — 8-week (56-day) — 4 pens + 1 refill

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
0.25 mg	Wegovy 0.25 mg/0.5 ml subcutaneous pen injector	Wegovy 0.25 mg SQ 8-week	Inject 0.25 mg subcutaneously once weekly for 4 weeks.	4	1	28
0.5 mg	Wegovy 0.5 mg/0.5 ml subcutaneous pen injector	Wegovy 0.5 mg SQ 8-week	Inject 0.5 mg subcutaneously once weekly for 4 weeks.	4	1	28
1 mg	Wegovy 1 mg/0.5 ml subcutaneous pen injector	Wegovy 1 mg SQ 8-week	Inject 1 mg subcutaneously once weekly for 4 weeks.	4	1	28
1.7 mg	Wegovy 1.7 mg/0.75 ml subcutaneous pen injector	Wegovy 1.7 mg SQ 8-week	Inject 1.7 mg subcutaneously once weekly for 4 weeks.	4	1	28
2.4 mg	Wegovy 2.4 mg/0.75 ml subcutaneous pen injector	Wegovy 2.4 mg SQ 8-week	Inject 2.4 mg subcutaneously once weekly for 4 weeks.	4	1	28
7.2 mg	Wegovy hd 7.2 mg/0.75 ml subcutaneous pen injector	Wegovy 7.2 mg SQ 8-week	Inject 7.2 mg subcutaneously once weekly for 4 weeks.	4	1	28

- The 7.2 mg strength is marketed as Wegovy HD. Same molecule, higher strength.
- Dose escalation follows FDA-approved labeling and is individualized.

Wegovy oral tablet (semaglutide) — brand name — Novocare [BRAND NAME — PROVIDER ONLY]

Route: oral
Frequency: once daily
Presentation: Oral tablet
Order via: Tebra Standard prescription

Pharmacy: NovoCare Pharmacy, 2400 Sand Lake Road, Suite 200B, Orlando, FL 32809 · (833) 949-5527

Dispensing option	Quantity	Refill	Days
30-day supply	30	0	30
60-day supply	60	0	60

Dose	Use
1.5 mg	Initiation
4 mg	Early titration
9 mg	Intermediate dose
25 mg	Advanced titration

Tebra STANDARD fields — 30-day supply

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
1.5 mg	Wegovy 1.5 mg tablet	Wegovy 1.5 mg tablet 30-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	30	0	30
4 mg	Wegovy 4 mg tablet	Wegovy 4 mg tablet 30-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	30	0	30
9 mg	Wegovy 9 mg tablet	Wegovy 9 mg tablet 30-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	30	0	30
25 mg	Wegovy 25 mg tablet	Wegovy 25 mg tablet 30-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	30	0	30

Tebra STANDARD fields — 60-day supply

Dose	Drug (dropdown)	Label	Patient Instructions	Qty	RF	Days
1.5 mg	Wegovy 1.5 mg tablet	Wegovy 1.5 mg tablet 60-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	60	0	60
4 mg	Wegovy 4 mg tablet	Wegovy 4 mg tablet 60-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	60	0	60
9 mg	Wegovy 9 mg tablet	Wegovy 9 mg tablet 60-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	60	0	60
25 mg	Wegovy 25 mg tablet	Wegovy 25 mg tablet 60-day supply	Take 1 tablet by mouth daily on empty stomach with up to 4 oz water. Swallow whole. No food, drink or other oral meds for 30 min.	60	0	60

- Sent electronically through Tebra as a STANDARD prescription. No insurance billing and no prior authorization.
- Patient completes enrolment, payment and shipping directly with NovoCare.
- Oral semaglutide has lower and more variable bioavailability than injectable. Adherence to the empty-stomach and 30-minute rules is critical to efficacy.
- Weight loss response may be less pronounced than with injectable GLP-1 therapy.

Pricing and charge codes

Provider and internal only. Never render in a patient-facing tool or document. Includes: Telehealth visit, medication, shipping and supplies.

Tirzepatide — by dose tier, same across all pharmacies

Tier	Applies to	4-week	Code	8-week	Code	Corp partner	Code
T1A	Low doses — 2 / 2.5 / 4 / 4.5 / 5 mg depending on pharmacy	\$349	FITTirz002	\$599	FITTirzMT1	\$349	FITTirzCP2
T2A	Mid doses — 6.5 / 7.5 / 8.5 / 9 / 10 mg depending on pharmacy	\$399	FITTirz003	\$649	FITTirzMT2	\$399	FITTirzCP3
T3A	High doses — 12.5 / 13.5 / 15 / 16 mg depending on pharmacy	\$449	FITTirz004	\$799	FITTirzMT3	\$449	FITTirzCP4

- Tirzepatide has no corporate discount. The corp partner code exists for attribution and tracking, not a lower price — it is the same figure as the standard 4-week at every tier. Do not present it to a corporate partner as a saving.
- **Belmar 8-week tirzepatide:** PLACEHOLDER-TIRZ-8WK-BELMAR — Belmar-only 8-week tirzepatide code, confirmed in progress with VP Finance 2026-08-06. Replace the code string when issued — this is the only place it needs changing. Any tool rendering this must show it visibly as a placeholder, not as a usable code.

Semaglutide — flat, not dose-tiered

Program	Price	Charge code	Eligibility / note
4-week — Full price — website rate	\$269	FITSema001	KORB Get Fit Now Semaglutide Standard
4-week — Discounted rate	\$199	Operations will provide the charge code at scheduling	Corporate partners, Friends and family, Military
4-week — All others	Varies	Operations will provide the charge code at scheduling	Partner-funded, partially covered, and other arrangements. Highly variable and changes often. Operations confirms the figure and the code at scheduling. Do not quote a price from this tool.
8-week — standard	\$349	FITSemaMNT	Single fill, full 8-week supply shipped at once. (premier, farmakeio)
8-week — belmar	\$349	FITSemaMBL	Split fill. This code is what triggers Ops to order the second 4-week supply. Do not substitute the standard code for a Belmar patient. (belmar)
8-week — legacy cohort	Not stored	Not stored	A small closed cohort of original patients holds a legacy 8-week rate. It is closed — no new patients enter it, and it is never quoted or offered. Every other patient is \$349 for 8-week. The rate itself and the organisations it came from are deliberately NOT stored in this file, because this file is published to GitHub Pages and served without authentication. Operations and Finance hold the detail. If you are looking at a legacy charge that does not match \$349, ask Operations rather than assuming it is an error.

- **Why no 4-week codes are stored:** Many codes per organization for tracking; partner contributions vary and change often. Provided by Operations, at the time the patient is scheduled.
- No discounted rate on 8-week. Corporate, friends and family, and military patients all pay \$349 for 8-week. The \$199 rate is 4-week only.

Oral and brand

Item	Price	Code
semaglutide90	\$299	FITSemOrl90
semaglutide180	\$399	FITSemOrl180
tirzepatide90	\$499	FITTirOrl90
tirzepatide180	\$599	FITTirOrl180
Brand-name prescription visit fee	\$79	—

- Cash-pay only. The fee covers the clinical visit, prescription issuance and program administration. Medication cost, pharmacy processing, shipping and supplies are set by the external pharmacy and paid directly by the patient.
- **Manufacturer pricing is deliberately NOT stored.** Manufacturer pricing changes without notice and KORB does not control it. Storing it creates a maintenance burden and risks providers quoting incorrect pricing to patients. Price and coverage are the patient's responsibility.

Drug monographs

Deep clinical reference per molecule. **Newly authored content pending Clinical Director sign-off** — see the open items on page 1.

Semaglutide — GLP-1 receptor agonist

Field	Content
Definition	Long-acting glucagon-like peptide-1 (GLP-1) receptor agonist. A 31-amino-acid analogue with roughly 94% homology to human GLP-1, acylated with a C18 fatty diacid that binds albumin and extends the half-life to about one week, allowing once-weekly dosing. FDA-approved as Ozempic and Rybelsus for type 2 diabetes and as Wegovy for chronic weight management.

Field	Content
Mechanism	• Agonises the GLP-1 receptor. • Glucose-dependent insulin secretion from pancreatic beta cells. • Suppression of inappropriate glucagon release. • Slowed gastric emptying, which prolongs satiety. • Direct action on hypothalamic appetite centres, principally the arcuate nucleus, reducing hunger and energy intake. • Insulin release is glucose-dependent, so hypoglycaemia risk is low as monotherapy.
Clinical evidence	• Strong randomised evidence — for the BRANDED product. • STEP 1: mean weight loss near 15% of body weight at 68 weeks, against roughly 2.4% on placebo. • SELECT: significant reduction in major adverse cardiovascular events in adults with overweight or obesity and established cardiovascular disease, without diabetes. • Weight regain is common after discontinuation. Raise this at the start rather than letting it become a later surprise.
Compounded / brand note	KORB dispenses a COMPOUNDED preparation, not the FDA-approved branded product. The molecule is approved; this specific formulation is not, and compounded products are not reviewed by the FDA for safety, efficacy or quality. Counsel accordingly and document that the distinction was explained.
Absolute contraindications	• Personal or family history of medullary thyroid carcinoma (MTC) • Multiple endocrine neoplasia syndrome type 2 (MEN2) • Known hypersensitivity to semaglutide or any component of the formulation • Pregnancy, breastfeeding, or planning pregnancy
Cautions	• History of pancreatitis — evaluate carefully before initiating • Gastroparesis or other significant gastrointestinal motility disorder • Active gallbladder disease or prior gallbladder-related surgical complications • Severe renal impairment (eGFR below 30 mL/min/1.73 m²) • Diabetic retinopathy — rapid glycaemic improvement can transiently worsen it • History of suicidal ideation or active depression — no causal link has been established in regulatory review, but monitor and ask
Medication interactions	• Delayed gastric emptying can alter absorption of concomitant oral medication. Use caution with narrow-therapeutic-index drugs such as levothyroxine and warfarin. • Insulin and sulfonylureas: additive hypoglycaemia risk. Dose reduction of the concomitant agent is often required. Coordinate with the prescribing PCP. • Alcohol may increase hypoglycaemia risk and worsen gastrointestinal side effects. • ANAESTHESIA AND PROCEDURES: delayed gastric emptying raises aspiration risk under sedation. Anaesthesia guidance generally advises holding weekly GLP-1 therapy before an elective procedure. Tell the patient to disclose GLP-1 use to any surgeon, proceduralist or anaesthetist. • Other GLP-1 receptor agonists: do not combine. Concomitant use is not recommended.
Monitoring	• Weight and BMI at each visit • Ask about blood pressure — monitored by the PCP, not measured by KORB • Ask about recent HbA1c or glucose if diabetic — ordered by the PCP, not by KORB • Gastrointestinal tolerance, especially through dose escalation • Abdominal pain that is severe or radiates to the back — assess for pancreatitis • Right-upper-quadrant pain — assess for gallbladder disease • Mood and mental health • Lean mass preservation — protein intake and resistance training • Injection site and adherence
Counseling script	Semaglutide works on the same pathway as a hormone your body already makes. It slows how quickly your stomach empties and reduces appetite signalling, so you feel full sooner and stay full longer. Nausea is the most common side effect and is usually worst in the first days after a dose increase. This is a compounded preparation rather than the brand-name product. Weight tends to come back if the medication stops, so we should talk about this as a long-term plan rather than a short course. Tell any surgeon or anaesthetist that you are taking this.
Chart attestation	Patient counseled on semaglutide as a GLP-1 receptor agonist for chronic weight management, including that a compounded preparation is being dispensed rather than the FDA-approved branded product. Mechanism, expected time course, gastrointestinal side effects during titration, pancreatitis and gallbladder warning signs, the need to disclose GLP-1 use before any procedure requiring sedation, likelihood of weight regain on discontinuation, and the monitoring and follow-up plan were reviewed. Patient verbalized understanding and consented to proceed.
ICD-10	DOCUMENTATION ONLY — NOT BILLING. Select the code matching the documented presentation. Primary: E66.9 — Obesity, unspecified; E66.01 — Morbid (severe) obesity due to excess calories; E66.3 — Overweight Secondary: Z68.— — Body mass index (add the matching BMI code); Z71.3 — Dietary counseling and surveillance; Z72.3 — Lack of physical exercise

Tirzepatide — dual GIP and GLP-1 receptor agonist

Field	Content
Definition	A 39-amino-acid synthetic peptide based on the native GIP sequence, engineered to agonise both the glucose-dependent insulinotropic polypeptide (GIP) receptor and the GLP-1 receptor. A C20 fatty diacid moiety extends the half-life to roughly five days, allowing once-weekly dosing. FDA-approved as Mounjaro for type 2 diabetes and as Zepbound for chronic weight management and obstructive sleep apnoea in adults with obesity.
Mechanism	• Dual incretin agonism — both the GIP and the GLP-1 receptor. • GLP-1 component: glucose-dependent insulin secretion, glucagon suppression, delayed gastric emptying, central appetite reduction. • GIP component: enhanced insulin secretion and improved insulin sensitivity in adipose tissue. • GIP agonism may also blunt the nausea seen with GLP-1 activity alone, one proposed reason tolerability holds up at higher relative efficacy.
Clinical evidence	• SURMOUNT-1: mean weight loss around 20% of body weight at 15 mg over 72 weeks — the largest effect seen with a pharmacological agent in this class. • SURPASS programme: glycaemic efficacy in type 2 diabetes, generally exceeding semaglutide in head-to-head comparison. • SURMOUNT-OSA: supported the obstructive sleep apnoea indication. • As with semaglutide, weight regain after discontinuation is well documented.
Compounded / brand note	KORB dispenses a COMPOUNDED preparation, not the FDA-approved branded product. The molecule is approved; this specific formulation is not, and compounded products are not reviewed by the FDA for safety, efficacy or quality. Counsel accordingly and document that the distinction was explained.
Absolute contraindications	• Personal or family history of medullary thyroid carcinoma (MTC) • Multiple endocrine neoplasia syndrome type 2 (MEN2) • Known hypersensitivity to tirzepatide or any component of the formulation • Pregnancy, breastfeeding, or planning pregnancy
Cautions	• History of pancreatitis — evaluate carefully before initiating • Gastroparesis or other significant gastrointestinal motility disorder • Active gallbladder disease or prior gallbladder-related surgical complications • Severe renal impairment (eGFR below 30 mL/min/1.73 m²) • Diabetic retinopathy — rapid glycaemic improvement can transiently worsen it • History of suicidal ideation or active depression — monitor and ask
Medication interactions	• ORAL CONTRACEPTIVES: tirzepatide reduces the effectiveness of oral hormonal contraception. Advise a non-oral method, or add a barrier method, for four weeks after initiation and for four weeks after each dose increase. This is specific to tirzepatide and is easy to miss. • Delayed gastric emptying can alter absorption of concomitant oral medication. Use caution with narrow-therapeutic-index drugs such as levothyroxine and warfarin. • Insulin and sulfonylureas: additive hypoglycaemia risk. Dose reduction of the concomitant agent is often required. Coordinate with the prescribing PCP. • Alcohol may increase hypoglycaemia risk and worsen gastrointestinal side effects. • ANAESTHESIA AND PROCEDURES: delayed gastric emptying raises aspiration risk under sedation. Anaesthesia guidance generally advises holding weekly GLP-1 therapy before an elective procedure. Tell the patient to disclose use to any surgeon, proceduralist or anaesthetist. • Other GLP-1 or dual incretin agonists: do not combine.
Monitoring	• Weight and BMI at each visit • Ask about blood pressure — monitored by the PCP, not measured by KORB • Ask about recent HbA1c or glucose if diabetic — ordered by the PCP, not by KORB • Gastrointestinal tolerance, especially through dose escalation • Abdominal pain that is severe or radiates to the back — assess for pancreatitis • Right-upper-quadrant pain — assess for gallbladder disease • Contraceptive method if the patient uses oral hormonal contraception • Mood and mental health • Lean mass preservation — protein intake and resistance training • Injection site and adherence
Counseling script	Tirzepatide works on two gut hormone pathways rather than one, which is why it tends to produce more weight loss than semaglutide. It slows stomach emptying and reduces appetite. Nausea is the most common side effect and is usually worst in the days after a dose increase. This is a compounded preparation rather than the brand-name product. If you take a birth control pill, it may not work as reliably for four weeks after we start and after each dose increase, so use a backup method. Weight tends to come back if the medication stops. Tell any surgeon or anaesthetist that you are taking this.

Field	Content
Chart attestation	Patient counseled on tirzepatide as a dual GIP/GLP-1 receptor agonist for chronic weight management, including that a compounded preparation is being dispensed rather than the FDA-approved branded product. Mechanism, expected time course, gastrointestinal side effects during titration, pancreatitis and gallbladder warning signs, reduced oral contraceptive effectiveness with the recommended backup precautions, the need to disclose use before any procedure requiring sedation, likelihood of weight regain on discontinuation, and the monitoring and follow-up plan were reviewed. Patient verbalized understanding and consented to proceed.
ICD-10	DOCUMENTATION ONLY — NOT BILLING. Select the code matching the documented presentation. Primary: E66.9 — Obesity, unspecified; E66.01 — Morbid (severe) obesity due to excess calories; E66.3 — Overweight Secondary: Z68.— — Body mass index (add the matching BMI code); G47.33 — Obstructive sleep apnea (if documented and relevant); Z71.3 — Dietary counseling and surveillance; Z72.3 — Lack of physical exercise

Orforglipron — oral non-peptide GLP-1 receptor agonist

VERIFY: NEWEST AGENT IN THE PROGRAM. This monograph is the least certain in this document. Verify against the current FDA prescribing information before relying on any specific claim, particularly dosing intervals, contraindications and interactions.

Field	Content
Definition	A small-molecule, non-peptide GLP-1 receptor agonist taken orally once daily. Because it is not a peptide, it does not require the absorption enhancer that oral semaglutide depends on, and it is taken without the empty-stomach and water-volume restrictions that apply to oral semaglutide.
Mechanism	• Binds and activates the GLP-1 receptor as a small molecule rather than a peptide analogue. • Glucose-dependent insulin secretion and glucagon suppression. • Slowed gastric emptying and central appetite reduction, as with the class. • Not a peptide, so it needs no absorption enhancer and carries none of the empty-stomach or water-volume restrictions that apply to oral semaglutide.
Clinical evidence	• Supported by the phase 3 programme in obesity and type 2 diabetes. • Evidence base is smaller and shorter than for semaglutide or tirzepatide, simply because the agent is newer. • Long-term outcome data are correspondingly limited.
Compounded / brand note	Brand product dispensed through the manufacturer programme. Not compounded. Fulfilment, payment and shipping are handled by the manufacturer, not KORB.
Absolute contraindications	• Personal or family history of medullary thyroid carcinoma (MTC) • Multiple endocrine neoplasia syndrome type 2 (MEN2) • Known hypersensitivity to orforglipron or any component of the formulation • Pregnancy, breastfeeding, or planning pregnancy
Cautions	• History of pancreatitis • Gastroparesis or other significant gastrointestinal motility disorder • Active gallbladder disease • Severe renal impairment • History of suicidal ideation or active depression — monitor and ask
Medication interactions	• Delayed gastric emptying can alter absorption of concomitant oral medication. • Insulin and sulfonylureas: additive hypoglycaemia risk. • ANAESTHESIA AND PROCEDURES: as with the injectable GLP-1 agents, disclose use before any procedure requiring sedation. • Other GLP-1 receptor agonists: do not combine. • Verify the current prescribing information — the interaction profile for this agent is less established than for the older molecules.
Monitoring	• Weight and BMI at each visit • Ask about blood pressure — monitored by the PCP, not measured by KORB • Ask about recent HbA1c or glucose if diabetic — ordered by the PCP, not by KORB • Gastrointestinal tolerance through titration • Abdominal pain that is severe or radiates to the back — assess for pancreatitis • Mood and mental health • Lean mass preservation — protein intake and resistance training • Adherence — daily dosing is easier to miss than weekly

Field	Content
Counseling script	This is a once-daily tablet that works on the same gut hormone pathway as the injectable medications, but it is a different kind of molecule, so you can take it with or without food and without the water restrictions that apply to some other oral options. Swallow it whole. Nausea is the most common side effect and is usually worst after a dose increase. It is newer than the injectables, so there is less long-term data. Tell any surgeon or anaesthetist that you take it.
Chart attestation	Patient counseled on orforglipron as an oral GLP-1 receptor agonist for chronic weight management. Mechanism, once-daily administration, expected time course, gastrointestinal side effects during titration, pancreatitis warning signs, the more limited long-term evidence base relative to the injectable agents, the need to disclose use before any procedure requiring sedation, and the monitoring and follow-up plan were reviewed. Patient verbalized understanding and consented to proceed.
ICD-10	DOCUMENTATION ONLY — NOT BILLING. Select the code matching the documented presentation. Primary: E66.9 — Obesity, unspecified; E66.01 — Morbid (severe) obesity due to excess calories; E66.3 — Overweight Secondary: Z68.– — Body mass index (add the matching BMI code); Z71.3 — Dietary counseling and surveillance; Z72.3 — Lack of physical exercise

Escalation and discontinuation

Hard stop — discontinue immediately	Flag and reassess
• Suspected pancreatitis — severe persistent abdominal pain, often radiating to the back, with or without vomiting. Stop the medication and evaluate.	• Gastrointestinal side effects that do not settle within two weeks of a dose increase — hold at the current dose or step back rather than pushing forward.
• Hypersensitivity or anaphylaxis-type reaction.	• Right-upper-quadrant pain, or gallstone symptoms.
• Pregnancy identified or confirmed.	• Rapid or excessive weight loss, or loss of lean mass.
• Medullary thyroid carcinoma or MEN2 identified at any point.	• New or worsening depression, or any mention of suicidal thoughts.
• Persistent severe vomiting with dehydration or acute kidney injury.	• Worsening retinopathy in a diabetic patient during rapid glycaemic improvement.
	• Plateau with no further response at the maximum tolerated dose — reassess the plan rather than continuing indefinitely.
	• Patient scheduled for surgery or a procedure requiring sedation — coordinate holding.

• GLP-1 receptor agonists are not currently on the WADA prohibited list, so the athlete hard stop used in the Functional Health peptide program does not apply to this program. Confirm current WADA status before treating a tested competitive athlete.

Clinical reference — shared across all products

Identical in all eight pharmacy documents. Stated once here so a change lands everywhere.

Field	Value
Program name	Metabolic Health & Weight Loss Program
Visit cadence	Every 4 to 8 weeks
Indications	Weight loss, Medically driven weight loss, Increased energy, Better sleep, Improved mental health, Improved cardiovascular health
BMI criteria	BMI greater than 25 is overweight; BMI greater than 30 is obese
FDA-approved uses	Weight loss; Type 2 diabetes; Prevention of cardiovascular death, myocardial infarction and stroke in adults with established cardiovascular disease who are overweight or obese
Diabetes note	KORB treats weight loss. Patients who are diabetic or pre-diabetic are acceptable. The patient must continue diabetes management with their PCP — KORB does not manage diabetes and does not order or monitor labs for it.

Contraindications

• Personal or family history of medullary thyroid carcinoma (MTC)

• Multiple endocrine neoplasia syndrome type 2 (MEN2)
• Hypersensitivity to the active drug or any component of the formulation
• Current pregnancy, breastfeeding, or planning pregnancy
• Active gallbladder disease or history of gallbladder-related surgical complications
• History of pancreatitis (use with caution)
• Severe gastrointestinal disorders such as gastroparesis
• Severe renal impairment (eGFR below 30 mL/min/1.73 m²)
• Uncontrolled diabetic retinopathy (primarily relevant in type 2 diabetes)

Side effects

Common	Less common
• Pain, redness or swelling at the injection site	• Pancreatitis
• Nausea and vomiting	• Gastroparesis
• Diarrhea	• Bowel obstruction
• Stomach pain	• Gallstone attacks
• Constipation	
• Low appetite	
• Headaches	
• Dizziness	

Counseling

• Gastrointestinal side effects are most common during dose escalation.
• Slower titration or holding at the current dose may improve tolerability.
• Instruct the patient to report persistent, severe or worsening symptoms.
• New or severe symptoms may require dose adjustment, temporary hold, or discontinuation.
• Vials are good for 28 days from first use regardless of the pharmacy BUD. Counsel the patient to discard at 28 days even if medication remains.

Change log

• 2026-08-06 (v1.0): Initial consolidation. Eight pharmacy documents plus the brand-name document merged into one structure. Boilerplate that was identical across all eight (indications, candidate criteria, contraindications, side effects) collapsed into KORB_GLP1.clinical and is now stated once.
• 2026-08-06: Premier glycine semaglutide BUD extended to 90 days. The 8-week program moves from a 1-month supply with 1 refill to the full 8-week supply shipped in a single fill. Rx records updated: Refill 0, Days 56, two vials per fill. Vial quantities are derived (2x the 4-week quantity) and need pharmacy confirmation — see needsConfirmation.
• 2026-08-06: California routing resolved. Belmar now carries tirzepatide in addition to semaglutide and is the single California pharmacy for both drugs. Greenwich moves to legacy-continuity status: no new starts, existing tirzepatide patients stay only if they choose to. The earlier CA-PHARMACY-CONFLICT item is closed.
• 2026-08-06: Semaglutide pricing captured. 4-week standard \$269, 4-week corporate \$199, 8-week \$349. A closed legacy cohort exists at a different 8-week rate; details held by Operations and deliberately not stored here.

- 2026-08-06: Indiana routed to Premier provisionally. Farmakeio ships everywhere except California and Indiana, which leaves Premier as the only option for an Indiana patient. Premier does not list IN in its documented ship-to. Marked unconfirmed pending verification with Premier.
- 2026-08-10 (MONOGRAPHS): Deep clinical reference added for semaglutide, tirzepatide and orforglipron — definition, mechanism, evidence, absolute contraindications separated from cautions, medication interactions, monitoring, counseling script, chart attestation and ICD-10 documentation codes. Also a program-wide escalation block. NEWLY AUTHORED CLINICAL CONTENT — requires Clinical Director sign-off before distribution. Note the framing differs from the peptide program: these molecules ARE FDA-approved with large RCT evidence; what is off-label is the compounded preparation, not the molecule.
- 2026-08-10 (ADDRESSES): Dispensing addresses added for all four compounding pharmacies. Belmar carries a warning — they have several US locations and KORB must use the ARIZONA one; selecting another Belmar location in Tebra sends the prescription to the wrong pharmacy.
- 2026-08-09 (PUBLIC-SAFE): Legacy cohort rate and the client organisations behind it removed from this file ahead of publishing to GitHub Pages, which serves without authentication. The fact that a closed cohort exists is retained so an unexpected legacy charge is not mistaken for an error; the figure and the organisation names are held by Operations. Do not add them back to this file.
- 2026-08-09 (FINAL AUDIT): Days supply convention settled and recorded — the field describes the fill, not the program. Injectable single fills are 28 or 56; fill-plus-refill programs are 28 per fill; brand orals 30 or 60; compounded orals 90 only. Audited across all 140 records with no exceptions. Wegovy tablet sig shortened from 191 to 129 characters — it came in over the 140 cap from the source document and would have truncated in Tebra. Dead MDToolbox rendering removed from the provider tool.
- 2026-08-09 (TEBRA STRINGS VERIFIED): All 22 brand drug-dropdown strings captured from the Tebra drug search and stored verbatim, including the lowercase “kwikpen” and “hd”, and the inconsistent spacing before the bracketed pen content. Zepbound KwikPen entries carry a total-content figure (4 doses x 0.6 mL = 2.4 mL) that independently confirms quantity 1. Wegovy pen volume varies by dose: 0.5 mL at 0.25/0.5/1 mg, 0.75 mL at 1.7/2.4/7.2 mg. Wegovy tablet and Foundayo strings already matched. BRAND-KWIKPEN-STRING and WEGOVY-PEN-QUANTITY both closed.
- 2026-08-09 (BRAND CORRECTIONS): Zepbound corrected to ONE KwikPen per 4-week supply. The pen is a multi-dose device holding 4 fixed weekly doses; the source document quantity of 4 referred to single-dose vials, so prescribing 4 pens would have dispensed sixteen weeks. Foundayo and Wegovy pen prescribing values added, both previously missing entirely. Foundayo and Wegovy tablet long programs are a 60-day supply with no refill; the pens are 4-week plus one refill. Semaglutide 4-week website code FITSema001 added at \$269.
- 2026-08-09 (BRAND PRESCRIBING): Real Tebra Standard prescribing values loaded from the brand prescribing document for Zepbound (6 doses x 2 programs) and the Wegovy oral tablet (4 doses x 2 programs), including pharmacy addresses and phone numbers. Brand pathways restricted to TX, CA, AL and WI — a program limit the data did not previously capture. Brand visit fee confirmed identical for both program lengths; the short/long choice is clinical, driven by dose stability. Premier glycine 8-week ladder strings corrected — they had implied 2, 3 and 4 mL vial sizes that do not exist, when Premier stocks 1 mL only.
- 2026-08-09 (BRAND SELECTION): Brand products now carry brandFamily and presentationLabel so they are chosen by brand rather than molecule. A provider picks Wegovy then Pen or Oral tablet, not semaglutide then a formulation. Zepbound and Foundayo have a single presentation each, so the formulation step resolves itself.
- 2026-08-09 (PROVIDER TOOL PASS): Premier notes made consistent — all three products offer 4-week and 8-week, all carry a 90-day BUD, and every 8-week program ships complete in one initial shipment. Brand-name billing consolidated to a single \$79 prescription visit fee under code FITGLP1001 across LillyDirect, NovoCare and local pharmacy. Oral pricing now resolves from the charge code via priceForCode() rather than being duplicated on each dose.
- 2026-08-09 (PRESCRIBING REWORK COMPLETE): All 96 compounded records converted to the Functional Health field layout. Premier’s cyanocobalamin dropdown workaround is gone — every pharmacy now uses a real Tebra Compound drug formulation. QUANTITY IS NOW TOTAL MILLILITRES, not a vial count, matching how Tebra calculates the dose. Oral formulations split by strength: Premier and Farmakeio each have a 0.5 mg and a 1 mg entry that were previously collapsed into one. Naming settled: Premier orals are Dots (KORB marketing term, though Premier compounds them as troches), Farmakeio is RDT, Belmar is FastSL. Seven 8-week quantities corrected where the entered figure was the 4-week value; the row notes and the drug math both confirmed the doubled figure.
- 2026-08-09 (BELMAR): Belmar tirzepatide sig converted from units/mL to mg so it matches Belmar semaglutide, which has been ordered in mg for a couple of years. Semaglutide left byte-identical. Insulin-syringe note stays in the patient directions, not Pharmacy Instructions, because that is the field Belmar reads. Belmar 100-unit no-headroom draw confirmed as intended, no callout.
- 2026-08-09 (TEBRA FIELDS): Character caps recorded — Reason for Compounding 30, Patient Instructions 140, Pharmacy Instructions 170. Premier keeps mg-based sig text: that is what Premier wants, has been in place three years, and a previous attempt to standardise it had to be reversed. Greenwich 50-unit dosing into 50-unit syringes confirmed deliberate, so the Functional Health syringe callout rule explicitly does not apply to Greenwich GLP-1. Belmar oral semaglutide confirmed as rapid-dissolving tablets. Empty-stomach and 15-minute sublingual instructions extended to all oral products.
- 2026-08-09 (DECISIONS): Three items settled. Premier’s licensed footprint is final — routing defaults are overridable, the footprint is not. Manufacturer brand pricing will NOT be stored, by policy: it changes without notice, KORB does not control it, and a stale figure becomes a wrong price quoted to a patient. Oral products follow a 30-day or 60-day provider-set follow-up rather than the injectable 4-week / 8-week cadence, for both compounded and brand orals.
- 2026-08-09 (STRUCTURAL ROUND): Routing and pharmacy records reworked. Florida added to Premier’s preferred states and routing. KORB active states set to all 50 plus DC. Premier’s shipping list confirmed as a hard licensed footprint — 13 jurisdictions it does not serve are now hard exclusions. Belmar widened to all 50 plus DC but flagged as discouraged outside California on price. Farmakeio set to 49 states plus DC with California the single hard exclusion, and Lifefile removed. Greenwich moved off MDToolbox, preferred states cleared, and restricted to continuing tirzepatide patients only. Every compounding pharmacy now orders via Tebra Compound and bills identically. Brand-name pathways moved to Tebra Standard with a shared brandRules block, and a local-pharmacy channel added. Brand catalogue rebuilt: Zepbound KwikPen (vial presentation dropped), Foundayo added, Wegovy split into pen and tablet with the 7.2 mg pen marked as Wegovy HD. Visit cadence now allows video or asynchronous visits.

• 2026-08-06 (CONFIRMATION ROUND — supersedes the entry above): Seven open items closed on direct confirmation. Indiana goes to FARMAKEIO, not Premier — the provisional Premier routing has been reversed and removed. Farmakeio ships to all states and DC with California as the only exclusion. Premier glycine 8-week confirmed as a single full-supply fill. Belmar refill trigger confirmed at week 3. Farmakeio top semaglutide dose corrected from 2.4 to 2.5 mg on the label. Greenwich 8-week corrected to Days 56 with two vials. Oral charge codes confirmed for Premier and Belmar only and stripped from Farmakeio oral. Two items remain open, neither blocking.